





#### Contents

Discover Starfloor Click 30 & 30PLUS	04
Design & inspiration	
Country Oak	06
Charm Oak	08
Puzzle	10
Cosy Oak	12
Slate	14
Cube 3D	16
Retro	18
Cerused Oak	20
Smoked Oak	22
Scandinave wood	24
Colored Pine	26
Washed Pine	27
Teak	28
Beach	29
Soft Oak	30
Scratched Metal	31
Accessories	32
Sustainability	34
Technical information	35

### DISCOVER STARFLOOR CLICK 30...

#### Your decoration clicks into place A new look installed simply and swiftly

Starfloor Click 30 brings choice, style and simplicity to your renovation. A wide range of patterns and colours to suit all tastes. Simple click installation system. Fifteen-year warranty.

Classic, contemporary or trendy; the living area, kitchen and bathroom or bedrooms, Tarkett Starfloor Click 30 refreshes your decoration in an instant. Mix and match wood, metallic, ceramic and stone designs to personalise your interior and enjoy true comfort underfoot.

Installing the vinyl tiles is fast and straightforward thanks to the easy click system that requires few tools. The tiles' natural acoustic qualities keep noise to a minimum, and with an acoustic underlay, noise can be reduced even further. Complete the look with matching skirtings.





Your new floor is also a durable choice. Starfloor Click 30's wear layer and Top Clean surfacing protect against scuffs, scratches and stains, making the flooring easy to maintain and clean throughout its 15-year warranty.

And it goes without saying that Starfloor Click 30 is made with the environment in mind. In your home, first with Starfloor Click 30: VOC levels are lower than current European standards, contributing to good indoor air quality and your well-being. Manufactured within Tarkett's closed loop sustainability system, Starfloor Click 30 is also 100% recyclable.

Starfloor Click 30 is the simple and sturdy flooring that also gives free reign to your tastes and imagination for great interior design.

## ...& 30PLUS

#### PLUS An Aura of Authenticity Add a lifelike finish



Add another dimension to your decoration by amplifying it with textures that bestow upon your floor a look and feel close to the real thing. The embossed-in-register technique

engraves effects onto your planks and tiles that reproduce wood or stone's natural essence. As light travels across your floor, the grain or pattern is reflected, reproducing a lifelike finish all around you.









## **Country Oak**



The Country Oak, with its registered embossing, is a traditional and classic wood. Its timeless elegance is reassuring.



**Light Brown** 36002000 Corresponding skirting 26640786



Cold Grey 36002001 Corresponding skirting 26640787



**Light Beige** 36002002 Corresponding skirting 26640788











Dimensions: 18,3 x 122 cm





# Charm Oak PLUS

softness and wellness in interiors.

The Charm Oak is a classic and charming limed wood. Its embossed in register surface brings extra authenticity and its delicate style adds



Snow 36002003 Corresponding skirting 26640789



Cold Grey 36002004 Corresponding skirting 26640790



Beige 36002005 Corresponding skirting 26640791









2 sides beveled **2V** 



Dimensions: 18,3 x 122 cm





#### Puzzle

The Puzzle is a relooking of the traditional cement tiles. The patterns play with the geometric and triangular shapes, in a pastel of blue and grey.



**Light Blue** 36001006 Corresponding skirting 26640796



**Grey** 36001007 Corresponding skirting 26640797











Dimensions: 31 x 60,05 cm





## Cosy Oak

The Cosy Oak is a balance between a traditional, rustic and trendy wood. This will bring a warm atmosphere in your home.



Beige 35998014 Corresponding skirting 26640792



Brown 35998015 Corresponding skirting 26640793



**Grey**35998016
Corresponding skirting 26640794











Dimensions: 18,3 x 122 cm





#### Slate

The Slate is an authentic and natural stone. It creates a traditional ambiance in your interior.



Grey 35994005 Corresponding skirting 26640784



Anthracite 35994006 Corresponding skirting 26640785











Dimensions: 31 x 60,3 cm





#### Cube 3D

The Cube 3D is inspired by the traditional pattern in the cement tile. It creates a graphic and optical effect. Its style is modern and timeless in a cameo of grey.



**Grey**36001005
Corresponding skirting 26640795











Dimensions: 31 x 60.05 cm





#### Retro

The Retro is a patchwork of vintage cement tiles. It follows the trend by mixing the traditional patterns. It adds a bohemian and creative style.



**Black White** 

36001001

Corresponding skirting 26640730



Indigo

36001002

Corresponding skirting 26640729



**Orange Blue** 

36001003

Corresponding skirting 26640731



**Grey Beige** 

36001004

Corresponding skirting 26640783









4 sides beveled 4V

Dimensions: 31 x 60,05 cm





#### **Cerused Oak**


The Cerused Oak is a trendy lightwood. The variations of colors in the planks play with the contrasts and create a realistic effect.



Beige 35998005 Corresponding skirting 26640707



Brown 35998006 Corresponding skirting 26640708



This design offers a lively range of colors and structures. Several planks within a box can therefore differ greatly.











Dimensions: 18.3 x 122 cm





#### **Smoked Oak**

Smoked Oak is an authentic wood with cracks and saw effects. Its look will add personality to any room in your house.



Light Grey 35998007 Corresponding skirting 26640710



Dark Grey 35998008 Corresponding skirting 26640711











Dimensions: 18,3 x 122 cm





#### **Scandinave Wood**

The Scandinavian style plays with the omnipresence of white in combination with clean lines and soft materials. It creates a sense of warmth, light and wellbeing.



Beige 35998012 Corresponding skirting 26640734



White 35998013 Corresponding skirting 26640735












Dimensions: 18,3 x 122 cm

## **Colored Pine**

The colored Pine is an original painted wood. It adds a colored and trendy touch to your decoration.



**Grey** 35998002 Corresponding skirting 26640802













**Dimensions:** 18,3 x 122 cm

2 sides beveled **2V** 

4 sides beveled **4V** 

## **Washed Pine**

The Washed Pine is a vintage wood. Its light painting and patinas create a soft and authentic effect.



Snow 35998003 Corresponding skirting 26640702













**Dimensions:** 18,3 x 122 cm

## **Teak**

The Teak adds a warm and exotic touch.



Natural 35998009 Corresponding skirting 26640713













**Dimensions:** 18,3 x 122 cm

2 sides beveled **2V** 

4 sides beveled **4V** 

### **Beech**

The classic beech, in a natural color, is a timeless wood. It will be in harmony with all styles.



Natural 35998010 Corresponding skirting 26640714













Dimensions: 18,3 x 122 cm

### Soft Oak

The Soft Oak is an elegant and easy wood. It creates a timeless ambiance.



Natural 35998011 Corresponding skirting 26640715













**Dimensions:** 18,3 x 122 cm

2 sides beveled **2V** 

4 sides beveled **4V** 

#### **Scratched Metal**

The trends like to rewrite histories by mixing the styles and recycled objects and materials. The Scratched Metal, old looking metal, with cracks and patinas is inspired by the industrial style.



**Grey** 35994004 Corresponding skirting 26640728













Dimensions: 31 x 60,3 cm

2 sides beveled **2V** 

4 sides beveled **4V** 

#### **ACCESSORIES**

#### Underlayer - Fast-track renovation systems



#### MARATHON® DUAL

- The ready-to-use solution for renovating over an existing subfloor
- Superior performance
- Easy to install and remove

#### **DESCRIPTION**

- Material: MDF and coniferous woods
- Density: 240kg per m³ • Total thickness: 6mm • Article code: 24993020







#### Underlayers - for acoustic comfort









#### TARKOMFORT PREMIUM

- High-performance acoustic insulation
- · High resistance to traffic
- Quick & easy to install

#### **DESCRIPTION**

- Material: viscoelastic polymer based on polyolefins and EVA, with double sided anti-slip textre with micro suction cup effect
- Total weight: 100g per m² • Total thickness: 1.0mm
- Article code: 24992030 Black









#### **TARKOMFORT PRO**

- Powerful acoustic insulation
- Simple to install and remove
- Enhanced durability

#### DESCRIPTION

- **Material:** siliconised PET carrier film with high-resistance polyurethane layer and non-woven, white-fleece backing
- Total weight: 1500g per m<sup>2</sup> • Total thickness: 1.5mm • Article code: 24992020

#### Transition profiles







Aluminium transition strip for LVT Click & Loose-Lay used in general traffic areas. To be screwed.

Elegant finish with smooth surface and no visual screws. Bendable with radius 60 cm.

- Size: 24 mm wide x 6 mm high x 2700 mm long
- Packaging: Full kit including top profiles and dowls. 10 units of 2,7lm in a cardboard box = 27 lm










#### LVT BENDABLE STOP PROFILE

Aluminium stop profile to be screwed. Very resistant to wear & traffic Ribbed surface for slip-resistance Bendable with radius 80cm

- Size: 30 mm wide x 5 mm high inside x 8 mm high outside 30 mm high x 2500 mm long
- Packaging: Full kit including stop profiles, screws and dowls. 10 units of 2,5lm in a cardboard box = 25 lm



Silver NCS:S 2500-N	1456 011
Stainless steel NCS:S 6005-Y20R	1456 012

#### Skirtings

#### **PVC DECORATIVE SKIRTING**

Compact skirting with decorative film and PUR surface treatment.
Perfectly match all Starfloor Click 30 designs.



• Packaging: 2.02lm skirting in packs of 10



#### BUILDING A SUSTAINABLE FUTURE

At Tarkett, we are moving towards a circular economy, where our products are designed to be returned, recycled, remanufactured or reused in a close loop system.

#### Use good materials


that are safe for people and the environment

- Since 2010, 80%¹ of our raw materials have been assessed in accordance with the Cradle to Cradle® principles.
- Tarkett new generation vinyl flooring is using phtalate free technology.<sup>2</sup>

#### Recycle and reuse

to reduce waste

- We work with our customers and partners through the ReStart® programs in Europe and North America
- Between 2010 and 2015 we doubled the quantity of post-installation or post-consumer products collected for recycling.



#### Responsible use of resources

in our operations

= 57%¹ of our

manufacturing use closed loop water circuits

= 67%¹ of our factories have reduced their overall energy consumption per square meter of product manufactured.

#### **Contributing to wellbeing**

with better air quality

■ The VOC levels of our flooring collection are 10 to 100 times lower than the strictest European standards.

### TECHNICAL DATASHEET

Heterogeneous Compact Resilient Floorcovering		EN ISO 10582		
Classes of Use		EN ISO 10874	23	31
PRODUCT ID				
Material group		Starfloor Click 30: 35998 / 36001 / 35994 Starfloor Click 30 <sup>PLUS</sup> : 36002		
Dimensions	ISO 24342	122 x 18.3 cm = 9 planks/box = 2,01m <sup>2</sup> /box 60.05 x 31 cm = 9 tiles/box = 1,68 m <sup>2</sup> /box 60.3 x 31 cm = 9 tiles/box = 1,68m <sup>2</sup> /box		
Locking system		Click		
Commercial warranty		15 years residential use		
TECHNICAL CHARACTERISTICS				
Total thickness	EN ISO 24346	4,00 mm		
Wear layer thickness	EN ISO 24340	0,30 mm		
Wear layer binder content	ISO 10582	Type I		
Dimension - Length	EN ISO 24342	122 / 60.05/ 60.3 cm		
Dimension - Width	EN ISO 24342	18.3 / 31 /31 cm		
Surface Treatment (PUR)		Extreme®		
Bevelled edges		Microbevels		
Total weight	ISO 29997-EN430	$7.4 \text{ kg/m}^2$		
TECHNICAL PERFORMANCES				
Dimensional stability	EN ISO 23999	≤ 0,10 %		
Curl resultant to heat	EN ISO 23999	≤ 2 mm		
Reaction to fire	EN 13501-1	B <sub>fl</sub> -s1 loose laid on co	oncrete and on wood	
Residual indentation	EN ISO 24343-1	≤ 0,08 mm		
Furniture leg	EN 424	No damage		
Castor chair	ISO 4918 - EN 425	No damage		
Impact sound reduction	EN ISO 717-2	$\Delta Lw = 3 dB$		
Thermal resistance	EN ISO 10456	0,03 m <sup>2</sup> K/W		
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6		
Chemical resistance	EN ISO 26987	Very good		
Slip resistance	DIN 51130 / EN 13893	R9 / R10 depending on embossing / µ ≥ 0,30		
Electrical properties	EN 1815 / EN 1081	<2 kV on concrete / > 109 Ohm		
Peeling resistance	EN ISO 24345	≥ 50N / 50mm		
Underfloor heating		Suitable - max. 27 °C		
ENVIRONMENT				
TVOC 28 days AgBB test		≤ 100µg/m³		
Recyclable		100%		
		Phthalate-free technology		





































#### Contents

Discover Starfloor Click 55 & 55PLUS

#### Design & inspiration

Lime Oak	06	
Alpine Oak	08	
Legacy Pine	10	
Rough Concrete	12	
Brushed Pine	14	
English Oak	16	
Modern Oak	18	
Vintage Zinc	20	
Scandinavian Oak	22	
Contemporary Oak	24	
Antik Oak	26	
Composite	28	
White oak	30	
cessories		

Acc

Sustainability 34

**Technical information** 35

StarfloorClick55 Catalog-EU.indd 2-3 08/12/2017 15:17

#### DISCOVER STARFLOOR CLICK 55...

#### Click professional quality into place Long-lasting, hand-crafted designs for your home

A select range of natural-looking colours and surfaces. Professional-grade resistance. Simple click installation system. Twenty-year warranty. Indulge in professional quality and elegance for your home.

Transform your home using Tarkett Starfloor Click 55's range of soft colours and authentic-looking materials to create subtle and polished decoration. Choose from realistic looks such as wood, zinc and concrete to shape a room's ambiance, anywhere in the house. All designs are carefully handcrafted in Tarkett's renowned design studio.

Starfloor Click 55's style is anything but ephemeral. Backed by a twenty-year warranty, the vinyl flooring includes a generous and durable professional-grade wear layer. Treated with Top Clean surface protection, it offers increased resistance to scuffs, scratches and stains, and is easy to clean and maintain.



Thanks to the professional fold-down click system, installing Starfloor Click 55 is also simple and rapid. Choose from among tiles or three lengths of planks, all with four-sided bevelling. Opt for an acoustic underlay for additional sound absorption, and matching skirtings for final polish.

As a final touch, Starfloor Click 55 takes into consideration both your well-being and the environment. Manufactured in Tarkett's state-of-the-art European factory in the company's closed loop sustainability system, it is 100% recyclable itself. The flooring also has very low levels of VOCs, contributing to improved indoor air quality in your home.

With Starfloor Click 55, award your home understated design and lasting durability.

### ...& 55<sup>PLUS</sup>

#### PLUS An Aura of Authenticity Add a lifelike finish

Add another dimension to your decoration by amplifying it with textures that bestow upon your floor a look and feel close to the real thing. The embossed-in-register technique

engraves effects onto your planks and tiles that reproduce wood or stone's natural essence. As light travels across your floor, the grain or pattern is reflected, reproducing a lifelike finish all around you.





STARFLOOR CLICK 55 5

StarfloorClick55 Catalog-EU.indd 4-5



# Lime Oak PLUS



This flooring feels like a good friend: always there but never intrusive. The well balanced design is coming in nine coordinated colour shades from white to black to match every interior style. A perfect starting point to create exiting ambiances based on a timeless but contemporary design.



White

35954048



Natural

35954051 Corresponding skirting 26640764



**Dark Grey** 

35954054 Corresponding skirting 26640767



**Light Beige** 

35954049 Corresponding skirting 26640762



35954052 Corresponding skirting 26640765



**Brown** 

35954055



35954050



35954053



Black

35954056









STARFLOOR CLICK 55

StarfloorClick55 Catalog-EU.indd 6-7



# Alpine Oak - Maggiore PLUS



From the mountain lodge to your home. Alpine Oak is catching the rough and worn feeling of a hideaway surrounded by pure nature. The colours are a reminder on the natural aging of wood and the tactile surface, which follows the structure of the wood grains, is enhancing this impression.



Natural 35955057 Corresponding skirting 26640770



35955058 Corresponding skirting 26640771



Corresponding skirting 26640772



Corresponding skirting 26640773



White 35955061 Corresponding skirting 26640774

**Dimensions:** 24,05 x 149,1 cm









starfloor click 55  $\,\,9$ 

StarfloorClick55 Catalog-EU.indd 8-9 08/12/2017 15:18



# Legacy Pine - Pine PLUS



Authenticity for wood lovers. The nearly unfinished look of the Legacy Pine is a reference to the reclaimed materials which delivers a warm atmosphere but with an industrial twist. The colours are like aged or bleached from time and weather which is supported by the registered surface embossing.



**Light Grey** Corresponding skirting 26640775



**Medium Grey** Corresponding skirting 26640776



Dark Grey Corresponding skirting 26640777



Brown Corresponding skirting 26640778











STARFLOOR CLICK 55 11

StarfloorClick55 Catalog-EU.indd 10-11 08/12/2017 15:18



# Rough Concrete - Beton Brut



Concrete has been the favorite material of architects since a long time for a reason. No other material is that classic and modern at the same time. The Rough Concrete is an example of the puristic impression but also delivering homeliness through the colour range.





Corresponding skirting 26640779



Dark Grey

Corresponding skirting 26640781



Corresponding skirting 26640780



Black

35957161 Corresponding skirting 26640782














starfloor click 55 13



## Brushed Pine - Rustic

A decor like a garden picnic. Signs of usage but also parts which could be bleached from the sunlight are part of this design. Light colours which could be inspired from a nordic summer are completing this feeling.



Grey 35950014 Corresponding skirting 26640614



Natural 35950015 Corresponding skirting 26640265



White 35950016 Corresponding skirting 26640266











 ${\tt starfloor\,click\,55}\ 15$ 

StarfloorClick55 Catalog-EU.indd 14-15



# English Oak - Natural

A noble oak pattern with a rustic touch. English Oak is working very well with design codes around country living and the simplicity of raw ambiances with added patina.



Corresponding skirting 26640624



**Grey Beige** 35950029 Corresponding skirting 26640268



Natural Corresponding skirting 26640627



**Light Beige** 35950028 Corresponding skirting 26640267











 ${\tt starfloor\,click\,55}\ \ 17$ 



## Modern Oak - Natural

Classic pattern which is as timeless as the colour range. Modern Oak is fitting every demand and lifestyle. The natural surface structure provides a natural feel and touch and is adding serenity to every interior.



White

Corresponding skirting 26640394



Classical

35950146 Corresponding skirting 26640396



Beige Corresponding skirting 26640395











 ${\tt STARFLOOR\,CLICK\,55} \ \ 19$ 



# Vintage Zinc - Flat

This classic metal design is adding a vintage look to every space without being superficial. The colours are inspired by the natural patina of metals with marks of wear and tear.



Black 35952094 Corresponding skirting 26640287



Rust 35952095 Corresponding skirting 26640288



Silver 35952096 Corresponding skirting 26640289













## Scandinavian Oak - Weathered

Wide grains with the touch of white oiling and a colour range of warm beige and cold grey shades are representing the nordic decoration style.

The colour shades are paying attention to this Scandinavian appearance.



Dark Grey Corresponding skirting 26640338



35950104 Corresponding skirting 26640337



**Light Grey** 35950103 Corresponding skirting 26640336



Dark Beige Corresponding skirting 26640335



**Medium Beige** Corresponding skirting 26640334



**Light Beige** Corresponding skirting 26640333











STARFLOOR CLICK 55 23

StarfloorClick55 Catalog-EU.indd 22-23 08/12/2017 15:19



## Contemporary Oak - Natural


Beautiful balanced and a perfect stage for timeless interiors. With subtle gradients from light to dark inside the plank, this design is creating beautiful soft waves on the floor. Small details, which are never too obvious are completing this state-of-the-art design.



35951112 Corresponding skirting 26640349



35951111 Corresponding skirting 26640348



## Antik Oak - Rustic

Vintage but modern. This design is following the trend of finding back materials from the past and turning them into new classic. Subtle sawmarks are underlining this timeless oak pattern to create ambiance which never go out of style.



**Anthracite** 35951007



Middle grey 35951008 Corresponding skirting 26640263



**Light Grey** Corresponding skirting 26640261



35951133 Corresponding skirting 26640382













# Composite - Beton

Perfect for minimalistic and industrial interiors with high contrast. Small scratches and cracks are making this decor look very natural. This decor is also a perfect fit with raw wood or metals.



35952074 Corresponding skirting 26640318



**35952073**Corresponding skirting 26640317













## White Oak - Natural

White washed and limed for a appealing worn out look. This very natural pattern is a reference for the famous beach house look. In beautiful black this natural vintage touch is a beautiful highlight on every floor.



Black 35950153 Corresponding skirting 26640404









24 74

#### **ACCESSORIES**

#### Underlayer - Fast-track renovation systems





- The ready-to-use solution for renovating over an existing subfloor
- Superior performance
- Easy to install and remove

#### DESCRIPTION

- Material: MDF and coniferous woods
- Density: 240kg per m<sup>3</sup>
- Total thickness: 6mm
- Article code: 24993020







#### Underlayers - for acoustic comfort



#### DESCRIPTIO

- Material: viscoelastic polymer based on polyolefins and EVA, with double sided anti-slip textre with micro suction cup effect
- Total weight: 100g per m<sup>2</sup>

• High resistance to traffic

• Quick & easy to install

TARKOMFORT PREMIUM

• High-performance acoustic insulation

- Total thickness: 1.0mm
- Article code: 24992030 Black







#### TARKOMFORT PRO

- Powerful acoustic insulation
- Simple to install and remove
- Enhanced durability

#### DESCRIPTIO

- Material: siliconised PET carrier film with high-resistance polyurethane layer and non-woven, white-fleece backing
- Total weight: 1500g per m² • Total thickness: 1.5mm • Article code: 24992020







# Transition profiles




#### LVT TRANSITION STRIP GENERAL TRAFFIC

Aluminium transition strip for LVT Click & Loose-Lay used in general traffic areas. To be screwed.

Elegant finish with smooth surface and no visual screws. Bendable with radius 60 cm.

- Size: 24 mm wide x 6 mm high x 2700 mm long
- Packaging: Full kit including top profiles and dowls. 10 units of 2,7lm in a cardboard box = 27 lm








#### LVT BENDABLE STOP PROFILE

Aluminium stop profile to be screwed. Very resistant to wear & traffic Ribbed surface for slip-resistance Bendable with radius 80cm

- Size: 30 mm wide x 5 mm high inside x 8 mm high outside 30 mm high x 2500 mm long
- Packaging: Full kit including stop profiles, screws and dowls. 10 units of 2,5lm in a cardboard box = 25 lm



Silver NCS:S 2500-N	1456 011
Stainless steel NCS:S 6005-Y20R	1456 012

#### Skirtings

#### PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment.
Perfectly match all Starfloor Click 30 designs.



• Packaging: 2.02lm skirting in packs of 10



STARFLOOR CLICK 55 33

StarfloorClick55 Catalog-EU.indd 32-33 15:20


### BUILDING A SUSTAINABLE FUTURE

At Tarkett, we are moving towards a circular economy, where our products are designed to be returned, recycled, remanufactured or reused in a close loop system.

#### Use good materials

that are safe for people and the environment

- Since 2010, 80%¹ of our raw materials have been assessed in accordance with the Cradle to Cradle® principles.
- Tarkett new generation vinyl flooring is using phtalate free technology.<sup>2</sup>



#### Responsible use of resources

in our operations ■ 57%¹ of our manufacturing use closed loop water circuits

■ 67%¹ of our factories have reduced their overall energy consumption per square meter of product manufactured.

#### **Contributing to wellbeing**

with better air quality

■ The VOC levels of our flooring collection are 10 to 100 times lower than the strictest European standards.

### TECHNICAL DATASHEET

Heterogeneous Compact Resilient Floorcovering		EN ISO 10582	
Classes of Use		EN ISO 10874 23	33
PRODUCT ID			
Material group		Starfloor Click 55: 35950 / 35951 / 35952 Starfloor Click 55 PLUS: 35954 / 35955 / 35957	
Dimensions	ISO 24342	19.05 x 121.1 cm = 7 planks/box = 1.61 m <sup>2</sup> /box 24.05 x 149.1 cm = 5 planks/box = 1.79 m <sup>2</sup> /box 32.38 x 60.1 cm = 9 tiles/box = 1.75m <sup>2</sup> /box 49.05 x 99.1 cm = 3 tiles/box = 1.46m <sup>2</sup> /box	
Locking system		Click	
Commercial warranty		20 years residential use	
TECHNICAL CHARACTERISTICS			
Total thickness	EN ISO 24346	4,50 mm	
Wear layer thickness	EN ISO 24340	0,55 mm	
Wear layer binder content	ISO 10582	Type I	
Dimension - Length	EN ISO 24342	121.1/149.1/60.1/99.1 cm	
Dimension - Width	EN ISO 24342	19.05/24.05/32.38/49.05 cm	
Surface Treatment (PUR)		Extreme®	
Bevelled edges		Yes	
Total weight	ISO 29997-EN430	8 kg/m²	
TECHNICAL PERFORMANCES			
Dimensional stability	EN ISO 23999	≤ 0,10 %	
Curl resultant to heat	EN ISO 23999	≤ 2 mm	
Reaction to fire	EN 13501-1	B <sub>ff</sub> -s1 loose laid on concrete	
Residual indentation	EN ISO 24343-1	≤ 0,10 mm	
Furniture leg	EN 424	No damage	
Castor chair	ISO 4918 - EN 425	No damage	
Impact sound reduction	EN ISO 717-2	$\Delta Lw = 3 dB$	
Thermal resistance	EN ISO 10456	0,04 m² K/W	
Light fastness	EN ISO 105-B02 (method 3a)	≥6	
Chemical resistance	EN ISO 26987	Very good	
Slip resistance	DIN 51130 / EN 13893	R9 / R10 depending on embossing / µ ≥ 0,30	
Electrical properties	EN 1815 / EN 1081	<2 kV on concrete / > 109 Ohm	
Peeling resistance	EN ISO 24345	≥ 50N / 50mm	
Underfloor heating		Suitable - max. 27 °C	
ENVIRONMENT			
TVOC 28 days AgBB test		≤ 10µg/m³	
Recyclable		100%	



Plasticizer









Phthalate-free technology



















 $^{\rm 1}$  2015 figures.  $^{\rm 2}$  Except recycled content.

Recycle and reuse

to reduce waste

■ We work with our

customers and partners

through the ReStart®

programs in Europe and

North America

■ Between 2010 and 2015

we doubled the quantity

of post-installation or

post-consumer products collected for recycling.

STARFLOOR CLICK 55 35

StarfloorClick55 Catalog-EU.indd 34-35 08/12/2017 15:20



## YOUR HOME DESERVES THE BEST



We offer customers one of the broadest product portfolios in the flooring and sports surface industry, providing integrated and coordinated solutions to professional and residential end-users all over the world.

Our 34 industrial sites, 12,500 employees and sales in 100+ countries put us in close contact with customers and suppliers everywhere in the world. Globally, we drive operational excellence, commitment to our values and innovation, while empowering local teams to manufacture and design products and services suited to local customer needs and trends.

Tarkett is also committed to protecting our planet and bringing a sustainable lifestyle to all people, while addressing society challenges such as urbanization, population aging and resource scarcity. We aim to contribute to people's well-being and to the development of the circular economy powered by the Cradle to Cradle® principles, in partnership with external players.

More info at: www.tarkett.com



NT UK: 6920356850 / INT EMEA: 6920356851 / INT TI: 6920356852 / INT GR: 6920356853 / INT EST: 6920356854 / INT LITH: 6920356855 / INT CZ: 6920356856 / INT HG: 6920356857

WESTERN EUROPE: Austria: Tarkett Holding Gribh; Niederlassung Wien − Tel. +43 1 47 88 062 • Belgium: Tarkett Belux Sprl − Tel. +32 16 35 98 80 • Denmark: Tarkett A/S − Tel. +45 43 90 60 11 • Finland: Tarkett Oy − Tel. +45 59 4257 9000 • France: Tarkett SAS ≥ Tel. +43 1 47 20 42 49 • Germany: Tarkett Holding GmbH, Bereich Objekt − Tel. +49 62 33 810 • Greece: Tarkett Monoprosopi Ltd − Tel. +30 21 0 6745 40 • Italy: Tarkett Sp. A. − Tel. +39 0744 7551 • Luxembourg: Tarkett EDL SAP − Tel. +352 69 321, 8804 • Notherlands: Tarkett Holding GmbH, Vestiging Nederland − Tel. +31 41 6655 491 • Norway: Tarkett AS − Tel. +47 32 20 90 0 • Portugal: Tarkett Sap. A. − Tel. +361 21 427 64 20 • Spain: Tarkett Floors S.L. − Tel. +34.91 358 00.35 • Sweden: Tarkett Sverige AB − Tel. +46 771 25 19 00 • Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz − Tel. +41 043 233 79 24 • Turkey: Tarkett ASpe. − Tel. +90 212 213 65 80 • United Kingdom: Tarkett Ltd ≥ Tel. +44 (0) 1622 854 040 ■ EASTERN EUROPE: Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 • Czech Republic: Tarkett France SAS, org. 216 285 − Tel. +361 437 8150 • Polandi: Tarkett Ploors S.L. − Tel. +437 810 • Polandi: Tarkett Ploors S.L. − Tel. +437 810 • Polandi: Tarkett Ploors S.L. − Tel. +421 248 291 317 • South East Europe: Tarkett Sel. +361 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA − Tel. +38 (0) 44 569 12 21 ■ ASIA AND OCEANIA: Australia: Tarkett Australia: Tarkett Australia: Tarkett Australia: Tarkett Holding Sindapore Pte. Ltd. − Tel. +65 6346 1855 ■ AFRICA: Tarkett International: Tel. +33 1 41 20 41 01 ■ MORTH AMERICA: USA: Tarkett Floor (India Branch). − Tel. +91 11 4352 4073 ■ South East Sais: Tarkett Middle East: Tel. +961 15 13 3363/4 ■ Israél: Tarkett Inc. − Tel. +1 440 543 8916 • Canada: Tarkett Inc. − Tel. +1 450 19 8410 9310 / 551 19 5494 0069 ■ Mexico / Central America: Tarkett Latam Mexico − Tel. +55 11 98410 9310 / 551 19 5494 0069 ■ Mexico / Central America: Tarkett Latam Mexico − Tel. +55 11 98410 9310 / 551 19 5494 0069 ■ Mexico /

**O** Tarkett