




Nowodvorski
LIGHTING



Nowodvorski
LIGHTING



Zmiana i światło są ze sobą nierozzerwalnie związane - dzień zmienia się w noc, a noc w dzień. Gdy wieczorem rozświetlisz salon, może stać się miejscem rodzinnych rozgrywek w ulubione planszówki lub spotkań z przyjaciółmi. Gdy potem usiądziesz w wygodnym fotelu i włączysz stojącą przy nim lampę, zmieni się w zaciszną przestrzeń do czytania, a Ty w skupieniu podążysz za bohaterami książki.

Dzisiaj i my kierujemy światło na... zmiany - na naszą nową identyfikację wizualną. Nowoczesną. Przyciągającą wzrok. Jak nasze oświetlenie. W jednym symbolu chcieliśmy ująć to, co najbardziej doceniają nasi Klienci i Partnerzy: możliwości tworzenia z naszymi oprawami i systemami konfigurowalnymi wewnątrz z dobrym designem. Mamy nadzieję, że „N” widoczne w sygnecie logo, złożone z wiązek światła, będzie nie tylko odwołaniem do nazwiska i marki. Liczymy na to, że podkreśli w każdym domu i firmie, w których pojawią się nasze rozwiązania, to, co napędza rozwój: „N” jak „Nie ma granic dla kreatywności”.

Zapraszamy do świata, w którym oświetlenie tworzysz, a nie jedynie montujesz.

Изменения и свет неразрывно связаны - день превращается в ночь, а ночь - в день. Когда вы освещаете свою гостиную вечером, она может стать местом для ваших любимых настольных семейных игр или встреч с друзьями. А если потом садитесь в удобном кресле и включаете стоящую рядом лампу, гостиная превратится в тихое место для чтения, и вы будете сосредоточенно следить за героями книги.


Сегодня мы проливаем свет на... изменения - на нашу новую визуальную идентификацию. Современную. Привлекающую внимание. Как наше освещение. С помощью одного символа мы хотели отразить то, что наши Клиенты и Партнеры больше всего ценят: возможность создавать интерьеры с хорошим дизайном с помощью наших светильников и конфигурируемых систем. Мы надеемся, что логотип «N» на штампе, состоящий из лучей света, будет не только ссылкой на фамилию и бренд. Надеемся, что в каждом доме и каждой компании, где появятся наши решения, он подчеркнет то, что движет развитием: «N» означает «Творчеству нет предела».

Мы приглашаем вас в мир, где вы создаете освещение, а не просто устанавливаете его.

Change and light are inextricably connected - day turns to night and night turns to day. When you light up a living room in the evening, it becomes a place for family gatherings or game nights with friends. Later, you sit comfortably in an armchair and turn on the floor lamp which changes your room into a quiet and peaceful space for reading so, that you can follow the story of your favourite characters.

Today, we also direct light onto changes in our new visual identity; modern and eye-catching just like our lighting... In one symbol, we wanted to incorporate all of the features, that our customers and partners admire the most; the possibility to create well designed interiors using our lighting fixtures and configurable systems. We hope that the "N" which is composed of light beams in our logo will be more than merely a reference to the surname or brand. We believe, that in every home and company, where our solutions appear, it will emphasise what drives our development: "N" as in "Nothing can stop us from being creative".

Welcome to a new world, where you create lighting and don't just install it.



COLLECTIONS	18-283
SPOTLIGHTS	284-315
DOWNLIGHTS	316-337
PROFILE TRACK LIGHTS SYSTEM	338-361
BATHROOM LIGHTING	362-395
OUTDOOR LIGHTING	396-471
LIGHT SOURCES AND ACCESSORIES	472-479

COLLECTIONS



LASER 20-26 STALACTITE 27 EYE 28-37 EYE SUPER 38-43 MORE 44-47 IMBRIA 48-49



BATON 50-51 POLY 52 QUEBECK 53 PEAR 54-57 CYLINDER 58-59 SPHERE 60-61



CRANE 64 MONACO 62-65 VETRO 66-67 AMALFI 68-69 POLARIS 70-71 GLOBE PLUS 72-73



SALVA 74-75 NUAGE 76-79 NUNTUCET 80-81 NEWPORT 82 TESALLI 83 BOSTON 84-86



HAMPTON 87 CRISTAL 88-89 KATERINA 90 MODENA 91 TOSCANA 91 LAGUNA 92-93



TURDA 94-97 CROCO 98-99 BARREL 100 CONE 101 MIST 102 FORM 103



CAMERON 104-105 VIVIANE 106 VIOLET 107 FALCON 108 HAWK 109 VIPER 110-111



ALICE 112-115 FLEX SHADE 116 FLEX 117 RETTO 118 MOSS 119 HOTEL 120-123



CHILLIN 124-125 BORDE 126-127 VELERO 128-129 FARO 128 PETIT 130-133 CADILAC 134-135



TRIFLE 136 ZELDA 137 ROCKET 138 ACROSS 139 SUNRISE LED 142 SUNSET 140-145



SUN LED 144-145 WHEEL 146-148 WHEEL LUX 149 MINIMAL 150 DISK 151 OSLO LED 152-153



AWINION 154 COBA ANTIQUE 155 IKA 156 BIO S 157 DOVER 158-159 ORBIT 160-163



PILLS 164-165 RADIUS 166-167 ROTOR 168-171 STICKS 172-173 AXIS 174-175 ROD 176-177



PILE 178



MILL 179



MANUFACTURE 180-181



WORKSHOP 182-183



FIORD 184



TWIG 185



KAREN 234



CAMILLA 234



NESS 235



CAGE 235



ALLAN 235



MERSEY 236



SPIDER 186-187



CABLE 188



TULUM 189



SILICONE 189



GEOMETRIC 190



SHY 190



MEKNES 236



AVEIRO 237



MARGARET 238



ARES 239



TWIST 240-241



REMBRANT LED 242-244



VOLCANO 191



LAVA 191



GIPSY 192-193



SOLID 194



SHY 195



BOLD 195



GIOTTO LED 245



IMPULSE LED 246-247



STRAIGHT CEILING LED 248-249



STRAIGHT WALL LED 250



H LED 251



SOFT LED 252-255



CRATE 196-197



PLANT 198-199



HERMANOS 200-203



ZENITH 204-205



PERM 206-207



TECHNO 208-209



WING LED 256



ION LED 257



CUBE 258



TUBE 259



LIA LED 259



GESS LED 259



PANTOGRAPH 210



CRAFT 211



HARMONY 212



HIGH-BAY 213



GARRET 214-215



HEMISPHERE 216-217
RUST



BERGEN 260



HAGA 260



MALMO 261



NARWIK 261



RING LED 262-263



ORGANIC 264-265



WORKS 218



HEMISPHERE HIT 219



HEMISPHERE 220-221



EGG 222-223



CANOE 224-225



LUKSOR 226-228



KASAI 266-267



AGNES ROUND LED 268



AGNES SQUARE LED 269



STYLE LED 270-271



SMART LED 272



CHIC LED 273



WAVE 229



ABI 230



PICO 231



GSTAR 232



BULLET 233



UMBRELLA 234



POCATELLO 274-275



COSMO 276-277



PUZZLE 278-280



PLANE 281



MALWI 282-283

SPOTLIGHTS

					
MONO 286-307	MONO CORNER 293-295	MONO LONG 296-297	MONO SURFACE 300-305	EYE SPOT 308-311	EYE FIT 312
					
IRIS LED 313	CROSS 314	VESPA 315			

DOWNLIGHTS

					
COBLE 318	GROOVE 318-319	GAP 318	PAG 318	OVAl 319	HALO 320-321
					
FLEA 322	POINT TONE 322	INDIA 323	MIKE 323	SET 324	EYE TONE 325-327
					
POINT PLEXI 328	BIT 328	POINT 329	DALE 330	DOWNLIGHT 331	BOX 331
					
MOD 332-333	MOD PLUS 333	EYE MOD 334	DOT 335	CL KOS LED 336-337	

PROFILE TRACK LIGHT SYSTEM

					
PROFILE 340-343 IRIS LED	PROFILE 344-345 STORE PRO LED	PROFILE 346 MIKE	PROFILE 346 INDIA	PROFILE 346 FOCUS LED	PROFILE 347 ZOOM LED
					
PROFILE 350 EYE SUPER	PROFILE 350 EYE FLEX	PROFILE 351 EYE	PROFILE 351 BIT	PROFILE 351 WORKSHOP	PROFILE 353 EYE SPOT
					
PROFILE 353 VESPA	PROFILE 353 BIT PLUS	PROFILE 354 TRACK	PROFILE 354 POWER SUPPLY KIT	PROFILE 354 SUSPENSION KIT	PROFILE 356 STRAIGHT CONNECTOR
					
PROFILE 356 FLEX CONNECTOR	PROFILE 357 L CONNECTOR	PROFILE 357 T CONNECTOR	PROFILE 357 X CONNECTOR	PROFILE 357 POWER END CAP	PROFILE 357 DEAD END CAP
					
PROFILE 358 RECESSED TRACK	PROFILE 360 RECESSED STRAIGHT CONNECTOR	PROFILE 360 RECESSED FLEX CONNECTOR	PROFILE 361 RECESSED L CONNECTOR	PROFILE 361 RECESSED T CONNECTOR	PROFILE 361 RECESSED X CONNECTOR
					
PROFILE 361 RECESSED POWER END CAP	PROFILE 361 RECESSED DEAD END CAP	PROFILE 361 RECESSED FIXING SET			

BATHROOM LIGHTING

					
ICE EGG 364-365	PIN LED 366-367	VAN GOGH 368-369 LED	PICASSO LED 370	LATH LED 370	KAGERA LED 371
					
VISTA 372	PAN LED 373	CAVO 374	SIS 375	BALI 376	CELTIC 377
					
BRAZOS 378-379	SIMI 379	ICE TUBE 380-381 LED	ICE BALL 382-383	TORCH 383	BASSA LED 385
					
MALAKKA 384-385 LED	ARENA 386-387	BRAVO 388	ALPHA 388-389	CHARLIE 392	DELTA 392
					
GOLF 393	ECHO 393	FOXTROT 394	JULIET 395	HELIOS LED 395	EOL LED 395

OUTDOOR LIGHTING

					
CUMULUS 398-401	FLOWERPOT 402-403	CUMULUS CUBE 404	STAR 405	GALAXY 405	STRUCTURE 406-407 LED
					
SYMMETRY LED 408-409	OTTAWA 410	SOUL 411	TUBINGS 412-415	SPIKE LED 416	BUSH 417
					
THIKA LED 418-419	RIO 420-421	ROCK 422	FOG 423	NEGRO 424	EXE 425
					
SIERRA 426	BRIC 427	ORINOKO 427	UNIT LED 427	MEKONG 428	MISTRAL 429
					
AMUR 430	TYBR 431	TAY 432	SPEY 433	LANTERN 434	DON 434
					
QUARTZ 435	INDUS 435	LHOTSE LED 436	POLE LED 436	TEPIC LED 437	MONTERREY 437 LED



NORIN 438 HORN 438 OIR 439 SIROCCO 439 PATHWAY FOUNDATION KIT 440 PATHWAY LED 440-441



PUEBLA LED 442 MERIDA LED 442 HEXA 443 LENS LED 446 EDESA LED 447 NOOK 448-450



TAHOE 451 ZOA LED 452 SINUS 453 PATRAS LED 453 MUNO LED 453 ELLIPSES LED 454



TRIANGLES LED 454 LIMA LED 455 KHUMBU 455 ASSOS 456 ARRIS 457 NICO 457



PEAK LED 458 DRAS LED 458 SEMI LED 458 PRIMM 459 FALLON 459 BAY LED 460



SIDEWALK ROUND LED 461 SIDEWALK SQUARE LED 461 BASALT 462 ASSAM 462 INA 462 STEP LED 463



OIA LED 463 PICCO LED 464 PAOLI 465 MON LED 465 PAT LED 465 CIRCLET LED 465



PICNIC LED 466-467 HANGING SET FOR PICNIC LED 466 MAHE LED 468-469 POWER CORD FOR FESTOON LIGHTS 471 FESTOON LIGHTS 470-471

LIGHT SOURCES AND ACCESSORIES



REFLECTOR COB LED, GU10, ES111, 15W 474 REFLECTOR LENS LED, GU10, ES111, 9W 474 REFLECTOR DIFFUSER LED, GU10, ES111, 9W 474 BULB LED G9, 7W 475 BULB LED G9, 4W 475 BULB LENS LED, G9, 3W 475




REFLECTOR LED, GU10, R50, 7W 475 BULB LED, GX53, 8W 476 BULB GLASS BALL LED, E27, 8W 476 BULB LED, E27, A60, 2W, 5 PC SET 476 BULB VINTAGE LED, E14, 4W 477 BULB VINTAGE LED, E27, 4W 477



BULB VINTAGE LED, E27, 4W 477 BULB VINTAGE LED, E27, 4W 477 BULB VINTAGE LED, E27, 4W 477 TUBE LED T8 478 WATERPROOF CONNECTOR IP68 479 WATERPROOF „Y“ CONNECTOR IP 68 479



MICROWAVE SENSOR 479 DUPLEX 479




Collections



LASER 1000 7668


LASER 8308



LASER 490 8922



LASER 1000 7668



LASER 1000

painting steel


7667

7xG9, max 10W only LED

solid brass, painting steel

7668

7xG9, max 10W only LED



LASER 490

painting steel

8922 8923

10xG9, max 10W only LED

solid brass, painting steel

8924

10xG9, max 10W only LED

LASER 490

painting steel


8918 8920

7xG9, max 10W only LED

solid brass, painting steel

8921

7xG9, max 10W only LED




LASER 490 8920





LASER 750 8433



LASER 490

painting steel


8796 8797

1xG9, max 10W only LED

solid brass, painting steel

8798

1xG9, max 10W only LED



LASER 750

painting steel


8432 8433

1xG9, max 10W only LED

solid brass, painting steel

8431

1xG9, max 10W only LED



LASER 1000

painting steel

8435 8436

1xG9, max 10W only LED

solid brass, painting steel


8434

1xG9, max 10W only LED

LASER 490 8796

LASER 750 8433

LASER 1000 8434



LASER

8048
8047

2xG9, max 10W only Led

solid brass, painted steel

8308

2xG9, max 10W only LED




STALACTITE 9054



STALACTITE 8352



STALACTITE 9055



STALACTITE


8355
8356

13xG9, max 10W only LED

solid brass, painted steel

9054

13xG9, max 10W only LED



STALACTITE


8351
8350

1xG9, max 10W only LED

solid brass, painted steel, flexible stem

8352

1xG9, max 10W only LED



STALACTITE

8353
8354

2xG9, max 10W only LED

solid brass, painted steel, flexible stem

9055


2xG9, max 10W only LED



EYE M 5397

EYE L 6841

EYE L 8800



EYE M

painting steel

5397 5400


5398 6840

1xGU10, max 10W only LED

solid brass, painting steel

8914

1xGU10, max 10W only LED



EYE L

painting steel

5455 5456

6841

1xGU10, max 10W only LED


solid brass, painting steel

8800

1xGU10, max 10W only LED



EYE 7863



EYE

painting steel

6481 7862

3xGU10, max 10W only LED

solid brass, painting steel

7863


3xGU10, max 10W only LED



EYE L 8917



EYE L 8916



EYE L

painting steel

8916 8917

3xGU10, max 10W only LED

solid brass, painting steel

8915

3xGU10, max 10W only LED



EYE L 8915


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



EYE S 5255

EYE M 5464

EYE L 6838



EYE S

painting steel

5255 5257


5256 6836

1xGU10, max 35W

solid brass

8911

1xGU10, max 35W



EYE M

painting steel

5463 5464 6837

1xGU10, max 35W

solid brass

8912

1xGU10, max 35W



EYE L

painting steel


5471 5472 6838

1xGU10, max 35W

solid brass

8913


1xGU10, max 35W



EYE M 8912

EYE S 8911

EYE L 8913



EYE WALL

painting steel


8073 8072

2xGU10, max 10W only LED

solid brass, painting steel

8074

2xGU10, max 10W only LED



EYE WALL CUT

painting steel

7993 7994

2xGU10, max 10W only LED


solid brass, painting steel

7995

2xGU10, max 10W only LED



EYE FLEX S 9068



EYE FLEX S

painting steel, flexible stem

9070 9068

1xGU10, max 10W only LED

solid brass, flexible stem, painting steel

9067


1xGU10, max 10W only LED



EYE FLEX S 9067



EYE FLEX 8935




EYE FLEX

painting steel, flexible stem

8934 8935

1xGU10, max 10W only LED




EYE

painting steel

5654 5655 6842

1xGU10, max 35W





EYE SUPER
painted steel

6493 6500 6506

1xGU10, max 35W

EYE SUPER 6506






EYE SUPER 6501



EYE SUPER A 6495




EYE SUPER A

painted steel

6488 6495 6502

1xGU10, max 35W

EYE SUPER B 6490



EYE SUPER B


painted steel

6490 6496 6503

1xGU10, max 35W



EYE SUPER 6494




EYE SUPER

painted steel, chrome

6487 6494 6501

1xGU10, max 35W

EYE SUPER 6497




EYE SUPER

painting steel, chrome

6491 6497 6504

3xGU10, max 35W

EYE SUPER 6505



EYE SUPER

painting steel, chrome

6492 6498 6505

6xGU10, max 35W



WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

EYE SUPER 6505





MORE TONE 7821



MORE EYE

paint**ed steel**



7824 7822

4xGU10, max 10W only LED

solid brass, paint**ed steel**

7610

4xGU10, max 10W only LED



MORE TONE

paint**ed steel**, plastic ABS

7816 7814

4xGU10, max 10W only LED

MORE TONE


paint**ed steel**, plastic ABS

7821 7817


5xGU10, max 10W only LED



Designed by Marta Czerkies



IMBRIA 7956



IMBRIA
painted steel, braided cable


9191 9192

4xGU10, max 35W

solid brass, braided cable, painted steel

7957

4xGU10, max 10W only LED



IMBRIA
painted steel, braided cable


9674 9675

6xGU10, max 35W

solid brass, braided cable, painted steel

7955

6xGU10, max 10W only LED



IMBRIA
painted steel, braided cable


9676 9677

6xGU10, max 35W

solid brass, braided cable, painted steel

7956

6xGU10, max 10W only LED



IMBRIA
painted steel, braided cable

9680

10xGU10, max 35W

solid brass, braided cable, painted steel


7954

10xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



BATON 7856



BATON

painting steel

7852



1xE27, max 10W only LED

solid brass, painting steel

7851




1xE27, max 10W only LED

BATON 7852



BATON 7851



BATON

painting steel

7856



3xE27, max 10W only LED

solid brass, painting steel


7855



3xE27, max 10W only LED



BATON 7853



BATON

painting steel

7854



4xE27, max 10W only LED

solid brass, painting steel

7853




4xE27, max 10W only LED



POLY 8885



POLY 8884



POLY
 painted aluminum, painted steel

8884 8885


3xGU10, max 10W only LED



QUEBECK 5404




QUEBECK 5405



QUEBECK
 painted aluminum, painted steel

5404 5406

3xGU10, max 35W



QUEBECK
 painted aluminum, painted steel

5403 5405


1xGU10, max 35W



PEAR S 8673

PEAR L 8671

PEAR M 8672



PEAR S

glass, brass-plated steel, painted steel


8673

1xE27, max 40W

glass, painted steel

7800

1xE27, max 40W



PEAR M

glass, brass-plated steel, painted steel


8672

1xE27, max 40W

glass, painted steel

7798

1xE27, max 40W



PEAR L

glass, brass-plated steel, painted steel


8671

1xE27, max 40W

glass, painted steel

7797

1xE27, max 40W



PEAR

glass, brass-plated steel, painted steel

7794

3xE27, max 40W

TRANSPARENT

BRASS

BLACK P013 RAL 9005

TRANSPARENT

BRASS


BLACK P013 RAL 9005



CYLINDER L 7864

CYLINDER M 7865

CYLINDER S 7866



CYLINDER S

glass, painted steel

7866

1xGU10, max 10W only LED

glass, solid brass, painted steel

7870

1xGU10, max 10W only LED

CYLINDER M

glass, painted steel

7865

1xGU10, max 10W only LED

glass, solid brass, painted steel

7868

1xGU10, max 10W only LED

CYLINDER L

glass, painted steel

7864


1xGU10, max 10W only LED

glass, solid brass, painted steel

7867


1xGU10, max 10W only LED






SPHERE S
glass, painted steel

- 7847
- 1xE27, max 10W




SPHERE M
glass, painted steel

- 7848
- 1xE27, max 40W




SPHERE L
glass, painted steel

- 7850
- 1xE27, max 40W



SPHERE XL
glass, painted steel

- 7846
- 1xE27, max 40W



SPHERE
glass, painted steel

- 7788
- 3xE27, max 40W

TRANSPARENT BLACK P013 RAL 9005

TRANSPARENT BLACK P013 RAL 9005




MONACO 9363

CRANE 9374




MONACO 9363

**MONACO**

glass, braided cable, painted steel

■ 9363

● 2xE27, max 60W

**MONACO**


glass, braided cable, painted steel

■ 9364

● 1xE27, max 60W




MONACO 9364

**MONACO**

glass, painted steel

■ 9362


● 2xE27, max 60W

**CRANE**

glass, painted steel, solid brass

■ 9374


● 1xE27, max 60W

**MONACO**

painted steel, glass

■ 8794

● 1xE27, max 60W

**MONACO**


glass, painted steel

■ 9308

● 1xE27, max 60W




MONACO 9308




VETRO
glass, painted steel

■ 7641
● 3xE27, max 60W




VETRO
glass, painted steel

■ 7642
● 5xE27, max 60W



VETRO
glass, painted steel

■ 9131
● 7xE27, max 60W



VETRO
glass, painted steel

■ 9132
● 1xE27, max 60W




AMALFI M 9153



AMALFI 9155



AMALFI 9154



AMALFI

metallized glass, steel, solid brass

9154 9155


1xE27, max 60W



AMALFI M 9152



AMALFI L 8381




AMALFI M

metallized glass, steel, solid brass

9152 9153

1xE27, max 60W



AMALFI L

metallized glass, steel, solid brass

8380 8381

1xE27, max 40W

GOLD

SILVER

BLACK



POLARIS 9060

POLARIS


metallized glass, painted steel

9060

1xE27, max 60W



POLARIS 9057



POLARIS

metallized glass, painted steel

9056

9057

9058

1xE27, max 60W



POLARIS 9058




POLARIS 9056

SMOKED GOLD COPPER CHROME BLACK P013 RAL 9005




POLARIS 9057




GLOBE PLUS M
metallized glass, painted steel

7606
1xE27, max 60W



GLOBE PLUS S
metallized glass, painted steel

7605
1xE27, max 60W




GLOBE PLUS
metallized glass, painted steel

7607
3xE27, max 60W

CHROME BLACK P013 RAL 9005




GLOBE PLUS M 7606




SALVA A
glass, stainless steel

5422
1xGU10, max 35W




SALVA C
glass, stainless steel

5424
3xGU10, max 35W




SALVA E
glass, stainless steel

5428
5xGU10, max 35W



SALVA G
glass, stainless steel

6845
4xE27, max 60W



SALVA H
glass, stainless steel


6846
4xE27, max 60W



NUAGE S 7024



NUAGE L 7026




NUAGE S

glass, chrome plated steel

7024

1xE27, max 60W




NUAGE M

glass, chrome plated steel

7025

1xE27, max 60W



NUAGE L


glass, chrome plated steel

7026

1xE27, max 60W



NUAGE 7027




NUAGE

glass, chrome plated steel

7027

3xE27, max 60W




NUAGE S

glass

7021

1xE27, max 60W



NUAGE M


glass

7022

1xE27, max 60W



NUAGE 9272



NUAGE


glass, chrome plated steel

9272

2xE27, max 60W




NUNTUCET 8150



NUNTUCET
chrome plated steel, fabric

8150

6xE14, max 40W



NUNTUCET
chrome plated steel, fabric

8151


1xE14, max 40W

CHROME

WHITE




NEWPORT 8156



NEWPORT
glass, fabric, chrome plated steel

8157

1xE14, max 40W




NEWPORT
glass, fabric, chrome plated steel

8156

6xE14, max 40W




TESALLI 4653



TESALLI
chrome plated steel, glass

4651


1xG9, max 40W



TESALLI
chrome plated steel, glass

4650


1xG9, max 40W



TESALLI
chrome plated steel, glass

4652

3xG9, max 40W



TESALLI
chrome plated steel, glass

4653


6xG9, max 40W

BOSTON 8152




HAMPTON 8155






BOSTON
chrome plated steel, glass

- 8153
- 1xE14, max 40W




BOSTON
chrome plated steel, glass

- 8152
- 4xE14, max 40W



HAMPTON
chrome plated steel, glass

- 8154
- 6xE14, max 40W




HAMPTON
chrome plated steel, glass

- 8155
- 2xE14, max 40W



CRISTAL M 7616




CRISTAL M


crystal, painted steel

7628 7627

9xE14, max 60W



CRISTAL 7633




CRISTAL

crystal, painted steel

7632 7633

2xE14, max 60W



CRISTAL M

crystal, painted steel

7617 7616


9xE14, max 40W



CRISTAL L 7631



CRISTAL 7632



CRISTAL L

crystal, painted steel

7631 7630

12xE14, max 60W




CRISTAL L

crystal, painted steel

7615 7614

12xE14, max 40W




KATERINA
plastic ABS, glass

5208 5210 5211

1xE27, max 60W



MODENA 4014




MODENA
fabric, acrylic crystals

4014

1xE27, max 60W




TOSCANA 4013



TOSCANA
fabric, acrylic crystals


4013

1xE27, max 60W




LAGUNA
velvet, plastic, painted steel

- 8954
- 3xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

- 8957
- 4xE27, max 25W only LED




LAGUNA
velvet, plastic, painted steel

- 8962
- 9xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel


- 8951
- 3xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel

8954


3xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel

8957


4xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel

8962

9xE27, max 25W only LED



LAGUNA
velvet, plastic, painted steel

8951


3xE27, max 25W only LED



TURDA 8946




TURDA 8947



TURDA
fabric, plastic, painted steel

8946


3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

8947


3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

8953

3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

8960

7xE27, max 25W only LED

GRAY T024

WHITE P004 RAL 9003



TURDA 8947



TURDA 8952




TURDA 8958



TURDA 8955




TURDA 8802




TURDA
fabric, plastic, painted steel

- 8945
-   3xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

- 8952
-   3xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

- 8958
-   7xE27, max 25W only LED




TURDA
fabric, plastic, painted steel

- 8950
-   3xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

- 8955
-   4xE27, max 25W only LED



TURDA
fabric, plastic, painted steel

- 8802
-   7xE27, max 25W only LED




CROCO 8948



CROCO 8956




CROCO 8961




CROCO
velvet, plastic, painted steel

- 8948
- 3xE27, max 25W only LED



CROCO
velvet, plastic, painted steel

- 8956
- 4xE27, max 25W only LED



CROCO
velvet, plastic, painted steel


- 8961
- 9xE27, max 25W only LED



BARREL L 8444



BARREL L 8445



BARREL L
velvet, painted steel

- 8444 8445 8446

1xE27, max 60W




CONE M 8442



CONE L 8437




CONE L 8440



CONE M
velvet, painted steel

- 8441 8443 8442

1xE27, max 60W



CONE L
velvet, painted steel

- 8437 8440 8438


1xE27, max 60W



MIST 8944


MIST 8943

MIST 8942




MIST
fabric, plastic, painted steel

- 8944
- 3xE27, max 25W only LED




MIST
fabric, plastic, painted steel

- 8943
- 7xE27, max 25W only LED




MIST
fabric, plastic, painted steel

- 8942
- 3xE27, max 25W only LED



FORM L 9672




FORM L
fabric, painted steel

- 9672
- 4xE27, max 25W only LED



FORM M 9673



FORM M
fabric, painted steel

- 9673
- 2xE27, max 25W only LED



CAMERON 9606




CAMERON 9685



CAMERON 9682




CAMERON 9683



CAMERON
fabric, plastic, painted steel

9605


2xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9685


1xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9684


3xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9606


4xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9682


4xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9683

3xE27, max 25W only LED



CAMERON
fabric, plastic, painted steel

9687

2xE27, max 25W only LED




VIVIANE 6772



VIVIANE 6773



VIVIANE 6390




VIVIANE

fabric, glass, chrome

6772 6773 6774

3xE27, max 60W



VIVIANE

fabric, glass, chrome

6391 6532 6390

3xE27, max 60W




VIOLET 7958



VIOLET 7960



VIOLET 7961



VIOLET

fabric, plastic, painted steel

7958 7960 7961


3xE27, max 25W only LED



FALCON 7950



HAWK 8843




FALCON

fabric, plastic, painted steel

7951 7948 7950

6xE27, max 25W only LED




HAWK

fabric, glass, painted steel

8843 6541

6xE27, max 60W




VIPER

fabric, painted steel

6640 6641

1xE27, max 60W





VIPER

fabric, painted steel, chrome

6512 6513

1xE14, max 40W






ALICE
fabric, painted steel

9084


1xE27, max 60W



ALICE
fabric, painted steel

9091


1xE27, max 60W



ALICE L
fabric, painted steel

4961

1xE27, max 60W




ALICE M
fabric, painted steel

4962

2xE27, max 60W


ALICE 9091



ALICE L
painted steel, fabric

4963


1xE27, max 60W



ALICE XS
fabric, painted steel

5663


1xE27, max 60W



ALICE M
fabric, painted steel

3458


1xE27, max 60W



ALICE L
fabric, painted steel

3466

1xE27, max 60W



ALICE L
painted steel, fabric

3464 3457

1xE27, max 60W



ALICE L 3466




ALICE XS 5663




ALICE M 6815

ALICE M 6817




ALICE M
fabric, painted steel

6817
2xE27, max 60W




ALICE
fabric, painted steel

9083
1xE27, max 60W




ALICE
fabric, painted steel

9090
1xE27, max 60W




ALICE L
painted steel, fabric

6818 5386
1xE27, max 60W




ALICE XS
fabric, painted steel

6812 5723
1xE27, max 60W



ALICE M
fabric, painted steel

6815 5383
1xE27, max 60W




ALICE L
fabric, painted steel

6816 5384
1xE27, max 60W



FLEX SHADE 9277




FLEX SHADE

fabric, flexible stem, painted steel

9277 9278

5xE27, max 60W




FLEX SHADE

fabric, flexible stem, painted steel

9764 9758

1xE27, max 60W




FLEX

flexible stem, painted steel

9274 9273

7xE27, max 60W




FLEX

flexible stem, painted steel

9772 9766

5xE27, max 60W




FLEX

flexible stem, painted steel

9765

6xE27, max 60W



FLEX


flexible stem, painted steel

9774 9768

1xE27, max 60W



FLEX 9273



RETTO

fabric, painted steel

6820

3xE27, max 60W




MOSS

fabric, plywood, painted steel

9736

3xE27, max 60W




MOSS

fabric, painted steel

9737

3xE27, max 60W



HOTEL

fabric, chrome plated steel

9298


1xE27, max 60W

GRAY T022

CHROME



HOTEL LED 9302



HOTEL LED


fabric, chrome plated steel

6800 9302

1xE27 max 60W, 1x2.2W LED



HOTEL 9218



HOTEL


fabric, chrome plated steel

4730 9218

1xE27, max 60W



HOTEL 9304



HOTEL

fabric, chrome plated steel

4731 9304

2xE27, max 60W


ECRU T006

GRAY T022

CHROME



HOTEL 9301



HOTEL


fabric, chrome plated steel

9303 8980

1xE14, max 60W



HOTEL 9303




HOTEL

chrome plated steel, fabric

8982 9301

1xE27, max 60W



HOTEL


fabric, chrome plated steel

8981 9300

1xE27, max 60W



HOTEL PLUS 9073




HOTEL PLUS

fabric, painted steel, flexible stem

9073 9071

1xE27 max 60W, 1xG9 max 20W only LED



HOTEL PLUS

fabric, painted steel, flexible stem

9074 9072

1xE27 max 60W, 1xG9 max 20W only LED



HOTEL PLUS 9072



CHILLIN 8216



CHILLIN 8215



CHILLIN 8201



CHILLIN 8200



CHILLIN 8211



CHILLIN 8214




CHILLIN 8213



CHILLIN 8197



CHILLIN 8198



CHILLIN

fabric, painted steel, flexible stem

8216 8215

1xE27 max 40W, 1xG9 max 10W only LED

fabric, painted steel, solid brass, flexible stem


8213

1xE27 max 40W, 1xG9 max 10W only LED

velvet, painted steel, solid brass, flexible stem

8214

1xE27 max 40W, 1xG9 max 10W only LED



CHILLIN

fabric, painted steel

8201 8200 8197

1xE27, max 40W

fabric, brushed stainless steel

8211

1xE27, max 40W

velvet, painted steel

8198

1xE27, max 40W



BORDE 7985



BORDE 7985



BORDE 7987



BORDE 7986





BORDE 8044



BORDE 8046



BORDE 8045



BORDE

fabric, painted steel, flexible stem

7985 7987

1xE27 max 40W, 1xG9 max 10W only LED

fabric, solid brass, flexible stem

7986

1xE27 max 40W, 1xG9 max 10W only LED

BORDE

fabric



8044 8045 8046

1xE27, max 40W

VELERO 7984




VELERO 8043



FARO 7982




FARO 8041





PETIT A 8340




PETIT 8345



PETIT
painted aluminum, painted steel

8345 8346

1xE27, max 40W



PETIT A
fabric, painted steel

8333 8337 8343 8332

velvet, painted steel
8340 8344 8334




PETIT B
fabric, painted steel

8338 8336 8342



PETIT C
fabric, painted steel

8226 8335 8341




CADILAC

fabric, painted steel, plastic

7988 7990 8190

3xE27, max 25W only LED



CADILAC

fabric, painted steel

7992 7991 8191

1xE27, max 40W



TRIFFLE 7760



7758

7760

7761

8077




8078

8080




8076

8075



TRIFLE


fabric, painted aluminum




ZELDA

fabric, painted steel

6010







ROCKET

fabric, plywood

8490 8448

1xE27, max 40W

WHITE T004 GRAY T008 NATURAL WOOD



ACROSS

plywood, fabric, braided cable

6927

1xE27, max 60W

NATURAL WOOD WHITE T004 RED



SUNSET B 7655




SUNSET A 7653



SUNSET C 7654



SUNRISE LED 7652




SUNRISE LED
plywood, painted steel

7652



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7652	12W LED	3000K	520 lm	150 °	80	220-230 V, 50/60 Hz	⊕	IP20	50000h

 DARK WOOD  BLACK P013 RAL 9005




SUNSET C
plywood, painted steel

7654



2xGX53, max 8W




SUNSET B
plywood, painted steel

7655



2xGX53, max 8W



SUNSET A
plywood, painted steel

7653




2xGX53, max 8W

 DARK WOOD  BLACK P013 RAL 9005




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7651	15W LED	3000K	610 lm	150 °	80	220-230 V, 50/60 Hz	⊕	IP20	50000h



SUN LED

plywood, painted steel

7651



SUNSET

plywood, painted steel

7647



2xGX53, max 8W

DARK WOOD


BLACK P013 RAL 9005

GOLD



WHEEL 9028


WHEEL 9033



WHEEL
plywood, painted steel

9028 9033


1xE27, max 40W



WHEEL LUX
plywood, painted steel

8427 8428


2xG9, max 20W



WHEEL LUX
plywood, painted steel

8430


1xG9, max 20W



WHEEL
plywood, painted steel

9032

1xG9, max 20W




WHEEL LUX
plywood, plywood, steel

7646

2xGX53, max 8W




MINIMAL 9375



MINIMAL
wood, painted steel, solid brass

9375
2xE27, max 40W




MINIMAL
wood, painted steel

9377
1xG9, max 10W




DISK 7644




DISK
painted steel, plywood

7643
2xGX53, max 8W



DISK
painted steel, plywood

7644
3xGX53, max 8W




DISK
painted steel, plywood

7645
1xGX53, max 8W




OSLO LED 7522




OSLO 30
wood, painted steel

9700
1x E14, max 40W




OSLO LED 60
wood, painted steel

7521 7517
1x LED TUBE T8, max 11W, included



OSLO LED 90
wood, painted steel


7518
1x LED TUBE T8, max 16W, included



OSLO LED 90
wood, painted steel

7522 7520
1x LED TUBE T8, max 16W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS




AWINION

fabric, plywood, painted steel

9718

1xE27, max 40W




AWINION

fabric, plywood, painted steel

9717

3xE27, max 40W




AWINION

fabric, plywood, painted steel

9716

4xE27, max 40W




COBA ANTIQUE

plywood, painted steel

9042

1xE27, max 60W




COBA ANTIQUE

plywood, painted steel

9043

3xE27, max 60W





COBA ANTIQUE

plywood, painted steel

9044


4xE27, max 60W






IKA C
plywood, painted steel

4173
1xE27, max 60W




IKA A
plywood, painted steel

4171
1xE27, max 60W



IKA D
plywood, painted steel

4174
1xE27, max 60W




BIO
plywood
6333
1xGU10, max 35W
plywood
9847
1xE27, max 40W



DOVER 9263



DOVER 9260




DOVER

plywood, braided cable, painted steel

9264



1xGU10, max 35W




DOVER

plywood, braided cable, painted steel

9263



2xGU10, max 35W



DOVER


plywood, painted steel

9261



9266

1xGU10, max 35W



DOVER

plywood, painted steel

9260



2xGU10, max 35W



ORBIT 7804



ORBIT 7805



ORBIT 7806




ORBIT 7946





ORBIT 7806



ORBIT


painting steel

7803 7806

1xGX53, max 8W



ORBIT 7805



ORBIT


painting steel

7802 7805

1xGX53, max 8W



ORBIT 7804



ORBIT

painting steel

7801 7804


2xGX53, max 8W

ORBIT


painting steel

7938 7943

2xGX53, max 8W



ORBIT 7946




ORBIT

painting steel

7941 7945

4xGX53, max 8W



ORBIT


painting steel

7942 7946

6xGX53, max 8W



PILLS 8265



PILLS


painting aluminum, painted steel

8271 8265

1xGX53, max 8W



PILLS 8266



PILLS


painting aluminum, painted steel

8272 8266

1xGX53, max 8W



PILLS 8264




PILLS

painting aluminum, painted steel

8270 8264

2xGX53, max 8W

PILLS 8263



PILLS


painting aluminum, painted steel

8268 8263

3xGX53, max 8W



PILLS 8262




PILLS

painting aluminum, painted steel

8267 8262

5xGX53, max 8W




RADIUS

■ painted steel

■ 7930

■ 1xE27, max 60W




RADIUS

■ painted steel

■ 7762

■ 1xE27, max 60W



RADIUS


■ painted steel

■ 7928

■ 1xE27, max 60W



RADIUS 7932




RADIUS

■ painted steel

■ 7931

■ 4xE27, max 60W



RADIUS

■ painted steel

■ 7932

■ 6xE27, max 60W



ROTOR 7937


ROTOR 7933



ROTOR 7934




ROTOR 7936



ROTOR
painted steel

7934

2xE27, max 60W



ROTOR
painted steel

7936

4xE27, max 60W




ROTOR
painted steel

7933

2xE27, max 60W




ROTOR 7935



ROTOR
painted steel

7935


4xE27, max 60W



ROTOR
painted steel

7937

6xE27, max 60W




STICKS


painting steel

9076 6270

5xE27, max 60W



STICKS 9076




STICKS

painting steel

6268

3xE27, max 60W




STICKS

painting steel

9077 6267

2xE27, max 60W



STICKS


painting steel

9735

5xE27, max 60W





STICKS 6270



AXIS
painted steel

9296


6xE27, max 60W



AXIS
painted steel

9294

1xE27, max 60W




AXIS
painted steel

9297

6xE27, max 60W




ROD 9130



ROD
painted steel

9027 9733

15xE27, max 60W



ROD
painted steel

9130 9734

9xE27, max 60W

GOLD P017


BLACK P013 RAL 9005



ROD 9733



PILE 9127




PILE

painting steel, steel

9127

5xE27, max 60W



PILE

painting steel, steel

9128


3xE27, max 60W



MILL 9135



MILL 9136




MILL

painting steel, brass-plated steel

9135

8xE27, max 60W




MILL

painting steel, brass-plated steel

9136


3xE27, max 60W

MANUFACTURE 9740




MANUFACTURE
painted steel, copper-clad steel

9742
1xE27, max 60W




MANUFACTURE
painted steel, copper-clad steel

9741
1xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel

9740
3xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel

9738
5xE27, max 60W

BLACK P013 RAL 9005 COPPER



MANUFACTURE 9742

BLACK P013 RAL 9005 COPPER




WORKSHOP A 6337

WORKSHOP B 6336



WORKSHOP C 6335



WORKSHOP A


painting steel, copper-clad steel



6337



1xE27, max 60W



WORKSHOP B


painting steel, copper-clad steel



6336



1xE27, max 60W



WORKSHOP C


painting steel, copper-clad steel



6335



1xE27, max 60W



WORKSHOP


painting steel, copper-clad steel



6606



1xE27, max 60W



WORKSHOP


painting steel, copper-clad steel



6605



1xE27, max 60W



WORKSHOP


painting steel, copper-clad steel



9631



6xE27, max 60W



FIORD


9670 painted steel

9670

1xE27, max 60W



FIORD 9666




FIORD

9668 painted steel

9668

1xE27, max 60W




FIORD

9666 painted steel

9666

3xE27, max 60W



FIORD


9665 painted steel

9665

5xE27, max 60W



TWIG 9138




TWIG

9141 painted steel

9141

2xE27, max 60W




TWIG

9138 painted steel

9138

6xE27, max 60W



TWIG

9140 painted steel


9140

4xE27, max 60W



SPIDER 6785

X+Y=max 300 cm




SPIDER
braided cable, painted steel

9745 6792

1xE27, max 60W

X+Y=max 300 cm




SPIDER
braided cable, painted steel

9744 6788

5xE27, max 60W

X+Y=max 300 cm



SPIDER
braided cable, painted steel


9743 6785

7xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005



SPIDER 6788




CABLE

braided cable, painted steel, brass-plated steel

9747

1xE27, max 60W



CABLE

braided cable, painted steel, brass-plated steel

9746

7xE27, max 60W



TULUM 9691



TULUM

concrete, painted steel

9691

1xE27, max 60W



SILICONE 6404



SILICONE

silicone, painted steel

6404

6403


1xE27, max 60W



SILICONE 6403



GEOMETRIC 9695




GEOMETRIC
concrete, painted steel

9695
1xGU10, max 35W




SHY 9391




SHY
concrete, painted steel

9391
1xGU10, max 35W




GEOMETRIC
concrete, painted steel

9696
1xGU10, max 35W



VOLCANO S
concrete, painted steel, chrome

6853
1xGU10, max 35W




VOLCANO L
concrete, painted steel, chrome

6852
1xE27, max 60W





LAVA 6855

VOLCANO S 6853



LAVA
concrete, painted steel, chrome

6855
1xE27, max 60W




GIPSY L

gypsum, glass

2208

2xE27, max 60W




GIPSY M

gypsum, glass

2207

2xE27, max 60W




GIPSY S

gypsum, glass

2206

1xE27, max 60W




GIPSY L

gypsum, glass

2411

2xE27, max 60W



GIPSY S


gypsum, glass

2410

1xE27, max 60W




SOLID 9721



SOLID
concrete, glass

9721


2xE27, max 60W



SHY M
concrete

9393


1xGU10 ES111, max 75W



SHY S
concrete

9390


1xGU10, max 35W



BOLD S
concrete

9388

1xGU10, max 35W




BOLD M
concrete

9392

1xGU10 ES111, max 75W






CRATE

■ painted steel

■ 9046

● 1xE27, max 60W




CRATE

■ painted steel

■ 9045

● 1xE27, max 60W



CRATE

■ painted steel

■ 9047


● 5xE27, max 60W



CRATE 9047



PLANT 9381



PLANT

■ painted steel, ■ steel

■ 9382 ■ 9381

■ 4xGU10, max 35W

■ BLACK P013 RAL 9005 ■ WHITE P004 RAL 9003



EYE TONE 8931


HERMANOS 8100

HERMANOS 8103

HERMANOS 8194



HERMANOS 8037



HERMANOS


painting steel, solid brass

8037 8194

1xGU10, max 10W only LED



HERMANOS 8038



HERMANOS


painting steel, solid brass

8038 8100

1xGU10, max 10W only LED



HERMANOS 8040



HERMANOS

painting steel, solid brass

8040 8103


1xGU10, max 10W only LED

HERMANOS

painting steel, solid brass

8031 8030


3xGU10, max 10W only LED



HERMANOS 8031



HERMANOS 8032



HERMANOS

painting steel, solid brass

8033 8032


5xGU10, max 10W only LED



ZENITH L 8005

ZENITH M 8003


ZENITH S 7997



ZENITH L
painted steel, solid brass

8005 8006 8007


1xGU10, max 35W



ZENITH M
painted steel, solid brass

8001 8002 8003

1xGU10, max 35W



ZENITH S
painted steel, solid brass

7996 7997 7998

1xGU10, max 35W






ZENITH M 8001

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GREEN P024 BRASS



PERM 9146



PERM

painting steel

9148

1xE27, max 60W

PERM

painting steel

9147

2xE27, max 60W



PERM 9148

PERM



painting steel

9146

3xE27, max 60W

BLACK P013 RAL 9005

COPPER P016





TECHNO
painted steel

- 9145
1xE27, max 60W

TECHNO
painted steel

- 9144
1xE27, max 60W



TECHNO
painted steel





- 9143
2xE27, max 60W

TECHNO
painted steel

- 9142
3xE27, max 60W



PANTOGRAPH 9126




PANTOGRAPH
painted steel





CRAFT 9150




CRAFT 9151



CRAFT
painted steel




CRAFT
painted steel





HARMONY 9890



HARMONY

painting steel, chrome


6868 9890

1xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005



HIGH-BAY 5067



HIGH-BAY

painting steel

5067

1xE27, max 60W

BLACK P013 RAL 9005 WHITE P001 RAL 9003






GARRET
painted steel

9247

1xE27, max 60W

34 cm

36 cm




GARRET
painted steel

6442

1xE27, max 60W

25 cm

44 cm



GARRET M
painted steel

6444

1xE27, max 60W

50 cm

15 cm

116 cm



GARRET S
painted steel

6443

1xE27, max 60W


34 cm

11 cm

123 cm




HEMISPHERE RUST L 6368



HEMISPHERE RUST S
painted steel

6367

1xE27, max 60W



HEMISPHERE RUST L
painted steel

6368

1xE27, max 60W




HEMISPHERE RUST L 6368

WORKS 6510



WORKS 6613



WORKS
painted steel


6612 6613 6510

1xE27, max 60W

HEMISPHERE HIT S 6777




HEMISPHERE HIT L 6778



HEMISPHERE HIT S
painted steel

6777

1xE27, max 60W



HEMISPHERE HIT L
painted steel

6778

1xE27, max 60W



HEMISPHERE L 4843

HEMISPHERE L 4844




HEMISPHERE S 4893



HEMISPHERE S 4841


HEMISPHERE L 4856



HEMISPHERE S
painted steel, plastic

4838 4840 4893


1xE27, max 60W



HEMISPHERE L
painted steel, plastic

4843 4844 4842


1xE27, max 60W



HEMISPHERE S
painted steel, plastic

4841

1xE27, max 60W



HEMISPHERE L
painted steel, plastic

4856


1xE27, max 60W




EGG L 9024




EGG M 9023




EGG M
composite, painted steel
9022 9021
1xE27, max 40W



EGG XL 9026



EGG L
composite, painted steel, steel
9024 9023
5xE27, max 40W




EGG XL
composite, painted steel, steel
9026 9025
7xE27, max 40W



CANOE 7926

CANOE 7927



CANOE

composite, painted steel, steel

7926 7927

5xE27, max 40W

BLACK P014 RAL 9005 WHITE P003 RAL 9003 GOLD P018




CANOE 7926



LUKSOR L 8850



LUKSOR L 8847



LUKSOR L

painting steel

8847

1xE27, max 60W

brass-plated steel, painting steel

8850

1xE27, max 60W



WAVE S

painting steel

8860

8858

1xE27, max 60W

brass-plated steel, painting steel

8861

1xE27, max 60W




WAVE S 8860



WAVE S 8861



LUKSOR S 8851



LUKSOR S

painting steel


8851

1xE27, max 60W

brass-plated steel, painting steel

8853

1xE27, max 60W



WAVE L

painting steel

8856

1xE27, max 60W

brass-plated steel, painting steel

8857

1xE27, max 60W



WAVE L 8856




ABI M 8866



ABI S 8870




ABI L 8864




ABI M
painted steel, fabric

- 8866
- 1xE27, max 40W




ABI S
painted steel, fabric

- 8870
- 1xE27, max 40W




ABI L
painted steel, fabric

- 8864 8865
- 1xE27, max 40W



PICO 8862




PICO
painted steel, brass-plated steel

- 8862
- 1xGU10, max 35W




PICO 8863




PICO
painted steel, brass-plated steel

- 8863
- 3xGU10, max 35W



GSTAR 7795



GSTAR

■ painted steel

■ 7795

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8854

● 1xGU10, max 10W only LED



GSTAR 8285



GSTAR

■ painted steel

■ 7796

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8285

● 1xGU10, max 10W only LED



BULLET 9061



BULLET


■ painted steel

■ 9061

● 3xE27, max 60W



UMBRELLA 8873



UMBRELLA

■ painted steel

■ 8873

● 1xE27, max 60W

■ brass-plated steel, painted steel

■ 8874

● 1xE27, max 60W


NESS

■ painted steel

■ 6767

■ 6768


● 1xE27, max 60W



NESS 6767



KAREN 4607



KAREN

■ painted steel, fabric

■ 4607


● 1xE27, max 40W

CAGE

■ painted steel

■ 6844

● 1xGU10, max 35W



CAGE 6844



CAMILLA 4610



CAMILLA

■ painted steel, fabric

■ 4611

■ 4610


● 1xE27, max 40W

ALLAN

■ painted steel

■ 6941

● 1xGU10, max 35W




ALLAN 6941





MERSEY 5296



MERSEY


painting steel, glass

5295 5296

1xE27, max 60W



MEKNES 5297



MEKNES

painting steel

5297 5298

1xE27, max 60W



AVEIRO S 5410



AVEIRO S

painting steel, fabric

5410 5411

1xE27, max 40W



AVEIRO L 5126




AVEIRO L

painting steel, fabric

5125 5126

1xE27, max 40W




MARGARET
painted steel

6330

5xE14, max 60W


WHITE P004 RAL 9003



ARES
painted steel

203

2xE14, max 60W




ARES
painted steel

204

3xE14, max 60W




ARES 206



ARES
painted steel

202


1xE14, max 60W



ARES
painted steel

205

5xE14, max 60W



ARES
painted steel


206

10xE14, max 60W

BLACK WITH A GOLDEN PATINA



TWIST 4985



TWIST


paint^{ed} steel

4981 2763

2xE14, max 60W



TWIST 2763




TWIST

paint^{ed} steel

4985 2767

10xE14, max 60W




TWIST

paint^{ed} steel

4983 2764

3xE14, max 60W



TWIST

paint^{ed} steel




4984 2766

5xE14, max 60W



REMBRANT LED L 8167







REMBRANT LED M

brass plated steel

8166



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8166	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h
8167	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h



GIOTTO LED S

brass plated steel


8168



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8168	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h
8170	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h


ANTIQUE BRASS

ANTIQUE BRASS



IMPULSE LED M
painted aluminum, plastic PC

8116




IMPULSE LED L
painted aluminum, plastic PC

8117



IMPULSE LED S 8115



IMPULSE LED S
painted aluminum, plastic PC

8115



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8115	6W LED	3000K	200 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,5	IP23	30000h
8116	10W LED	3000K	350 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,5	IP23	30000h
8117	15W LED	3000K	500 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,5	IP23	30000h



STRAIGHT CEILING LED L 7551



STRAIGHT CEILING LED M 7558



STRAIGHT CEILING LED S 7597




STRAIGHT CEILING LED L

painted steel, plastic PMMA

- 7551

7556

7600
- 1xLED TUBE T8, max 22W, included



STRAIGHT CEILING LED M

painted steel, plastic PMMA

- 7553

7558

7598
- 1xLED TUBE T8, max 16W, included



STRAIGHT CEILING LED S

painted steel, plastic PMMA

- 7552

7557

7597
- 1xLED TUBE T8, max 11W, included


Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

GRAPHITE P010 RAL 7016

WHITE P004 RAL 9003

BLACK P013 RAL 9005






STRAIGHT WALL XS

painted steel, plastic PMMA

- 6345

6354
- 6350
- 7601
- 1xE14, max 40W




STRAIGHT WALL LED S

painted steel, plastic PMMA

- 7568

7565
- 7562
- 7596
- 1xLED TUBE T8, max 11W, included




STRAIGHT WALL LED M

painted steel, plastic PMMA

- 7567

7564
- 7561
- 7594
- 1xLED TUBE T8, max 16W, included



STRAIGHT WALL LED L

painted steel, plastic PMMA

- 7566

7563
- 7560
- 7595
- 1xLED TUBE T8, max 22W, included


Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003

SILVER P006 RAL 9006

GRAPHITE P010 RAL 7016

BLACK P013 RAL 9005



H LED

painted aluminum, plastic PC, painted steel

- 8908

8910
-

Item No.	Power	Colour temp.	Luminous flux	Luminaire efficiency	Colour Rendering Index (CRI)	Input	Lifetime
8908 8910	36W LED	3000K	2300 lm	75	≥ 80	~220-230 V, 50/60 Hz	50000h


WHITE P004 RAL 9003

WHITE-BLACK



SOFT LED 90X6 7547

SOFT LED 90X20 7532



SOFT LED 90X20


painting aluminum, plastic PMMA

7545 7532

2xLED TUBE T8, max 16W, included



SOFT LED 90X6 7547




SOFT LED 90X6


painting aluminum, plastic PMMA

7547 7535

1xLED TUBE T8, max 16W, included



SOFT LED 120X6 7525




SOFT LED 120X6

painting aluminum, plastic PMMA

7537 7525

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X6 7540




SOFT CEILING LED 60X6

painting aluminum, plastic PMMA

7540 7527

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 60X20 7526



SOFT CEILING LED 60X20

painting aluminum, plastic PMMA

7538 7526

2xLED TUBE T8, max 11W, included

SOFT WALL LED 60X6 7541




SOFT WALL LED 60X6

painting aluminum, plastic PMMA

7541 7528

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 90X6 7533




SOFT CEILING LED 90X6

painting aluminum, plastic PMMA

7546 7533

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 90X20 7542



SOFT CEILING LED 90X20

painting aluminum, plastic PMMA

7542 7531

2xLED TUBE T8, max 16W, included

SOFT WALL LED 90X6 7534



SOFT WALL LED 90X6

painting aluminum, plastic PMMA

7548 7534

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 120X6 7536




SOFT CEILING LED 120X6

painting aluminum, plastic PMMA

7536 7524

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X60 7530



SOFT CEILING LED 60X60

painting aluminum, plastic PMMA


7544 7530

5xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS



WING LED 7543




WING LED
painted steel

7543 7550

1xLED TUBE T8, max 11W, included


Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T 8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005



ION LED M
glass, chrome plated steel

8171



ION LED L
glass, chrome plated steel


8172

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8171	12W LED	3000K	870 lm	130 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8172	18W LED	3000K	1300 lm	130 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

CHROME



CUBE 5272




TUBE

painting aluminum

9317 9318 9320

2xGU10 ES111, max 75W



CUBE

painting steel, glass


5266 5272

1xG9, max 35W

brushed stainless steel, glass

5267


1xG9, max 35W



LIA LED

painting aluminum

6913




GESS LED

painting aluminum

6912

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6913	7W LED	3000K	460 lm	89 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h
6912	7W LED	3000K	450 lm	47 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h




BERGEN 9706

HAGA 9710

MALMO 9704


NARWIK 9703



BERGEN
painted steel

9706 9707

2xGU10, max 35W



HAGA
painted steel

9708 9710


2xG9, max 40W



MALMO
painted steel

9704 9705

2xGU10, max 35W



NARWIK
painted steel

9702 9703

2xGU10, max 35W




RING LED M 7638



RING LED S 7634




RING LED S 7637




RING LED S
painted steel

7634 7637



RING LED M
painted steel

7635 7638



RING LED L
painted steel


7636 7640



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7634	7W LED	3000K	235 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7637	7W LED	3000K	265 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7635	9W LED	3000K	400 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7638	9W LED	3000K	520 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7636	12W LED	3000K	640 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h
7640	12W LED	3000K	780 lm	150 °	>80	220-230 V, 50/60 Hz	⊕	IP20	50000h




ORGANIC 8303



ORGANIC
painted steel

8304 8302

3xGX53, max 12W



ORGANIC
painted steel

8305 8303

1xGX53, max 12W

WHITE P004 RAL 9003 BLACK P013 RAL 9005





KASAI 9491



KASAI 9490



KASAI 7952



KASAI

glass, chrome plated steel

- 9490
- 2xE27, max 40W

glass, brushed stainless steel

- 9491
- 2xE27, max 40W

glass, painted steel

- 7952
- 2xE27, max 40W

KASAI SENSOR


glass, chrome plated steel

- 8827
- 2xE27, max 40W

glass, brushed stainless steel

- 8828
- 2xE27, max 40W

AGNES ROUND LED 8208



AGNES ROUND LED

painted steel, plastic PMMA

8207	3000K	8204	3000K
8186	4000K	8183	4000K

AGNES ROUND LED

painted steel, plastic PMMA


8208	3000K	8205	3000K
8187	4000K	8184	4000K

AGNES ROUND LED

painted steel, plastic PMMA

8210	3000K	8206	3000K
8188	4000K	8185	4000K

AGNES SQUARE LED 8108



AGNES SQUARE LED

painted steel, plastic PMMA

8112	3000K	8108	3000K
8135	4000K	8138	4000K

AGNES SQUARE LED

painted steel, plastic PMMA

8113	3000K	8110	3000K
8134	4000K	8137	4000K

AGNES SQUARE LED

painted steel, plastic PMMA


8114	3000K	8111	3000K
8133	4000K	8136	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8207	22W LED	3000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8204	22W LED	3000K	1200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8186	22W LED	4000K	1500 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8183	22W LED	4000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8208	32W LED	3000K	2000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8205	32W LED	3000K	1700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8187	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8184	32W LED	4000K	1800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8210	64W LED	3000K	4200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8206	64W LED	3000K	2700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8188	64W LED	4000K	4300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8185	64W LED	4000K	3900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8112	16W LED	3000K	970 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8108	16W LED	3000K	830 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8135	16W LED	4000K	1000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8138	16W LED	4000K	860 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8113	32W LED	3000K	2200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8110	32W LED	3000K	1690 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8134	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8137	32W LED	4000K	1950 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8114	64W LED	3000K	4000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8111	64W LED	3000K	3700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8133	64W LED	4000K	4000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8136	64W LED	4000K	3700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h




- Indukcyjne ładowanie smartphona (5V 1A)
 - Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
 - Włącznik dotykowy z funkcją ściemniania
 - Port USB umożliwiający ładowanie telefonu
-
- Wireless charger for smartphones (5V 1 A)
 - Possibility to choose the colour temperature of light in the range from 3000K to 6000K
 - Touch switch with dimming function
 - USB port for charging mobile phones
-
- Индуктивная зарядка смартфона (5 В, 1 А)
 - Возможность выбора температуры света в диапазоне 3000К - 6000К
 - Сенсорный переключатель с функцией затемнения
 - USB-вход для зарядки телефона.



STYLE LED

painted aluminum, plastic ABS



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8404	10W LED	CCT CHANGE 3000-6000K	390 lm	100 °	≥ 80	50/60 V, ~220-230 Hz		>0,5	IP20	25000h

BLACK






- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiające ładowanie telefonu

- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Возможность выбора температуры света в диапазоне 3000K - 6000K
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона



SMART LED

painting aluminum, plastic ABS


8358



- Włącznik dotykowy z funkcją ściemniania
- Temperatura barwowa światła 4000K

- Touch switch with dimming function
- Colour temperature 4000K

- Сенсорный переключатель с функцией затемнения
- Цветовая температура света 4000K



CHIC LED

painting aluminum, plastic ABS

8357



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8358	8W LED	CCT CHANGE 3000-6000K	400 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8357	7,5W LED	4000K	400 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	25000h

BLACK SILVER

BLACK SILVER



FLEA 8203


POCATELLO 5828



POCATELLO 5828



POCATELLO 5794




POCATELLO

painted steel, flexible stem, chrome plated steel

- 5794
- 5795
- 5796
- 5797
- 5798
- 5828
- 1xE27, max 18W



COSMO 4917



COSMO

brushed stainless steel, marble

3382

1xE27, max 60W

chrome plated steel, marble

4917


1xE27, max 60W



COSMO 3382





PUZZLE 9728



PUZZLE

plywood, plastic PA, painted steel


- 6384
- 9728
- 4xGU10, max 15W



PLANE

plywood, flexible stem, painted steel


- 6904
- 3xGU10, max 35W



PLANE

plywood, painted steel


- 6902
- 1xGU10, max 35W



PLANE

plywood, flexible stem, painted steel

- 6903
- 2xGU10, max 35W



MALWI


painting steel, braided cable

 6327

 7xE27, max 35W

MALWI 6327





Spotlights




MONO LONG M 7674

MONO 7712

MONO 7711

MONO 7807



MONO

painting steel, plastic ABS

7807 7838

7771 7763


1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7778

1xGU10, max 10W only LED

MONO 7810



MONO

painting steel, plastic ABS

7810 7841

7774 7766


2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7782

2xGU10, max 10W only LED

MONO 7811



MONO

painting steel, plastic ABS

7811 7842

7775 7767


3xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7783

3xGU10, max 10W only LED

MONO 7812



MONO

painting steel, plastic ABS

7812 7843

7776 7768

4xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7784

4xGU10, max 10W only LED



MONO 2X150 7698

MONO 7718

MONO

painted steel, plastic ABS

7813 7844


7777 7770

6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7785

6xGU10, max 10W only LED



MONO 2X150

painted steel, plastic ABS

7750 7720



7694 7698

6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7754

8xGU10, max 10W only LED



MONO 2X200

painted steel, plastic ABS

7752 7722


7696 7701

8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7756

8xGU10, max 10W only LED



MONO CORNER 2X150

painted steel, plastic ABS

7751 7721


7695 7700

8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7755

8xGU10, max 10W only LED



MONO CORNER 2X200

painted steel, plastic ABS

7753 7723

7697 7702

8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7757


8xGU10, max 10W only LED



MONO 7838



MONO LONG S 7727



MONO LONG S

painting steel, plastic ABS

7724 7727


7670 7673

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7731

1xGU10, max 10W only LED



MONO LONG M

painting steel, plastic ABS

7725 7728

7671 7674

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7732

1xGU10, max 10W only LED



MONO LONG 7730



MONO LONG

painting steel, plastic ABS

7726 7730

7672 7675

2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7733


2xGU10, max 10W only LED




MONO LONG M 7728



MONO 7764



MONO 7786



MONO 7840

MONO

painting steel, plastic ABS

7787 7786

7773 7765

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7781

1xGU10, max 10W only LED

MONO

painting steel, plastic ABS

7808 7840

7772 7764

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7780

1xGU10, max 10W only LED



MONO SURFACE 7683

MONO SURFACE

painting steel, plastic ABS

7827 7833

7683 7688




1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7744

1xGU10, max 10W only LED

cut out ø 35 mm



MONO SURFACE 7684

MONO SURFACE

painting steel, plastic ABS

7828 7834

7684 7690




2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7745

2xGU10, max 10W only LED






cut out 160x31 mm



MONO SURFACE 7834

MONO SURFACE 7833





MONO SURFACE

painting steel, plastic ABS

- 7830 7835
- 7685 7691
- 3xGU10, max 10W only LED
- solid brass, painting steel, plastic ABS
- 7746
- 3xGU10, max 10W only LED
- cut out 690x31 mm

MONO SURFACE



painting steel, plastic ABS

- 7831 7836
- 7686 7692
- 4xGU10, max 10W only LED
- solid brass, painting steel, plastic ABS
- 7747
- 4xGU10, max 10W only LED
- cut out 1170x31 mm

MONO SURFACE

painting steel, plastic ABS

- 7832 7837
- 7687 7693
- 6xGU10, max 10W only LED
- solid brass, painting steel, plastic ABS
- 7748
- 6xGU10, max 10W only LED
- cut out 1990x31 mm



MONO SURFACE LONG S 7680

MONO SURFACE LONG S

painting steel, plastic ABS

7734 7737

7676 7680


1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7741

1xGU10, max 10W only LED

cut out ø 35 mm



MONO SURFACE LONG M

painting steel, plastic ABS

7735 7738

7677 7681



1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7742

1xGU10, max 10W only LED

cut out ø 35 mm



MONO SURFACE LONG

painting steel, plastic ABS

7736 7740

7678 7682

2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7743

2xGU10, max 10W only LED


cut out 160x31 mm




MONO SURFACE LONG 7682

MONO SURFACE LONG M 7742





MONO 7712



MONO

painting steel, plastic ABS

7705 7708


7715 7718

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7712

2xGU10, max 10W only LED



MONO 7710



MONO 7711

MONO

painting steel, plastic ABS

7703 7706

7713 7716

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7710

1xGU10, max 10W only LED

MONO

painting steel, plastic ABS

7704 7707

7714 7717

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS


7711

1xGU10, max 10W only LED



EYE SPOT 6018

EYE SPOT 6611



EYE SPOT 6018

EYE SPOT

painting steel, chrome

6014 6134

6138 6018

1xGU10, max 10W only LED


painting steel, solid brass

8816

1xGU10, max 10W only LED



EYE SPOT 8817



EYE SPOT

painting steel, chrome

6015 6135

6140 6020

2xGU10, max 10W only LED


painting steel, solid brass

8817

2xGU10, max 10W only LED



EYE SPOT 6611



EYE SPOT

painting steel, chrome

6607 6610

6608 6611

6xGU10, max 10W only LED


painting steel, solid brass

8819

6xGU10, max 10W only LED



EYE SPOT 6136



EYE SPOT

painting steel, chrome

6016 6136

6141 6021

3xGU10, max 10W only LED


painting steel, solid brass

8818

3xGU10, max 10W only LED



EYE SPOT 8820



EYE SPOT

painting steel, chrome

6017 6137

5844 6022

4xGU10, max 10W only LED

painting steel, solid brass

8820

4xGU10, max 10W only LED




EYE FIT 9400



EYE FIT 9395



IRIS LED 8994




EYE FIT

painted steel, chrome

9396 9400

- 1xGU10, max 10W only LED
- cut out $\varnothing$ 60 mm



EYE FIT


painted steel, chrome

9395 9398

- 2xGU10, max 10W only LED
- cut out 115x45 mm



IRIS LED 8994



IRIS LED

painted aluminum, plastic

8993 8994



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8993	7W LED	3000K	480 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP20	30000h
8994	7W LED	3000K	430 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	□	>0,5	IP20	30000h




CROSS 9604



CROSS 9596



CROSS 9603




CROSS

■ painted steel, chrome

■ 9604 ■ 9600

● 5xGU10 ES111, max 75W




CROSS

■ painted steel, chrome

■ 9603 ■ 9598

● 1xGU10 ES111, max 75W




CROSS

■ painted steel, chrome

■ 9602 ■ 9597

● 2xGU10 ES111, max 75W



CROSS

■ painted steel, chrome

■ 9601 ■ 9596


● 3xGU10 ES111, max 75W



VESPA 9593



IRIS LED 9592




VESPA

■ painted steel, chrome

■ 9595 ■ 8842

● 6xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9594 ■ 8838

● 1xGU10 ES111, max 75W




VESPA

■ painted steel, chrome

■ 9593 ■ 8840

● 2xGU10 ES111, max 75W



VESPA


■ painted steel, chrome

■ 9592 ■ 8841


● 3xGU10 ES111, max 75W



VESPA 8838




Downlights



COBBLE
painted aluminum

7791 7790


1xGU10 ES111, max 75W



GROOVE
painted aluminum

7793 7792


1xGU10 ES111, max 75W



GAP
painted aluminum

9385 9384


2xGU10, max 35W



PAG
painted aluminum

9387 9386


2xGU10, max 35W



GROOVE
painted aluminum

9383 9316

2xGU10 ES111, max 75W




OVAL
painted aluminum

9241 9240

2xGU10 ES111, max 75W



HALO 8196




HALO

painting steel, plastic ABS

8195 8196


1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005




FLEA

-
-




POINT TONE

-
-




INDIA

-
-



MIKE


-
-



SET

painting steel


- 8900 8895
- 1xGU10, max 10W only LED



EYE TONE

painting steel, plastic ABS


- 8932 8928
- 1xGU10, max 10W only LED



SET

painting steel, painting aluminum


- 8902 8897
- 1xGU10, max 10W only LED



EYE TONE

painting steel, plastic ABS


- 8931 8926
- 1xGU10, max 10W only LED



SET

painting steel

- 8901 8896
- 1xGU10, max 10W only LED




EYE TONE

painting steel, plastic ABS

- 8930 8925
- 1xGU10, max 10W only LED



EYE TONE 8087



EYE TONE

painting steel, plastic ABS


8086 8087

8088 7665

2xGU10, max 10W only LED



EYE TONE 8093



EYE TONE

painting steel, plastic ABS

8091 8092

8093 7666

3xGU10, max 10W only LED

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GOLD P021



EYE TONE 7666





POINT PLEXI M 6526



POINT PLEXI L 6528



POINT S 7603



POINT S
painted steel

7603
1xGU10, max 35W

POINT M
painted steel

7602
1xGU10, max 35W

POINT PLEXI M

painted steel, plastic PMMA



6525 6527 6526
1xGU10, max 10W only LED

POINT PLEXI L

painted steel, plastic PMMA

6528 6530
1xE27, max 20W

POINT M 6001



POINT S
painted steel

6000
1xGU10, max 35W


POINT M
painted steel

6001
1xGU10, max 35W



BIT S 9486



BIT M 9481



POINT M 6007



POINT S
painted steel

6006
1xGU10, max 35W

POINT M
painted steel

6007
1xGU10, max 35W

BIT S

painted steel

9482 9486
1xGU10 ES111, max 75W

BIT M


painted steel

9481 9485
1xGU10 ES111, max 75W

DALE 7613




DALE 7612



DALE
plywood

7613

2xGU10 ES111, max 15W




DALE
plywood

7612

1xGU10 ES111, max 15W

DOWNLIGHT ES111 9575




DOWNLIGHT ES111
painted steel

9571 9575

1xGU10 ES111, max 15W

cut out 165×165 mm

DOWNLIGHT ES111 9570




DOWNLIGHT ES111
painted steel

9570 9574

2xGU10 ES111, max 15W

cut out 320×165 mm

BOX ES111 9495




BOX ES111
plywood, painted steel

9495 9497 7648

1xGU10 ES111, max 15W

BOX ES111 7650





BOX ES111
plywood, painted steel

9470 9472 7650

2xGU10 ES111, max 15W



MOD 9412



MOD

painted steel

9417 9413

1xGU10 ES111, max 75W

cut out 120×120 mm

MOD

painted steel



9416 9412

2xGU10 ES111, max 75W

cut out 230×120 mm



MOD PLUS 9404



MOD PLUS

painted steel

9404 9408

1xGU10 ES111, max 75W

cut out 120×120 mm

MOD PLUS

painted steel

9403 9407

2xGU10 ES111, max 75W


cut out 230×120 mm

WHITE P004 RAL 9003

BLACK P013 RAL 9005



EYE MOD 8937



EYE MOD

printed steel


8936 8937

1xGU10, max 35W

cut out 95×90 mm



EYE MOD 8938



EYE MOD

printed steel


8938 8940

2xGU10, max 35W

cut out 175×90 mm



DOT 9378



DOT

printed steel

9378 8826


1xGU10, max 35W

cut out ø 110 mm



CL KOS LED 24W 8775

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8782	8W LED	3000K	550 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8781	8W LED	4000K	680 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8780	10W LED	3000K	850 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8778	10W LED	4000K	880 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8777	16W LED	3000K	1450 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8776	16W LED	4000K	1450 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8775	24W LED	3000K	2200 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8774	24W LED	4000K	2200 lm	100°	≥ 80	IP44	Sanan	Driver on board	50000h	5 years



CL KOS LED 8W

plastic


8782

3000K

8781

4000K

cut out ø 100 mm



CL KOS LED 10W

plastic


8780

3000K

8778

4000K

cut out ø 125 mm



CL KOS LED 16W

plastic


8777

3000K

8776

4000K

cut out ø 150 mm



CL KOS LED 24W

plastic

8775

3000K


8774

4000K

cut out ø 200 mm

Can be used in the bathroom

WHITE




Profile
track light system

PROFILE IRIS LED 12W 9000





PROFILE IRIS LED 7W 8996



PROFILE IRIS LED 7W

painted aluminum, plastic PC

8995

3000K

8996

3000K

8997


4000K

8998

4000K



PROFILE IRIS LED 12W 9002



PROFILE IRIS LED 12W

painted aluminum, plastic PC

9000

3000K

9001

3000K

9002

4000K

9003

4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8995	7W LED	3000K	480 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8996	7W LED	3000K	430 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8997	7W LED	4000K	530 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8998	7W LED	4000K	480 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9000	12W LED	3000K	800 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9001	12W LED	3000K	720 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9002	12W LED	4000K	850 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9003	12W LED	4000K	800 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h

WHITE

BLACK



PROFILE IRIS LED 20W 9005



PROFILE IRIS LED 20W

painted aluminum, plastic PC

9004

3000K

9005

3000K

9006

4000K

9007

4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9004	20W LED	3000K	1320 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9005	20W LED	3000K	1230 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9006	20W LED	4000K	1450 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
9007	20W LED	4000K	1320 lm	30 °	80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h

WHITE

BLACK



PROFILE STORE PRO LED 7 W 8318



PROFILE STORE PRO LED 7W
painted aluminum, plastic

- 8316

3000K

8318

3000K
- 8315


4000K

8317

4000K



PROFILE STORE PRO LED 18W 8326



PROFILE STORE PRO LED 18W
painted aluminum, plastic

- 8325

3000K

8327

3000K
- 8324


4000K

8326

4000K



PROFILE STORE PRO LED 12W 8323



PROFILE STORE PRO LED 12W
painted aluminum, plastic

- 8321

3000K

8323

3000K
- 8320

4000K

8322


4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8315	7W LED	4000K	680 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8316	7W LED	3000K	630 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8317	7W LED	4000K	560 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8318	7W LED	3000K	600 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8320	12W LED	4000K	1100 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8321	12W LED	3000K	1000 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8322	12W LED	4000K	960 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8323	12W LED	3000K	930 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8324	18W LED	4000K	1700 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8325	18W LED	3000K	1440 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8326	18W LED	4000K	1700 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h
8327	18W LED	3000K	1600 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP20	30000h



PROFILE MIKE 7661



PROFILE MIKE


painted aluminum, plastic

- 7662

7661
- 1xGU10, max 15W



PROFILE INDIA 7657



PROFILE INDIA


painted aluminum, plastic

- 7656

7657
- 1xGU10, max 15W



PROFILE FOKUS 7621



PROFILE FOCUS LED

painted aluminum, plastic

- 7618

3000K

7621

3000K
- 7620


4000K

7622

4000K
-



PROFILE ZOOM LED 7625



PROFILE ZOOM LED

painted aluminum, plastic

- 7623

3000K

7625

3000K
- 7624

4000K

7626

4000K
-

BEAM CONE

BEAM ANGLE
15°



BEAM ANGLE
50°



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection
7618	9W LED	3000K	440 lm	36 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7620	9W LED	4000K	480 lm	36 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7621	9W LED	3000K	430 lm	36 °	>0.9	220-230 V, 50/60 Hz		>0.9	IP20
7622	9W LED	4000K	460 lm	36 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7623	9W LED	3000K	550 lm	15-50 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7624	9W LED	4000K	580 lm	15-50 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7625	9W LED	3000K	490 lm	15-50 °	>90	220-230 V, 50/60 Hz		>0.9	IP20
7626	9W LED	4000K	520 lm	15-50 °	>90	220-230 V, 50/60 Hz		>0.9	IP20




PROFILE EYE 9338

PROFILE EYE SPOT 9322



PROFILE EYE SUPER C 9244




PROFILE EYE SUPER C
painted steel, plastic PC

- 9245 9244
- 1xGU10, max 35W



PROFILE EYE SUPER A 9325




PROFILE EYE SUPER A
painted steel, plastic PC

- 9324 9325
- 1xGU10, max 35W



PROFILE EYE FLEX 9332




PROFILE EYE FLEX
painted steel, flexible stem, plastic


- 9332
- 1xGU10, max 10W only LED

PROFILE EYE
painted steel, plastic PC

- 9337 9338
- 1xGU10, max 10W only LED




PROFILE EYE 9338



PROFILE BIT 8823

PROFILE BIT
painted steel, plastic PC

- 8823
- 1xGU10 ES111, max 75W



PROFILE WORKSHOP 9427

PROFILE WORKSHOP
painted steel, copper-clad steel, plastic PC

- 9427
- 1xE27, max 60W






PROFILE IRIS LED 20W 9005



PROFILE EYE SPOT 9322



PROFILE EYE SPOT

painting steel, plastic PC, chrome

9321 9322

1xGU10, max 10W only LED


solid brass, plastic PC

7857

1xGU10, max 10W only LED



PROFILE VESPA 8825



PROFILE VESPA


painting steel, plastic PC, chrome

8824 8825

1xGU10 ES111, max 75W



PROFILE BIT PLUS 9018



PROFILE BIT PLUS

painting steel, plastic PC

9020 9018


1xGU10 ES111, max 75W

PROFILE TRACK LIGHTS SYSTEM




1 PROFILE TRACK 1 M
 painted aluminum

9450 9448




2 PROFILE TRACK 2 M
 painted aluminum

9451 9452



3 PROFILE POWER SUPPLY KIT
 painted steel

9237 9238



4 PROFILE SUSPENSION KIT
 painted steel, plastic

9461 9460


System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
 The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
 Система шинопроводов должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине

Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
 The maximum length of one circuit of track light system PROFILE -20 m, and the maximum circuit power load - 1500W
 Допустимая макс. длина системы шинопровода - 20 м, максимальная электрическая нагрузка - 1500W


WHITE BLACK

Sposoby montażu / Installation methods / Методы монтажа

1. Zwieszenie na linkach stalowych
 1. Suspended on steel wires
 1. Подвеска на стальных тросах





2. Montaż bezpośredni
 2. Surface mounting
 2. Прямой монтаж



Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
 The recommended distance between tracks fasteners is 1000 mm
 Рекомендуемое расстояние между креплениями не более 1000 мм


PROFILE TRACK LIGHTS SYSTEM



5 PROFILE STRAIGHT CONNECTOR

plastic PC, steel, copper

9454 9453



6 PROFILE FLEX CONNECTOR


plastic PC, steel, copper

8382 8383

7 PROFILE L CONNECTOR

plastic PC, steel, copper


9456 9455



8 PROFILE T CONNECTOR

plastic PC, steel, copper


9187 9186



9 PROFILE X CONNECTOR

plastic PC, steel, copper


9190 9188



10 PROFILE POWER END CAP

plastic PC, steel, copper


9462 9463



11 PROFILE DEAD END CAP

plastic PC

9457 9458




PROFILE RECESSED TRACK LIGHTS SYSTEM



1 PROFILE RECESSED TRACK 1 METER
painted aluminum

9012 9013



2 PROFILE RECESSED TRACK 2 METERS
painted aluminum

9014 9015



System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
Система шинопроводов должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине

Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
The maximum length of one circuit of track light system PROFILE - 20 m, and the maximum circuit power load - 1500W
Допустимая макс. длина системы шинопровода - 20 м, максимальная электрическая нагрузка - 1500W

WHITE BLACK



Sposoby montażu / Installation methods / Методы монтажа

- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Скрытый монтаж




Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
The recommended distance between tracks fasteners is 1000 mm
Рекомендуемое расстояние между креплениями не более 1000 мм

PROFILE RECESSED TRACK LIGHTS SYSTEM




3 PROFILE RECESSED STRAIGHT CONNECTOR
plastic PC, steel, copper
8967 8968




4 PROFILE RECESSED FLEX CONNECTOR
plastic PC, steel, copper
8384 8385


5 PROFILE RECESSED L CONNECTOR
plastic PC, steel, copper
8970 8971




6 PROFILE RECESSED T CONNECTOR
plastic PC, steel, copper
8834 8835




7 PROFILE RECESSED X CONNECTOR
plastic PC, steel, copper
8836 8837




8 PROFILE RECESSED POWER END CAP
plastic PC, steel, copper
8972 8973




9 PROFILE RECESSED DEAD END CAP
plastic PC
8974 8975




10 PROFILE RECESSED FIXING SET
steel
8805





Bathroom
lighting



ICE EGG A
painted steel, glass

■ 8124


● 1xG9, max 25W
IP44



ICE EGG C
painted aluminum, glass

■ 8132

● 1xG9, max 25W
IP44



ICE EGG B
painted steel, glass


■ 8125

● 1xG9, max 25W
IP44







PIN LED S 8127



PIN LED M
painted aluminum, plastic PC
8128



PIN LED S
painted aluminum, plastic PC
8127




PIN LED L
painted aluminum, plastic PC
8130

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8127	6W LED	4000K	280 lm	120 °	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h
8128	10W LED	4000K	500 lm	120 °	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h
8130	15W LED	4000K	700 lm	120 °	≥80	~220-230 V, 50/60 Hz	☐	>0,9	IP44	30000h



VAN GOGH LED M 9350





VAN GOGH LED L 9174



VAN GOGH LED S
painted aluminum, plastic PC



VAN GOGH LED M
painted aluminum, plastic PC





VAN GOGH LED L
painted aluminum, plastic PC



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9346	9W LED	3000K	370 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9348	9W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9351	9W LED	3000K	290 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9347	13W LED	3000K	490 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9350	13W LED	3000K	640 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9352	13W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9176	18W LED	3000K	800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9175	18W LED	3000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
9174	18W LED	3000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h

VAN GOGH LED M 9347






PICASSO LED

chrome plated aluminum, plastic PC



8131



LATH LED

chrome plated steel, plastic PC


8175



KAGERA LED M

chrome plated aluminum, glass

9503



KAGERA LED L


chrome plated aluminum, glass

9502




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8131	12W LED	4000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	30000h
8175	16W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRD)	Input	Safety type	Power factor	Ingress protection	Lifetime
9502	24W LED	4000K	1380 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
9503	18W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h




VISTA
chrome plated steel, glass

- 8051
- 1xG9, max 25W only LED
- IP44




VISTA
chrome plated steel, glass

- 8050
- 3xG9, max 25W only LED
- IP44



PAN LED S
glass, chrome plated steel

- 8173




PAN LED M
glass, chrome plated steel

- 8174

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8173	12W LED	4000K	530 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
8174	17W LED	4000K	800 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h



CAYO 8055



CAYO

glass, painted steel

8055



1xG9, max 40W

IP44


glass, chrome plated steel

9505



1xG9, max 40W

IP44



SIS

glass, painted steel

8054



1xG9, max 40W

IP44

glass, chrome plated steel

9506



1xG9, max 40W

IP44

BLACK


WHITE

CHROME

WHITE

BLACK

CHROME



BALI

glass, painted steel


8053

1xE14, max 25W

glass, chrome plated steel

9353

1xE14, max 25W
IP44




CELTIC

glass, chrome plated steel

3346

1xE14, max 40W

IP44



CELTIC

glass, chrome plated steel





3347


2xE14, max 40W

IP44



BRAZOS 6951





ICE TUBE LED S
plastic PC, chrome plated steel



ICE TUBE LED M
plastic PC, chrome plated steel



ICE TUBE LED S
plastic PC, chrome plated steel



ICE TUBE LED M
plastic PC, chrome plated steel




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8121	5W LED	4000K	380 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,5	IP44	30000h
8122	8W LED	4000K	630 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,5	IP44	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8118	12W LED	4000K	1200 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,4	IP44	30000h
8120	18W LED	4000K	1750 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0,4	IP44	30000h



ICE BALL 8126



ICE BALL

brass-plated steel, glass

8126

1xG9, max 25W
IP44



TORCH

chrome plated steel, glass

8123

1xG9, max 25W
IP44

ANTIQUE BRASS


CHROME



MALAKKA LED 9501




BASSA LED 9500



BASSA LED
chrome plated steel, glass

9500



MALAKKA LED
chrome plated steel, glass

9501



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9500	18W LED	4000K	750 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h
9501	18W LED	4000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP44	20000h

WHITE


CHROME



ARENA LED 8274



ARENA 6724




ARENA
painted steel, plastic PMMA

- 6724

6725

6770

8273
- 3xE14, max 20W
- IP44




ARENA SENSOR
painted steel, plastic PMMA

- 8832

8833

7953
- 3xE14, max 20W
- IP44



ARENA LED
painted steel, plastic PMMA

- 6726

6727


6771

8274
-



ARENA LED 6727

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6726	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0,95	IP44	50000h
6727	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0,95	IP44	50000h
6771	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0,95	IP44	50000h
8274	18W LED	4000K	1600 lm	100°	≥ 80	220-230 V, 50/60 Hz		>0,95	IP44	50000h




BRAVO

painting aluminum, glass

8364 8365

1xGU10, max 15W
IP54



ALPHA

painting aluminum, glass



8362 8363

1xGU10, max 15W
IP54





FOXTROT 8373



CHARLIE



painting aluminum, glass

8366 8367

1xGU10, max 15W

IP54/20

cut out ø 75 mm



GOLF



painting aluminum, glass

8375 8376

1xGU10, max 15W

IP54/20

cut out ø 68 mm



DELTA



painting aluminum, glass

8368 8370

1xGU10, max 15W

IP54/20

cut out ø 75 mm



ECHO

painting aluminum, glass

8371 8372

1xGU10, max 15W



IP54/20

cut out ø 80 mm





ZESTAW ZAWIERA 4 KOLOROWE NAKŁADKI.
THE SET INCLUDES FOUR COLOURED RINGS.
В КОМПЛЕКТЕ 4 ЦВЕТНЫЕ НАКЛАДКИ




FOXTROT
painted aluminum, glass

8373 8374

1xGU10, max 15W
IP54/20

cut out ø 85 mm




JULIET
steel

7663 7664

1xGU10, max 15W
IP54/20


cut out 56 mm



HELIOS LED
plastic PC

8991 3000K 8992 4000K

cut out ø 85 mm



EOL LED
plastic PC

8988 3000K 8990 4000K

cut out ø 85 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8991	5W LED	3000K	300 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8992	5W LED	4000K	300 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8988	5W LED	3000K	350 lm	90 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8990	5W LED	4000K	400 lm	90 °	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h

WHITE

BLACK

Can be used outdoor

Can be used outdoor

SILVER

CHROME


WHITE

BATHROOM LIGHTING

Nowodvorski
LIGHTING

394

395



Outdoor
lighting



CUMULUS M 9715


CUMULUS M 6977

CUMULUS L 6978

CUMULUS S 6976



CUMULUS L 6978




CUMULUS S

plastic PE

6976

1xE27, max 40W

IP44




CUMULUS M

plastic PE

6977

1xE27, max 60W

IP44




CUMULUS XL

plastic PE

9714

1xE27, max 60W

IP44




CUMULUS L

plastic PE

6978

1xE27, max 60W


IP44



CUMULUS S 9751



CUMULUS M 9715




CUMULUS S

plastic PE, painted steel

9751

1xE27, max 60W

IP65




CUMULUS M

plastic PE, painted steel

9715

1xE27, max 60W

IP65






CUMULUS L

plastic PE


9607

1xE27, max 60W

IP65



FLOWERPOT S 9711



CUMULUS CUBE M

plastic PE

8966

1xE27, max 60W

IP44



STAR

plastic PE

9426

1xE27, max 40W

IP44



CUMULUS CUBE L

plastic PE

8965

1xE27, max 60W

IP44


GALAXY


plastic PE, painted steel

9246

1xE27, max 40W

IP65






STRUCTURE LED

painting aluminum, plastic PC

8146



STRUCTURE LED

painting aluminum, plastic PC

8145



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8145	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h
8146	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h

BLACK



STRUCTURE LED 8145




SYMMETRY LED 8176

SYMMETRY LED

painting aluminum, plastic PC


8176




SYMMETRY LED

painting aluminum, plastic PC

8180



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8176	7W LED	3000K	212 lm	67 °	85	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	30000h
8180	7W LED	3000K	388 lm	66 °	85	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	30000h




OTTAWA

■ painted aluminum, glass

■ 9562

■ 1xGU10, max 35W

IP44




SOUL

■ painted aluminum, glass

■ 9555

■ 1xGU10, max 35W

IP44




OTTAWA

■ painted aluminum, glass

■ 9561

■ 1xGU10, max 35W

IP44



SOUL

■ painted aluminum, glass

■ 9557

■ 1xGU10, max 35W

IP44



OTTAWA

■ painted aluminum, glass

■ 9563

■ 1xGU10, max 35W

IP44






TUBINGS M 8161




TUBINGS 8158




TUBINGS S
painted aluminum, glass

- 8160
- 1xGU10, max 35W
- IP54




TUBINGS M
painted aluminum, glass, plastic

- 8161
- 1xGU10, max 35W
- IP54



TUBINGS
painted aluminum, glass


- 8158
- 1xGU10, max 35W
- IP54



SPIKE LED S

painting aluminum, glass


9101



SPIKE LED M

painting aluminum, glass, plastic

9100



BUSH

painting aluminum, glass

3401



1xGU10, max 35W


IP65

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9100	5W LED	3000K	330 lm	30 °	>80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9101	5W LED	3000K	330 lm	30 °	>80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h






THIKA LED 9118




THIKA LED B
painted aluminum, glass

9120



THIKA LED A
painted aluminum, glass

9121




THIKA LED
painted aluminum, glass

9118



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9118	9W LED	3000K	550 lm	39 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	20000h
9120	15W LED	3000K	1035 lm	110 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h
9121	10W LED	3000K	996 lm	110 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP54	20000h




RIO

painted aluminum, plastic PC

4424

2xE27, max 40W

IP54




RIO

painted aluminum, plastic PC

4423

1xE27, max 40W

IP54




RIO SENSOR

painted aluminum, plastic PC

7017

1xE27, max 40W

IP54



RIO SENSOR

painted aluminum, plastic PC

9097


1xE27, max 40W

IP54

BLACK



RIO SENSOR 9097




ROCK

■ painted aluminum, plastic PC

■ 3406

■ 1xE27, max 60W

IP44




ROCK

■ painted aluminum, plastic PC

■ 3405

■ 1xE27, max 60W

IP44




ROCK

■ painted aluminum, plastic PC

■ 3407

■ 2xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3403

■ 1xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3402

■ 1xE27, max 60W

IP44




FOG

■ painted aluminum, glass

■ 3404

■ 2xE27, max 60W

IP44




NEGRO

printed aluminum, glass

4425

1xGU10, max 35W
IP54




NEGRO

printed aluminum, glass

4426

2xGU10, max 35W
IP54




EXE

printed aluminum, glass

8331

1xGU10, max 35W
IP54




EXE

printed aluminum, glass


8330

2xGU10, max 35W
IP54




SIERRA
painted aluminum, plastic PC

■ 4421
1xE27, max 40W
IP54




SIERRA
painted aluminum, plastic PC

■ 4422
2xE27, max 40W
IP54




BRICK
painted aluminum, glass

■ 3408
1xE27, max 60W
IP65



ORINOKO
painted aluminum, plastic PC


■ 4387
1xE27, max 20W
IP44



UNIT LED
painted aluminum

■ 9122

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9122	2x5W LED	3000K	727 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,89	IP54	20000h




MEKONG
painted aluminum, glass

4698

1xE27, max 18W

IP42




MEKONG
painted aluminum, glass

4418

1xE27, max 18W

IP42




MISTRAL
painted aluminum, plastic PC

3394

1xE27, max 23W

IP44




MISTRAL
painted aluminum, plastic PC

3393

1xE27, max 23W

IP44



MISTRAL
painted aluminum, plastic PC

4390

1xE27, max 23W

IP44






AMUR 4692




AMUR 4693




AMUR
painted aluminum, glass

4692
1xE27, max 60W
IP23



AMUR
painted aluminum, glass

4693
1xE27, max 60W
IP23



AMUR
painted aluminum, glass

4694
1xE27, max 60W
IP44



TYBR 4685




TYBR 4684




TYBR
painted aluminum, glass

4686
1xE27, max 60W
IP44



TYBR
painted aluminum, glass

4684
1xE27, max 60W
IP44




TYBR
painted aluminum, glass

4685
1xE27, max 60W
IP44



TAY 5294




TAY

5292
painted aluminum, glass

5292

1xE27, max 60W

IP23



TAY

5294
painted aluminum, glass

5294

1xE27, max 60W


IP23



TAY 5292



SPEY 5290



SPEY

5290
painted aluminum, glass


5290

1xE27, max 60W

IP23



SPEY 5291



SPEY

5291
painted aluminum, glass


5291

1xE27, max 60W

IP23

BLACK

BLACK




LANTERN

■ painted aluminum, glass

■ 6911

■ 1xE27, max 60W

IP23



DON

■ painted aluminum, glass

■ 4687

■ 1xE27, max 60W

IP44


QUARTZ

■ painted aluminum, plastic PC

■ 3411

■ 1xE27, max 60W

IP21



QUARTZ SENSOR 7016


QUARTZ SENSOR

■ painted aluminum, plastic PC

■ 7016

■ 1xE27, max 60W

IP21




INDUS


■ painted aluminum, glass

■ 4440

■ 2xE27, max 15W


IP44





LHOTSE LED
painted aluminum, plastic PC

4448




POLE LED
painted aluminum, plastic PC

9185




TEPIC LED
painted aluminum

9508




MONTERREY LED
painted aluminum

9507



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9508	9W LED	3000K	395 lm	31 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	10000h
9507	9W LED	3000K	410 lm	39 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,85	IP54	10000h
4448	9W LED	3000K	169 lm	72 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,79	IP54	10000h
9185	20W LED	3000K	950 lm	54 °	>80	~220-230 V, 50/60 Hz	⊕	>0,94	IP54	30000h



NORIN
painted aluminum, glass

■ 4446

● 1xE27, max 20W



IP44

OIR
painted aluminum, plastic PC

■ 9158

● 1xE27, max 40W

IP44



HORN
painted aluminum, glass

■ 4906

● 1xE27, max 20W


IP44

SIROCCO
aluminum, glass

■ 3396


● 1xE27, max 60W

IP44






PATHWAY LED M 9252



PATHWAY FOUNDATION KIT

steel


8795



PATHWAY LED S

painted steel, painted aluminum


9420



PATHWAY LED M

painted steel, painted aluminum

9252



PATHWAY LED L


painted steel, painted aluminum

9125




OUTDOOR LIGHTING

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9420	24W LED	3000K	2200 lm	100 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h
9252	24W LED	3000K	2200 lm	100 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h
9125	36W LED	3000K	3600 lm	100 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,9	IP44	30000h



PUEBLA LED
painted aluminum, plastic PC



MERIDA LED
painted aluminum, plastic PC




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9513	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,93	IP54	20000h
9514	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,93	IP54	20000h

GRAPHITE

Can be used in the bathroom



HEXA 9565



HEXA
painted aluminum, glass




WHITE

GRAPHITE

Can be used in the bathroom




EDESSA LED M 9107



LENS LED 9113



LENS LED 9112




LENS LED
painted aluminum, glass

9112 9113



EDESA LED M 9108




EDESA LED M
painted aluminum, glass

9108 9107



EDESA LED S 9110



EDESA LED S
painted aluminum, glass

9111 9110



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9112	2x2W LED	3000K	40 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9113	2x2W LED	3000K	59 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9107	7W LED	3000K	530 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9108	6W LED	3000K	460 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9110	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
9111	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h



NOOK 7965



NOOK 7972



NOOK 7970





NOOK 7978



NOOK 7976



NOOK 7965



NOOK

plastic ABS, plastic PC

7972 7970 7965

7976 7978

1xE27, max 10W only LED

IP44

NOOK SENSOR

plastic ABS, plastic PC

7971 7968 7964


7975 7977

1xE27, max 10W only LED

IP44



TAHOE 7611



TAHOE

plastic PC, plastic ABS

3118 3250

1xE27, max 23W

IP65



TAHOE 3242

TAHOE

plastic PC, plastic ABS

3240 3251


3242 7611

2xE27, max 23W

IP65



TAHOE 8831




TAHOE SENSOR

plastic PC, plastic ABS


8831 8830

2xE27, max 23W

IP65



ZOA LED 9421




ZOA LED
painted aluminum, glass

9421



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9421	10W LED	3000K	795 lm	110°	≥ 81	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	20000h

GRAPHITE




SINUS
painted aluminum, glass

8144




1xGU10, max 35W
IP54



PATRAS LED
painted aluminum, glass

9115



MUNO LED
painted aluminum, glass


6776



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9115	4x1W LED	3000K	320 lm	38°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h
6776	6W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,54	IP54	8000h




BLACK

GRAPHITE



ELLIPSES LED
painted aluminum, glass

8140 8182 8181




TRIANGLES LED
painted aluminum, glass

8143 8142 8141



LIMA LED
painted aluminum

9510




KHUMBU
painted aluminum, glass

4443



1xG9, max 40W

IP44




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8140	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8141	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	> 0,5	IP54	10000h
8142	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8143	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8181	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8182	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9510	6W LED	3000K	400 lm	97 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP54	10000h

WHITE BLACK-GOLD BLACK

WHITE GRAPHITE




ASSOS

■ painted aluminum, glass

■ 9123

■ 1xGU10, max 10W

IP54




ASSOS

■ painted aluminum, glass

■ 9124

■ 2xGU10, max 10W

IP54




ARRIS

■ steel, glass

■ 9516

■ 1xGU10, max 10W

IP54




ARRIS

■ steel, glass

■ 9515

■ 2xGU10, max 10W

IP54




NICO

■ painted aluminum, glass

■ 9518

■ 1xGU10, max 10W

IP54




NICO

■ painted aluminum, glass

■ 9517

■ 2xGU10, max 10W

IP54



PEAK LED
painted aluminum, glass



4441

PRIMM
painted aluminum, glass

9551

1xGU10, max 10W

IP54



DRAS LED
painted aluminum, glass


4442

FALLON
painted aluminum, glass

9552

1xGU10, max 10W


IP54



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4441	2x3W LED	3000K	62 lm	83 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,91	IP54	10000h
4442	2x3W LED	3000K	122 lm	65 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,91	IP54	10000h
6775	7W LED	3000K	242 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,54	IP54	8000h




BAY LED M 8165



BAY LED
painted aluminum, plastic PC

8164




BAY LED
painted aluminum, plastic PC

8165




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8164	3W LED	3000K	200 lm	54 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h
8165	5W LED	3000K	360 lm	51 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h



SIDEWALK ROUND LED
painted aluminum, plastic PC

8147




SIDEWALK SQUARE LED
painted aluminum, plastic PC

8148



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8147	1,6W LED	3000K	61 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	20000h
8148	1,6W LED	3000K	61 lm	120 °	≥80	~220-230V V, 50/60 Hz	⊕	>0,5	IP54	20000h




BASALT

painted aluminum, plastic

- 3412


4966
- 1xE14, max 60W
- IP44



ASSAM

painted aluminum, glass, plastic


- 4453
- 1xE27, max 18W
- IP65



INA

painted aluminum, glass, plastic

- 4907
- 1xE27, max 18W
- IP65




STEP LED

painted aluminum, plastic

- 6907

6908
-



OIA LED

painted aluminum, plastic


- 9102

9103
-

cut out ø 40 mm



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9102 9103	1W LED	3000K	45 lm	49 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP20	10000h
6907	3W LED	3000K	120 lm	92 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,57	IP44	10000h
6908	3W LED	3000K	190 lm	92 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,57	IP44	10000h



PICCO LED S


aluminum

9106



cut out ø 38 mm

IP67



PAOLI

steel, glass

9554



1xGU10, max 10W

cut out ø 100 mm

IP67



MON LED


aluminum, glass

4454



cut out ø 64 mm

IP67



PICCO LED M


aluminum

9105



cut out ø 55 mm

IP67



PICCO LED L


aluminum

9104



cut out ø 65 mm

IP67



PAT LED


aluminum, plastic PC

8162



cut out ø 56 mm

IP65



CIRCLLET LED

aluminum, plastic PC

8163



cut out ø 57 mm

IP65

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9106	1W LED	3000K	47 lm	42 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h
9105	1W LED	3000K	52 lm	51 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h
9104	3W LED	3000K	130 lm	48 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,55	IP67	10000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4454	2W LED	3000K	100 lm	28 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,42	IP67	10000h
8162	3W LED	3000K	12 lm	25 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h
8163	3W LED	3000K	120 lm	47 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP65	10000h

SILVER


BLACK

SILVER

BLACK



painted aluminum, plastic PC



aluminum, steel




- Podstawa ładująca w komplecie
- Akumulator litowy 2x2200 mAh
- Czas pełnego ładowania 5-8 h
- Czas pracy 12 h
- Włącznik dotykowy
- Ściemniacz

- Charging base (set incl.)
- 2x2200 mAh lithium battery
- Full charge time 5-8h
- Work time 12 h
- Touch switch
- Dimmable

- База для зарядки в комплекте
- Литиевая батарея 2×2200 mAh
- Время полной зарядки 5-8 ч
- Рабочее время 12 ч
- Сенсорный выключатель
- Диммер

WHITE GRAPHITE





MAHE LED 8397



MAHE LED
painted aluminum, plastic PC

- 8397
- 8398

Lampa bezprzewodowa, przenośna, zewnętrzna

- Ładowarka MICRO USB (w zestawie)
- Czas pełnego ładowania 5-7 h
- Czas pracy 9 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Power adapter MICRO USB (set incl.)
- Full charge time 5-7 h
- Work time 9 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный

- Зарядное устройство MICRO USB (в наборе)
- Время полной зарядки 5-7 ч
- Рабочее время 9 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8397	2,2W LED	3000K	168 lm	46 °	≥ 84	~220-230 V, 50/60 Hz		IP54	25000h
8398	2,2W LED	3000K	168 lm	46 °	≥ 84	~220-230 V, 50/60 Hz		IP54	25000h


WHITE BLACK



FASTOON LIGHTS 6 M 7873




MAX 2000W MAX 80m CONNECTABLE



POWER CORD FOR
FESTOON LIGHTS
rubber cable

7871

IP65



FESTOON LIGHTS 6M
rubber cable

7873

10xE27, max 15W

IP65

FESTOON LIGHTS 9M
rubber cable

7872

15xE27, max 15W

IP65




5 PC SET


BULB LED E27, A60 2W,
5 PC SET

glass

7487




Light sources
and accessories




REFLECTOR COB LED,
GU10 , ES111, 15W
plastic

9831 4000K



REFLECTOR LENS LED,
GU10, ES111, 9W
plastic

9343 3000K 9345 3000K
9213 4000K 9214 4000K



REFLECTOR DIFFUSER
LED, GU10, ES111, 9W
plastic

9342 3000K 9344 3000K
9211 4000K 9212 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9831	15W LED COB	4000K	1200 lm	37 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9343	9W LED	3000K	770 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9345	9W LED	3000K	870 lm	27 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9213	9W LED	4000K	870 lm	26 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9214	9W LED	4000K	930 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9342	9W LED	3000K	660 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9344	9W LED	3000K	700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9211	9W LED	4000K	680 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9212	9W LED	4000K	730 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h

WHITE BLACK



BULB LED G9, 7W
ceramic housing, plastic PC

9197 3000K



BULB LED G9, 4W
plastic PC

7503 3000K 7504 4000K



BULB LENS LED, G9, 3W
ceramic housing, plastic PC

9173 3000K 8447 4000K




REFLECTOR LED,
GU10, R50, 7W
plastic

9180 3000K 8348 3000K
9178 4000K 8347 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9197	7W LED	3000K	750 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
7503	4W LED	3000K	380 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0,4	25000h
7504	4W LED	4000K	390 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0,4	25000h
9173	3W LED	3000K	330 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8447	3W LED	4000K	310 lm	90 °	>80	~220-230 V, 50/60 Hz	>0,5	25000h


WHITE BLACK



BULB LED GX53, 8W

plastic PC

8377 3000K 8378 4000K



BULB GLASS BALL LED, E27, 8W

glass

9177




5 PC SET

BULB LED E27, A60 2W, 5 PC SET

glass

7487


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9180	7W LED	3000K	600 lm	39 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9178	7W LED	4000K	620 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8348	7W LED	3000K	560 lm	41 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8347	7W LED	4000K	570 lm	40 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8377	8W LED	3000K	610 lm	100 °	>80	~220-230 V, 50/60 Hz	>0,5	25000h
8378	8W LED	4000K	650 lm	100 °	>80	~220-230 V, 50/60 Hz	>0,5	25000h
9177	8W LED	3000K	840 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
7487	2W LED	2200K	160 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0,4	15000h



BULB VINTAGE LED E14, 4W

glass


9793



BULB VINTAGE LED E27, 4W

glass


9794



BULB VINTAGE LED E27, 4W

glass


9796



BULB VINTAGE LED E27, 4W

glass

9797



BULB VINTAGE LED E27, 4W

glass


9795

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Replacement	Switch cycles on/off	Lifetime
9793	4W LED	2200K	440 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9794	4W LED	2200K	400 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9796	4W LED	2200K	360 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9797	4W LED	2200K	390 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9795	4W LED	2200K	370 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h



TUBE LED T8, 11W
glass

7500



TUBE LED T8, 16W
glass

7501



TUBE LED T8, 22W
glass

7502


Item No.	Power	Colour temp.	Leds	Luminous flux	Beam angle	Colour Rendering Index (CRI ≥)	Input	Power factor	Lifetime
7500	11W LED	3000K	SMD2835	1700 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7501	16W LED	3000K	SMD2835	2300 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7502	22W LED	3000K	SMD2835	3200 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h



WATERPROOF
CONNECTOR IP68
plastic PA

8845


IP68



WATERPROOF „Y”
CONNECTOR IP68
plastic PA


8846

IP68



MICROWAVE SENSOR
plastic

8821



DUPLEX
plastic PC

9341

2xE27, max 40W

Informacje ogólne / General information / Главная Информация

Rzeczywiste parametry produktów mogą się różnić od wartości deklarowanych w katalogu o +/- 10%.
The actual product parameters may differ from the values declared in the catalogue by +/- 10%.
Фактические параметры товаров могут отличаться от заявленных в каталоге значений на +/- 10%.

Zdjęcia prezentowanego asortymentu w niniejszym katalogu mają charakter poglądowy.
Rzeczywisty kolor produktów może nieznacznie odbiegać od prezentowanego na zdjęciach, ze względu na technologię druku.

Photos in this catalogue are for illustrative purposes only.
The actual color of the products may slightly differ from that shown in the photos, due to the printing technology.

Фотографии представленного ассортимента в этом каталоге в качестве иллюстрации.
Фактический цвет продуктов может незначительно отличаться от представленного на фотографиях из-за технологии печати.

Informacje techniczne / Technical information / Техническая информация

Temperatura barwowa (K) - w potocznym rozumieniu, to „kolor” światła białego emitowanego przez źródło, np. źródło LED.
W uproszczeniu możemy podzielić je na światło o:
· barwie cieplej
· barwie neutralnej
· barwie zimnej

Colour temperature (K) in common understanding is the colour of white light emitted by a source, for example such as an LED source.
In simple terms, we can divide them into:
· Warm white
· White
· Cool white

Цветовая температура (K) в общепринятом понимании - это «цвет» белого света, излучаемого источником, например светодиодом.
Проще говоря, мы можем разделить их на:
· Теплый белый
· Белый
· Холодный белый



Strumień świetlny (lm/lumen) - w potocznym rozumieniu, to całkowita moc światła emitowanego z danego źródła światła.
Lumen (lm) - jednostka miary strumienia świetlnego w układzie SI
1 lm = 1 cd·sr

Luminous flux (lm / lumen) - the total power of light emitted from a light source.
Lumen (symbol: lm) - the unit of luminous flux in SI system.
1 lm = 1 cd·sr

Световой поток (лм / люмен) - общая мощность света, излучаемого данным источником света.
Люмен (лм) - единица светового потока в системе SI.
1 lm = 1 cd·sr

Natężenie oświetlenia (lx/luks) - w potocznym rozumieniu, to gęstość strumienia świetlnego padającego na daną powierzchnię.
Luks (lx) - jednostka natężenia oświetlenia w układzie SI.
1 lx = 1 cd·sr / m²

Illuminance (lx / lux) - in common understanding, it is the density of the luminous flux incident on a given surface.
Lux (lx) - a unit of illuminance in the SI system.
1 lx = 1 cd sr / m²

Освещенность (лк / люкс) - плотность светового потока на заданную площадь.
Единица освещенности в системе SI.
1 lx = 1 cd·sr / m²

CRI (od ang. colour rendering index), Ra - wskaźnik oddawania barw charakteryzujący źródło światła, który określa, jak dobrze postrzegane są barwy oświetlonych przedmiotów.
Im wskaźnik ten jest wyższy, tym barwy są lepiej oddawane, a oświetlane przedmioty wyglądają naturalniej.
Wyrażony jest liczbą z przedziału od 0 do 100, gdzie 100 to światło słoneczne.
Minimum wg przepisów w UE dla opraw wewnętrznych to 80.

CRI- is an index of a light source’s ability to reveal colours. It determines how well illuminated colours are perceived.
The higher index, the better colour rendering and the illuminated objects look more natural.
It is expressed with a number from 0 to 100, where 100 is a sunlight.
The minimum according to EU regulations for indoor luminaires is 80.

CRI (colour rendering index) Индекс цветопередачи, характеризующий источник света, который определяет, насколько хорошо воспринимаются цвета освещенных объектов. Чем выше этот индекс, тем лучше передаются цвета и освещенные объекты выглядят естественнее.
Он выражается числом от 0 до 100, где 100 - солнечный свет.
Минимальное требование ЕС для светильников для внутреннего освещения - 80.

Stopień ochrony IP / Degree of protection IP / Степень защиты IP

Stopień ochrony jest wyrażony dwoma cyframi. Pierwsza oznacza ochronę przed ciałami stałymi. Druga to ochrona przed cieczami.

Degree of protection is expressed by two figures. The first one stands for protection against solid particles. The second one stands for protection against liquids.

Степень защиты выражается двумя цифрами. Первая цифра относится к защите от твердых веществ, вторая, к защите от жидкостей.

1 cyfra / 1st figure / 1-ая цифра	
IP0...	Brak ochrony / Not protected / Нет защиты
IP1...	Ochrona przed ciałami stałymi większymi niż 50 mm / Protected against solid objects greater than 50 mm / Защита от попадания твердых веществ ø 50 мм
IP2...	Ochrona przed ciałami stałymi większymi niż 12 mm / Protected against solid objects greater than 12 mm / Защита от попадания твердых веществ ø 12 мм
IP3...	Ochrona przed ciałami stałymi większymi niż 2,5 mm / Protected against solid objects greater than 2,5 mm / Защита от попадания твердых веществ ø 2,5 мм
IP4...	Ochrona przed ciałami stałymi większymi niż 1 mm / Protected against solid objects greater than 1 mm / Защита от попадания твердых веществ ø 1 мм
IP5...	Ochrona przed pyłem / Protected against dust infiltration / Защита от попадания пыли
IP6...	Ochrona pyłoszczelna / Totally protected against dust infiltration / Полная защита от попадания пыли

2 cyfra / 2nd figure / 2-ая цифра	
IP...0	Brak ochrony / Not protected / Нет защиты
IP...1	Ochrona przed padającymi kroplami wody / Protected against vertically falling water drops / Защита от попадания капель воды в вертикальном падении
IP...2	Ochrona przed padającymi kroplami wody przy wychyleniu do 15° / Protected against falling water drops up to 15° from the vertical / Защита от попадания капель воды под углом не более 15°
IP...3	Ochrona przed natryskiwaną wodą / Protected against rain / Защита от дождя
IP...4	Ochrona przed bryzgami wody / Protected against splashing water / Защита от брызг воды
IP...5	Ochrona przed strugami wody / Protected against water jets / Защита от струи воды
IP...6	Ochrona przed falami / Protected against powered water jets / Защита от сильной струи воды
IP...7	Ochrona przed zanurzeniem / Protected against temporary immersion / Защита от временного погружения
IP...8	Ochrona przed głębokim zanurzeniem / Protected against continuous immersion / Защита от продолжительного погружения

IKONY / ICONS / ИЗОБРАЖЕНИ

	Lampa wisząca / Pendant lamp / Подвесные светильники		Kinkiet / Wall lamp / Настенные светильники		Kinkiet podtynkowy / Recessed wall lamp / Встраиваемые настенные светильники
	Lampa sufitowa / Ceiling lamp / Потолочные светильники		Oświetlenie punktowe / Spotlight / Точечные светильники		Źródło światła / Light source / Источник света
	Lampa biurkowa / Table lamp / Настольные лампы		Podtynkowa lampa sufitowa / Recessed ceiling lamp / Встраиваемые потолочные светильники		Tuba ledowa / Led tube / Светодиодная лампа
	Lampa podłogowa / Floor lamp / Торшеры		Lampa najazdowa / Overrun lamp / Встраиваемые дорожные светильники		Wyciąć / Cut out / Вырезать

 Oprawy oznaczone tym symbolem nie wolno okrywać materiałem termoizolacyjnym. Fittings marked with this symbol must not be covered with thermal insulation materials. Светильники, обозначенные этим символом, нельзя покрывать термоизоляционным материалом.

 Klasa ochronna druga oznacza, że oprawa posiada podwójną izolację ochronną, a przewód ochronny (żyła żółto-zielona) nie może być podłączony do oprawy oświetleniowej. Protection class II means that the fittings are equipped with a double protective insulation, and the green and yellow protective conductor must not be connected to the fitting. Второй защитный класс обозначает светильник с двойной защитной изоляцией, а защитный желто-зеленый провод не должен подключаться к светильнику.

 Klasa ochronna pierwsza oznacza, że oprawa musi być podłączona za pomocą przewodu ochronnego (żyła żółto-zielona) do przewodu lub zacisku uziemiającego. Protection class I means that the fitting must be connected with the yellow and green protective conductor to the grounding wire or terminal. Первый защитный класс обозначает, что светильник должен быть подключен с помощью защитного жёлто-зелёного провода к заземленному проводу или зажиму.

 Klasa ochronna III oznacza, bezpieczeństwo elektryczne gwarantowane przez bardzo niskie zasilanie (poniżej 50 V). Bez uziemienia. Protection class III means, that electrical safety is guaranteed by a very low power supply (less than 50 Volt). No grounding. Класс III электрическая безопасность гарантирована подачей электроэнергии низкого напояжения (меньше чем 50 вольт).

 Oprawy oznaczone tym symbolem wolno instalować wyłącznie na podłożach niepalnych. Fittings marked with this symbol are suitable for installation only on nonflammable surfaces. Светильники, обозначенные этим символом, можно устанавливать только на негорючих поверхностях.

 Zgodność produktów z ukraińskimi normami. Ukrainian standards compliant. Соответствие продукции украинским стандартам.

 Zgodność z normami Unii Europejskiej. EU standards compliant. Соответствие стандартам Европейского Союза.

 Zgodność produktów z normami Euroazjatyckiej Unii Gospodarczej. EAEU standards compliant. Соответствие продукции стандартам Евразийского экономического союза.

 Do użytku zewnętrznego. Interior use only. Для внешнего использования.











 Do wewnętrznego użytku. Exterior use only. Для внутреннего использования.

 Do stosowania wewnątrz i na zewnątrz. Interior and exterior use. Для внутреннего и внешнего использования.

 Zużyte oprawy oświetleniowe są surowcami wtórnymi - nie wolno wyrzucać ich do pojemników na odpady domowe, mogą zawierać substancje niebezpieczne dla zdrowia i życia ludzkiego oraz środowiska. Zgodnie z dyrektywą WEEE 2012/19/UE użytkownik zobowiązany jest do oddania opraw do punktu zbierania zużytego sprzętu, co przyczyni się do ochrony środowiska naturalnego. Used lighting fixtures are recyclable materials - they must not be disposed of in household waste containers as they may contain substances hazardous to human health or life as well as to the natural environment. In accordance with Regulation WEEE 2012/19 /EU, luminaire user is obliged to return a used lighting fixture to a waste appliance collection point, which will contribute to the protection of the natural environment. Использованные осветительные приборы являются вторсырьем, их нельзя выбрасывать в контейнеры с хозяйственными отходами, потому что они могут содержать в себе вещества, опасные для здоровья и жизни человека, и вредные для окружающей среды. Согласно директиве WEEE 2012/19/UE, потребитель обязан сдать осветительные приборы в пункт сбора использованного оборудования, что положительно влияет на окружающую среду.

Material	Materiał	Материал
Acrylic crystals	Kryształki akrylowe	Акриловые кристаллы
Aluminum	Aluminium	Алюминий
Braided cable	Przewód w oplocie	Плетеный кабель
Brass plated steel	Stal mosiądzowana	Сталь с латунным покрытием
Brushed stainless steel	Stal nierdzewna szczotkowana	Матовая нержавеющая сталь
Ceramic housing	Ceramiczna oprawka	Керамический патрон
Chrome	Chrom	Хром
Chrome plated steel	Stal chromowana	Хромистая сталь
Composite	Kompozyt	Композитный материал
Concrete	Beton architektoniczny	Архитектурный бетон
Copper plated steel	Stal miedziana	Сталь плакированная медью
Crystal	Kryształ	Кристаллы
Fabric	Tkanina	Ткань
Flexible stem	Peszel	Пешель
Glass	Szkło	Стекло
Gypsum	Gips	Гипс
Metallized glass	Szkło metalizowane	Металлизированное стекло
Painted aluminum	Aluminium lakierowane	Окрашенный алюминий
Painted steel	Stal lakierowana	Лакированная сталь
Plastic	Tworzywo sztuczne	Пластик
Plastic ABS	Tworzywo sztuczne ABS	АБС-пластик
Plastic PA	Tworzywo sztuczne PA	РА-пластик
Plastic PC	Tworzywo sztuczne PC	РС-пластик
Plastic PP	Tworzywo sztuczne PP	РР-пластик
Plastic PS	Tworzywo sztuczne PS	ПС-пластик
Plastic PC/ABS	Tworzywo sztuczne PC/ABS	РС-АБС-пластик
Plastic PE	Tworzywo sztuczne PE	ПЭ-пластик
Plastic PMMA	Tworzywo sztuczne PMMA	РММА-пластик
Plywood	Sklejka	Фанера
Rubber cable	Przewód gumowy	Резиновый кабель
Silicone	Silikon	Силикон
Solid brass	Lity mosiądz	Твердой латуни
Steel	Stal	Сталь
Velvet	Aksamit	Бархат
Wood	Drewno	Древесина

KODY KOLORÓW / COLOUR CODES / ЦВЕТОВЫЕ КОДЫ


			
P001 / RAL 9003	P002 / RAL 9003	P003 / RAL 9003	P004 / RAL 9003
			
P005	P006 / RAL 9006	P007	P009 / RAL 7039
			
P010 / RAL 7016	P011 / RAL 9005	P012 / RAL 9005	P013 / RAL 9005
			
P014 / RAL 9005	P015	P016	P017
			
P018	P019	P020	P021




P022



T001




T002




T003



T004



T005



T006




T007




T008




T009



T010




T011



T012




T013




T014



T015



T017




T018



T019



T020



T021



T022



T023



T024



T025




T026



T027




T028



T029



T030



T031

A	CHARLIE.....	392
	CHIC LED	273
ABI.....	CHILLIN.....	124
ACROSS	CIRCLET LED	465
AGNES LED	CL KOS LED	337
ALICE.....	COBA ANTIQUE.....	155
ALLAN.....	COBBLE.....	318
ALPHA	CONE	101
AMALFI.....	COSMO	276
AMUR	CRAFT.....	211
ARENA	CRANE	64
ARES.....	CRATE.....	196
ARRIS	CRISTAL	88
ASSAM	CROCO.....	99
ASSOS.....	CROSS.....	314
AVEIRO	CUBE.....	258
AWINION	CUMULUS CUBE.....	404
AXIS.....	CUMULUS.....	400
	CYLINDER.....	58
B	D	
	DALE.....	330
BALI.....	DELTA	392
BARREL	DISK.....	151
BASALT.....	DON.....	434
BASSA LED.....	DOT.....	335
BATON	DOVER	158
BAY LED	DOWNLIGHT ES111	331
BERGEN	DRAS LED.....	458
BIO.....	DUPLEX	479
BIT	E	
BOLD.....	ECHO.....	393
BORDE	EDESA LED	447
BOSTON.....	EGG	223
BOX ES111	ELLIPSES LED	454
BRAVO	EOL LED	395
BRAZOS	EXE.....	425
BRICK	EYE FIT	312
BULB GLASS BALL LED, E27, 8W.....	EYE FLEX	36
BULB LED, E27, A60, 2W, 5 PC SET	EYE	28
BULB LED, G9, 4W	EYE MOD	334
BULB LED, G9, 7W.....	EYE SPOT.....	310
BULB LED, GX53 8W.....	EYE SUPER	38
BULB LENS LED, G9, 3W	EYE TONE.....	325
BULB VINTAGE LED.....	EYE WALL.....	34
BULLET.....	F	
BUSH.....	FALCON.....	108
C	FALLON.....	459
	FARO.....	128
CABLE	FESTOON LIGHTS	471
CADILAC.....	FIORD.....	184
CAGE	FLEA	322
CAMERON		
CAMILLA.....		
CANOE		
CAYO		
CELTIC.....		

FLEX SHADE	116
FLEX	117
FLOWERPOT	402
FOG	423
FORM	103
FOXTROT	394
G	
GALAXY	405
GAP	318
GARRET	215
GEOMETRIC.....	190
GESS LED	259
GIOTTO LED.....	245
GIPSY	192
GLOBE PLUS	72
GOLF	393
GROOVE	319
GSTAR.....	232
H	
H LED	251
HAGA.....	260
HALO.....	320
HAMPTON	87
HANGING SET FOR PICNIC LED	466
HARMONY	212
HAWK	109
HELIOS LED	395
HEMISPHERE HIT.....	219
HEMISPHERE	220
HEMISPHERE RUST.....	216
HERMANOS.....	202
HEXA.....	443
HIGH-BAY.....	213
HORN	438
HOTEL	120
HOTEL PLUS	123
I	
ICE BALL.....	383
ICE EGG.....	364
ICE TUBE LED	380
IKA	156
IMBRIA	49
IMPULSE LED	246
INA	462
INDIA.....	323
INDUS	435
ION LED	257
IRIS LED	313

J	
JULIET.....	395
K	
KAGERA LED	371
KAREN	234
KASAI	267
KATERINA	90
KHUMBU	455
L	
LAGUNA	92
LANTERN.....	434
LASER.....	22
LATH LED.....	370
LAVA	191
LENS LED	446
LHOTSE LED	436
LIA LED	259
LIMA LED	455
LUKSOR	228
M	
MAHE LED	469
MALAKKA LED	385
MALMO.....	261
MALWI.....	282
MANUFACTURE	180
MARGARET	238
MEKNES.....	236
MEKONG.....	428
MERIDA LED	442
MERSEY	236
MICROWAVE SENSOR	479
MIKE	323
MILL.....	179
MINIMAL.....	150
MIST	102
MISTRAL.....	429
MOD PLUS	333
MOD.....	333
MODENA.....	91
MON LED	465
MONACO.....	64
MONO	288
MONO CORNER.....	293
MONO LONG	296
MONO SURFACE.....	300
MONTERREY LED.....	437
MORE EYE	46
MORE TONE.....	47
MOSS.....	119
MUNO LED	453

N

NARWIK 261

NEGRO 424

NESS 235

NEWPORT 82

NICO 457

NOOK 450

NORIN 438

NUAGE 76

NUNTUCET 81

O

OIA LED 463

OIR 439

ORBIT 162

ORGANIC 265

ORINOKO 427

OSLO LED 152

OTTAWA 410

OVAL 319

P

PAG 318

PAN LED 373

PANTOGRAPH 210

PAOLI 465

PAT LED 465

PATHWAY FOUNDATION KIT 440

PATHWAY LED 441

PATRAS LED 453

PEAK LED 458

PEAR 56

PERM 207

PETIT 132

PICASSO LED 370

PICCO LED 464

PICNIC LED 466

PICO 231

PILE 178

PILLS 164

PIN LED 366

PLANE 281

PLANT 199

POCATELLO 275

POINT 329

POINT PLEXI 328

POINT TONE 322

POLARIS 70

POLE LED 436

POLY 52

POWER CORD FOR FESTOON LIGHTS 471

PRIMM 459

PROFILE BIT PLUS 353

PROFILE BIT 351

PROFILE DEAD END CAP 357

PROFILE EYE FLEX 350

PROFILE EYE SPOT 353

PROFILE EYE SUPER 350

PROFILE EYE 351

PROFILE FLEX CONNECTOR 356

PROFILE FOCUS LED 346

PROFILE INDIA 346

PROFILE IRIS LED 342

PROFILE L CONNECTOR 357

PROFILE MIKE 346

PROFILE POWER END CAP 357

PROFILE POWER SUPPLY KIT 354

PROFILE RECESSED DEAD END CAP 361

PROFILE RECESSED FIXING SET 361

PROFILE RECESSED FLEX CONNECTOR 360

PROFILE RECESSED L CONNECTOR 361

PROFILE RECESSED POWER END CAP 361

PROFILE RECESSED STRAIGHT CONNECTOR 360

PROFILE RECESSED T CONNECTOR 361

PROFILE RECESSED TRACK 358

PROFILE RECESSED X CONNECTOR 361

PROFILE STORE PRO LED 344

PROFILE STRAIGHT CONNECTOR 356

PROFILE SUSPENSION KIT 354

ROFILE T CONNECTOR 357

PROFILE TRACK 354

PROFILE VESPA 353

PROFILE WORKSHOP 351

PROFILE X CONNECTOR 357

PROFILE ZOOM LED 347

PUEBLA LED 442

PUZZLE 280

Q

QUARTZ 435

QUEBECK 53

R

RADIUS 166

REFLECTOR COB LED, GU10 ES111, 15W 474

REFLECTOR LED, GU10, R50, 7W 475

REFLECTOR DIFFUSER LED, GU10, ES111, 9W 474

REFLECTOR LENS LED, GU10, ES111, 9W 474

REMBRANT LED 244

RETTO C 118

RING LED 263

RIO 420

ROCK 422

ROCKET 138

ROD 176

ROTOR 170

S

SALVA 74

SEMI LED 458

SET 324

SHY 195

SHY 190

SIDEWALK LED 461

SIERRA 426

SILICONE 189

SIMI 379

SINUS 453

SIROCCO 439

SIS 375

SMART LED 272

SOFT LED 253

SOLID 194

SOUL 411

SPEY 433

SPHERE 60

SPIDER 186

SPIKE LED 416

STALACTITE 27

STAR 405

STEP LED 463

STICKS 172

STRAIGHT CEILING LED 248

STRAIGHT WALL LED 250

STRUCTURE LED 406

STYLE LED 270

SUN LED 145

SUNRISE LED 142

SUNSET 143

SYMMETRY LED 409

T

TAHOE 451

TAY 432

TECHNO 208

TEPIC LED 437

TESALLI 83

THIKA LED 419

TORCH 383

TOSCANA 91

TRIANGLES LED 454

TRIFLE 136

TUBE LED T8 478

TUBE 259

TUBINGS 415

TULUM 189

TURDA 94

TWIG 185

TWIST 240

TYBR 431

U

UMBRELLA 234

UNIT LED 427

V

VAN GOGH LED 368

VELERO 128

VESPA 315

VETRO 66

VIOLET 107

VIPER 110

VISTA 372

VIVIANE 106

VOLCANO 191

W

WATERPROOF CONNECTOR IP68 479

WAVE 229

WHEEL LUX 149

WHEEL 148

WING LED 256

WORKS 218

WORKSHOP 182

Z

ZELDA 137

ZENITH 204

ZOA LED 452

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
202	239	3412	462	4653	83	5210	90
203	239	3457	113	4684	431	5211	90
204	239	3458	113	4685	431	5255	32
205	239	3464	113	4686	431	5256	32
206	239	3466	113	4687	434	5257	32
2206	192	4013	91	4692	430	5266	258
2207	192	4014	91	4693	430	5267	258
2208	192	4171	156	4694	430	5272	258
2410	193	4173	156	4698	428	5290	433
2411	193	4174	156	4730	121	5291	433
2763	241	4387	427	4731	121	5292	432
2764	241	4390	429	4838	220	5293	432
2766	241	4418	428	4840	220	5294	432
2767	240	4420	428	4841	221	5295	236
3118	451	4421	426	4842	220	5296	236
3240	451	4422	426	4843	220	5297	236
3242	451	4423	420	4844	220	5298	236
3250	451	4424	420	4856	221	5383	115
3251	451	4425	424	4893	220	5384	115
3346	377	4426	424	4906	438	5386	115
3347	377	4440	435	4907	462	5397	28
3382	276	4441	458	4917	276	5398	28
3393	429	4442	458	4961	112	5400	28
3394	429	4443	455	4962	112	5403	53
3396	439	4446	438	4963	112	5404	53
3401	417	4448	436	4966	462	5405	53
3402	423	4453	462	4981	241	5406	53
3403	423	4454	465	4983	241	5410	237
3404	423	4607	234	4984	241	5411	237
3405	422	4610	234	4985	240	5422	74
3406	422	4611	234	5067	213	5424	74
3407	422	4650	83	5125	237	5428	74
3408	427	4651	83	5126	237	5455	28
3411	435	4652	83	5208	90	5456	28

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
5463	32	6141	311	6498	42	6770	386
5464	32	6267	172	6500	38	6771	386
5471	32	6268	172	6501	41	6772	106
5472	32	6270	172	6502	41	6773	106
5654	37	6327	282	6503	41	6774	106
5655	37	6330	238	6504	42	6775	458
5663	113	6333	157	6505	42	6776	453
5723	115	6335	182	6506	38	6777	219
5794	275	6336	182	6510	218	6778	219
5795	275	6337	182	6512	110	6785	186
5796	275	6345	250	6513	110	6788	186
5797	275	6350	250	6525	328	6792	186
5798	275	6354	250	6526	328	6800	121
5828	275	6367	216	6527	328	6812	115
5844	311	6368	216	6528	328	6815	115
6000	329	6384	280	6530	328	6816	115
6001	329	6390	106	6532	106	6817	114
6006	329	6391	106	6541	109	6818	115
6007	329	6403	189	6605	182	6820	118
6010	137	6404	189	6606	182	6836	32
6014	310	6442	215	6607	311	6837	32
6015	310	6443	215	6608	311	6838	32
6016	311	6444	215	6610	311	6840	28
6017	311	6481	29	6611	311	6841	28
6018	310	6487	41	6612	218	6842	37
6020	310	6488	41	6613	218	6844	235
6021	311	6490	41	6640	110	6845	75
6022	311	6491	42	6641	110	6846	75
6134	310	6492	42	6724	386	6852	191
6135	310	6493	38	6725	386	6853	191
6136	311	6494	41	6726	386	6855	191
6137	311	6495	41	6727	386	6868	212
6138	310	6496	41	6767	235	6902	281
6140	310	6497	42	6768	235	6903	281

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
6904.....	281	7524.....	254	7564.....	250	7633.....	88
6907.....	463	7525.....	253	7565.....	250	7634.....	263
6908.....	463	7526.....	254	7566.....	250	7635.....	263
6911.....	434	7527.....	254	7567.....	250	7636.....	263
6912.....	259	7528.....	255	7568.....	250	7637.....	263
6913.....	259	7530.....	254	7594.....	250	7638.....	263
6927.....	139	7531.....	254	7595.....	250	7640.....	263
6941.....	235	7532.....	253	7596.....	250	7641.....	66
6948.....	378	7533.....	254	7602.....	329	7642.....	66
6950.....	378	7534.....	255	7603.....	329	7643.....	151
6951.....	378	7535.....	253	7605.....	72	7644.....	151
6976.....	400	7536.....	254	7606.....	72	7645.....	151
6977.....	400	7537.....	253	7607.....	72	7646.....	149
6978.....	400	7538.....	254	7610.....	46	7647.....	145
7016.....	435	7540.....	254	7611.....	451	7648.....	331
7017.....	420	7541.....	255	7612.....	330	7650.....	331
7021.....	78	7542.....	254	7613.....	330	7651.....	145
7022.....	78	7543.....	256	7614.....	89	7652.....	142
7024.....	76	7544.....	254	7615.....	89	7653.....	143
7025.....	76	7545.....	253	7616.....	88	7654.....	143
7026.....	76	7546.....	254	7617.....	88	7655.....	143
7027.....	77	7547.....	253	7618.....	346	7656.....	346
7487.....	476	7548.....	255	7620.....	346	7657.....	346
7487.....	471	7550.....	256	7621.....	346	7658.....	323
7500.....	478	7551.....	248	7622.....	346	7660.....	323
7501.....	478	7552.....	248	7623.....	347	7661.....	346
7502.....	478	7553.....	248	7624.....	347	7662.....	346
7503.....	475	7556.....	248	7625.....	347	7663.....	395
7504.....	475	7557.....	248	7626.....	347	7664.....	395
7517.....	152	7558.....	248	7627.....	88	7665.....	326
7518.....	152	7560.....	250	7628.....	88	7666.....	326
7520.....	153	7561.....	250	7630.....	89	7667.....	23
7521.....	152	7562.....	250	7631.....	89	7668.....	23
7522.....	153	7563.....	250	7632.....	88	7670.....	296

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7671.....	296	7708.....	306	7746.....	303	7784.....	289
7672.....	296	7710.....	307	7747.....	303	7785.....	292
7673.....	296	7711.....	307	7748.....	303	7786.....	299
7674.....	296	7712.....	306	7750.....	292	7787.....	299
7675.....	296	7713.....	307	7751.....	293	7788.....	61
7676.....	304	7714.....	307	7752.....	292	7790.....	318
7677.....	304	7715.....	306	7753.....	293	7791.....	318
7678.....	304	7716.....	307	7754.....	292	7792.....	318
7680.....	304	7717.....	307	7755.....	293	7793.....	318
7681.....	304	7718.....	306	7756.....	292	7794.....	57
7682.....	304	7720.....	292	7757.....	293	7795.....	232
7683.....	300	7721.....	293	7758.....	136	7796.....	232
7684.....	300	7722.....	292	7760.....	136	7797.....	56
7685.....	303	7723.....	293	7761.....	136	7798.....	56
7686.....	303	7724.....	296	7762.....	166	7800.....	56
7687.....	303	7725.....	296	7763.....	288	7801.....	162
7688.....	300	7726.....	296	7764.....	299	7802.....	162
7690.....	300	7727.....	296	7765.....	299	7803.....	162
7691.....	303	7728.....	296	7766.....	288	7804.....	162
7692.....	303	7730.....	296	7767.....	289	7805.....	162
7693.....	303	7731.....	296	7768.....	289	7806.....	162
7694.....	292	7732.....	296	7770.....	292	7807.....	288
7695.....	293	7733.....	296	7771.....	288	7808.....	299
7696.....	292	7734.....	304	7772.....	299	7810.....	288
7697.....	293	7735.....	304	7773.....	299	7811.....	289
7698.....	292	7736.....	304	7774.....	288	7812.....	289
7700.....	293	7737.....	304	7775.....	289	7813.....	292
7701.....	292	7738.....	304	7776.....	289	7814.....	47
7702.....	293	7740.....	304	7777.....	292	7816.....	47
7703.....	307	7741.....	304	7778.....	288	7817.....	47
7704.....	307	7742.....	304	7780.....	299	7821.....	47
7705.....	306	7743.....	304	7781.....	299	7822.....	46
7706.....	307	7744.....	300	7782.....	288	7824.....	46
7707.....	307	7745.....	300	7783.....	289	7825.....	46

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7826.....	46	7866.....	58	7960.....	107	8030.....	203
7827.....	300	7867.....	58	7961.....	107	8031.....	203
7828.....	300	7868.....	58	7964.....	450	8032.....	203
7830.....	303	7870.....	58	7965.....	450	8033.....	203
7831.....	303	7871.....	471	7968.....	450	8037.....	202
7832.....	303	7872.....	471	7970.....	450	8038.....	202
7833.....	300	7873.....	471	7971.....	450	8040.....	202
7834.....	300	7926.....	224	7972.....	450	8041.....	128
7835.....	303	7927.....	224	7975.....	450	8042.....	128
7836.....	303	7928.....	166	7976.....	450	8043.....	128
7837.....	303	7930.....	166	7977.....	450	8044.....	127
7838.....	288	7931.....	167	7978.....	450	8045.....	127
7840.....	299	7932.....	167	7982.....	128	8046.....	127
7841.....	288	7933.....	170	7983.....	128	8047.....	26
7842.....	289	7934.....	170	7984.....	128	8048.....	26
7843.....	289	7935.....	171	7985.....	127	8050.....	372
7844.....	292	7936.....	170	7986.....	127	8051.....	372
7846.....	60	7937.....	171	7987.....	127	8052.....	379
7847.....	60	7938.....	162	7988.....	134	8053.....	376
7848.....	60	7941.....	163	7990.....	134	8054.....	375
7850.....	60	7942.....	163	7991.....	135	8055.....	374
7851.....	50	7943.....	162	7992.....	135	8056.....	379
7852.....	50	7945.....	163	7993.....	35	8057.....	379
7853.....	51	7946.....	163	7994.....	35	8072.....	34
7854.....	51	7948.....	108	7995.....	35	8073.....	34
7855.....	50	7950.....	108	7996.....	204	8074.....	34
7856.....	50	7951.....	108	7997.....	204	8075.....	136
7857.....	353	7952.....	267	7998.....	204	8076.....	136
7858.....	323	7953.....	386	8001.....	204	8077.....	136
7860.....	323	7954.....	49	8002.....	204	8078.....	136
7862.....	29	7955.....	49	8003.....	204	8080.....	136
7863.....	29	7956.....	49	8005.....	204	8086.....	326
7864.....	58	7957.....	49	8006.....	204	8087.....	326
7865.....	58	7958.....	107	8007.....	204	8088.....	326

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8091.....	326	8138.....	269	8176.....	409	8221.....	322
8092.....	326	8140.....	454	8177.....	466	8222.....	322
8093.....	326	8141.....	454	8180.....	409	8223.....	322
8100.....	202	8142.....	454	8181.....	454	8224.....	322
8103.....	202	8143.....	454	8182.....	454	8225.....	322
8106.....	466	8144.....	453	8183.....	268	8226.....	133
8107.....	466	8145.....	406	8184.....	268	8262.....	165
8108.....	269	8146.....	406	8185.....	268	8263.....	165
8110.....	269	8147.....	461	8186.....	268	8264.....	164
8111.....	269	8148.....	461	8187.....	268	8265.....	164
8112.....	269	8150.....	81	8188.....	268	8266.....	164
8113.....	269	8151.....	81	8190.....	134	8267.....	165
8114.....	269	8152.....	86	8191.....	135	8268.....	165
8115.....	247	8153.....	86	8194.....	202	8270.....	164
8116.....	246	8154.....	87	8195.....	320	8271.....	164
8117.....	246	8155.....	87	8196.....	320	8272.....	164
8118.....	381	8156.....	82	8197.....	124	8273.....	386
8120.....	381	8157.....	82	8198.....	124	8274.....	386
8121.....	380	8158.....	415	8200.....	124	8285.....	232
8122.....	380	8160.....	415	8201.....	124	8302.....	265
8123.....	383	8161.....	415	8202.....	322	8303.....	265
8124.....	364	8162.....	465	8203.....	322	8304.....	265
8125.....	364	8163.....	465	8204.....	268	8305.....	265
8126.....	383	8164.....	460	8205.....	268	8308.....	26
8127.....	366	8165.....	460	8206.....	268	8315.....	344
8128.....	367	8166.....	244	8207.....	268	8316.....	344
8130.....	367	8167.....	244	8208.....	268	8317.....	344
8131.....	370	8168.....	245	8210.....	268	8318.....	344
8132.....	364	8170.....	245	8211.....	124	8320.....	344
8133.....	269	8171.....	257	8213.....	124	8321.....	344
8134.....	269	8172.....	257	8214.....	124	8322.....	344
8135.....	269	8173.....	373	8215.....	124	8323.....	344
8136.....	269	8174.....	373	8216.....	124	8324.....	345
8137.....	269	8175.....	370	8220.....	322	8325.....	345

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8326.....	345	8367.....	392	8443.....	101	8825.....	353
8327.....	345	8368.....	392	8444.....	100	8826.....	335
8330.....	425	8370.....	392	8445.....	100	8827.....	267
8331.....	425	8371.....	393	8446.....	100	8828.....	267
8332.....	133	8372.....	393	8447.....	475	8830.....	451
8333.....	133	8373.....	394	8448.....	138	8831.....	451
8334.....	133	8374.....	394	8490.....	138	8832.....	386
8335.....	133	8375.....	393	8671.....	56	8833.....	386
8336.....	133	8376.....	393	8672.....	56	8834.....	361
8337.....	133	8377.....	476	8673.....	56	8835.....	361
8338.....	133	8378.....	476	8774.....	337	8836.....	361
8340.....	133	8380.....	69	8775.....	337	8837.....	361
8341.....	133	8381.....	69	8776.....	337	8838.....	315
8342.....	133	8382.....	356	8777.....	337	8840.....	315
8343.....	133	8383.....	356	8778.....	337	8841.....	315
8344.....	133	8384.....	360	8780.....	337	8842.....	315
8345.....	132	8385.....	360	8781.....	337	8843.....	109
8346.....	132	8397.....	469	8782.....	337	8845.....	479
8347.....	475	8398.....	469	8794.....	65	8846.....	479
8348.....	475	8404.....	270	8795.....	440	8847.....	228
8350.....	27	8427.....	149	8796.....	25	8850.....	228
8351.....	27	8428.....	149	8797.....	25	8851.....	228
8352.....	27	8430.....	149	8798.....	25	8853.....	228
8353.....	27	8431.....	25	8800.....	28	8854.....	232
8354.....	27	8432.....	25	8802.....	97	8856.....	229
8355.....	27	8433.....	25	8805.....	361	8857.....	229
8356.....	27	8434.....	25	8816.....	310	8858.....	229
8357.....	273	8435.....	25	8817.....	310	8860.....	229
8358.....	272	8436.....	25	8818.....	311	8861.....	229
8362.....	388	8437.....	101	8819.....	311	8862.....	231
8363.....	388	8438.....	101	8820.....	311	8863.....	231
8364.....	388	8440.....	101	8821.....	479	8864.....	230
8365.....	388	8441.....	101	8823.....	351	8865.....	230
8366.....	392	8442.....	101	8824.....	353	8866.....	230

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8870.....	230	8934.....	36	8975.....	361	9027.....	176
8873.....	234	8935.....	36	8980.....	122	9028.....	148
8874.....	234	8936.....	334	8981.....	122	9032.....	148
8884.....	52	8937.....	334	8982.....	122	9033.....	148
8885.....	52	8938.....	334	8988.....	395	9042.....	155
8895.....	324	8940.....	334	8990.....	395	9043.....	155
8896.....	324	8942.....	102	8991.....	395	9044.....	155
8897.....	324	8943.....	102	8992.....	395	9045.....	196
8898.....	324	8944.....	102	8993.....	313	9046.....	196
8900.....	324	8945.....	96	8994.....	313	9047.....	196
8901.....	324	8946.....	94	8995.....	342	9054.....	27
8902.....	324	8947.....	94	8996.....	342	9055.....	27
8903.....	324	8948.....	99	8997.....	342	9056.....	70
8908.....	251	8950.....	97	8998.....	342	9057.....	70
8910.....	251	8951.....	93	9000.....	342	9058.....	70
8911.....	32	8952.....	96	9001.....	342	9060.....	70
8912.....	32	8953.....	94	9002.....	342	9061.....	233
8913.....	32	8954.....	92	9003.....	342	9067.....	36
8914.....	28	8955.....	97	9004.....	343	9068.....	36
8915.....	31	8956.....	99	9005.....	343	9070.....	36
8916.....	31	8957.....	92	9006.....	343	9071.....	123
8917.....	31	8958.....	96	9007.....	343	9072.....	123
8918.....	23	8960.....	94	9012.....	358	9073.....	123
8920.....	23	8961.....	99	9013.....	358	9074.....	123
8921.....	23	8962.....	93	9014.....	358	9076.....	172
8922.....	22	8965.....	404	9015.....	358	9077.....	172
8923.....	22	8966.....	404	9018.....	353	9083.....	114
8924.....	22	8967.....	360	9020.....	353	9084.....	112
8925.....	325	8968.....	360	9021.....	223	9090.....	114
8926.....	325	8970.....	361	9022.....	223	9091.....	112
8928.....	325	8971.....	361	9023.....	223	9097.....	420
8930.....	325	8972.....	361	9024.....	223	9100.....	416
8931.....	325	8973.....	361	9025.....	223	9101.....	416
8932.....	325	8974.....	361	9026.....	223	9102.....	463

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9103.....	463	9147.....	207	9245.....	350	9338.....	351
9104.....	464	9148.....	207	9246.....	405	9341.....	479
9105.....	464	9150.....	211	9247.....	215	9342.....	474
9106.....	464	9151.....	211	9252.....	441	9343.....	474
9107.....	447	9152.....	69	9260.....	159	9344.....	474
9108.....	447	9153.....	69	9261.....	159	9345.....	474
9110.....	447	9154.....	69	9263.....	158	9346.....	368
9111.....	447	9155.....	69	9264.....	158	9347.....	368
9112.....	446	9158.....	439	9266.....	159	9348.....	368
9113.....	446	9173.....	475	9272.....	79	9350.....	368
9115.....	453	9174.....	368	9273.....	117	9351.....	368
9118.....	419	9175.....	368	9274.....	117	9352.....	368
9120.....	419	9176.....	368	9277.....	116	9353.....	376
9121.....	419	9177.....	476	9278.....	116	9362.....	64
9122.....	427	9178.....	475	9294.....	175	9363.....	64
9123.....	456	9180.....	475	9296.....	174	9364.....	65
9124.....	456	9185.....	436	9297.....	175	9374.....	64
9125.....	441	9186.....	357	9298.....	120	9375.....	150
9126.....	210	9187.....	357	9300.....	122	9377.....	150
9127.....	178	9188.....	357	9301.....	122	9378.....	335
9128.....	178	9190.....	357	9302.....	121	9381.....	199
9130.....	176	9191.....	49	9303.....	122	9382.....	199
9131.....	67	9192.....	49	9304.....	121	9383.....	319
9132.....	67	9197.....	475	9308.....	65	9384.....	318
9135.....	179	9211.....	474	9316.....	319	9385.....	318
9136.....	179	9212.....	474	9317.....	259	9386.....	318
9138.....	185	9213.....	474	9318.....	259	9387.....	318
9140.....	185	9214.....	474	9320.....	259	9388.....	195
9141.....	185	9218.....	121	9321.....	353	9390.....	195
9142.....	209	9237.....	354	9322.....	353	9391.....	190
9143.....	209	9238.....	354	9324.....	350	9392.....	195
9144.....	208	9240.....	319	9325.....	350	9393.....	195
9145.....	208	9241.....	319	9332.....	350	9395.....	312
9146.....	207	9244.....	350	9337.....	351	9396.....	312

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9398.....	312	9490.....	267	9593.....	315	9700.....	152
9400.....	312	9491.....	267	9594.....	315	9702.....	261
9403.....	333	9495.....	331	9595.....	315	9703.....	261
9404.....	333	9497.....	331	9596.....	314	9704.....	261
9407.....	333	9500.....	385	9597.....	314	9705.....	261
9408.....	333	9501.....	385	9598.....	314	9706.....	260
9412.....	333	9502.....	371	9600.....	314	9707.....	260
9413.....	333	9503.....	371	9601.....	314	9708.....	260
9416.....	333	9505.....	374	9602.....	314	9710.....	260
9417.....	333	9506.....	375	9603.....	314	9711.....	402
9420.....	441	9507.....	437	9604.....	314	9712.....	402
9421.....	452	9508.....	437	9605.....	104	9713.....	402
9426.....	405	9510.....	455	9606.....	104	9714.....	400
9427.....	351	9513.....	442	9607.....	401	9715.....	401
9448.....	354	9514.....	442	9631.....	183	9716.....	154
9450.....	354	9515.....	457	9665.....	184	9717.....	154
9451.....	354	9516.....	457	9666.....	184	9718.....	154
9452.....	354	9517.....	457	9668.....	184	9721.....	194
9453.....	356	9518.....	457	9670.....	184	9728.....	280
9454.....	356	9551.....	459	9672.....	103	9733.....	176
9455.....	357	9552.....	459	9673.....	103	9734.....	176
9456.....	357	9554.....	465	9674.....	49	9735.....	172
9457.....	357	9555.....	411	9675.....	49	9736.....	119
9458.....	357	9557.....	411	9676.....	49	9737.....	119
9460.....	354	9561.....	410	9677.....	49	9738.....	181
9461.....	354	9562.....	410	9680.....	49	9740.....	180
9462.....	357	9563.....	410	9682.....	105	9741.....	180
9463.....	357	9564.....	443	9683.....	105	9742.....	180
9470.....	331	9565.....	443	9684.....	104	9743.....	186
9472.....	331	9570.....	331	9685.....	104	9744.....	186
9481.....	328	9571.....	331	9687.....	105	9745.....	186
9482.....	328	9574.....	331	9691.....	189	9746.....	188
9485.....	328	9575.....	331	9695.....	190	9747.....	188
9486.....	328	9592.....	315	9696.....	190	9751.....	401

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9758.....	116	9768.....	117	9794.....	477	9831.....	474
9764.....	116	9772.....	117	9795.....	477	9847.....	157
9765.....	117	9774.....	117	9796.....	477	9890.....	212
9766.....	117	9793.....	477	9797.....	477		

NOTATKI / NOTES / ЗАМЕТКИ

NOTATKI / NOTES / ЗАМЕТКИ



Nowodvorski
LIGHTING



Nowodvorski sp.j.
ul. Bojemskiego 11
42-202 Częstochowa
POLAND



+48 34 344 91 10 / 11



+48 34 344 91 12



nowodvorski@nowodvorski.com



www.nowodvorski.com



Design & production

GRAFFITI
CREATIVE PEOPLE
www.graffiti.com.pl



www.nowodvorski.com