


# LEGENDA



## NÁZEV PRODUKTU



PIKTOGRAMY

SPECIFIKACE

BARVA SVĚTLA  
(CHROMATIČNOST)

KÓD VÝROBKU EAN LUMEN DETAILY VÝROBKU

NÁČRT



DALŠÍ  
INFORMACE

ENERGETICKÁ TŘÍDA



## TYPY PATIC



## VLASTNOSTI VÝROBKU



Výrobek s potlačením oslnění



Provozní doba



Velikost řezu v mm



Typ čipu



Vestavný LED zdroj



Počet konektorů



Z hlediska logistiky, výrobek je ve velikosti XL



výrobek s pohybovým senzorem



RGB



RGB+white



Dálkově ovladatelný



Nastavitelná teplota barva světla (chromatičnost)



Patice GU10



Patice E27



Režimy osvětlení



Okamžitý úplný jas



Stupeň krytí IP výrobku



Stmívatelné



Nestmívatelné



Zobrazení teploty



Funkce alarmu



Funkce kalendáře



Barva výrobku



Funguje s LED zářivkou



Funguje se šroubovacím světelným zdrojem



Funguje se světelným zdrojem GU10



Směr světla



Lze ovládat chytrým zařízením



Výrobek s rychlospojku IP68



Dotykově nastavitelné RGB okolní světlo



Životnost: výrobek je dostupný v omezeném množství a bude nahrazen jiným výrobkem



## FLOOD LIGHTS

Reflectors are a popular light source for both industrial and domestic applications due to their wide range of usages. From powerful floor-mounted work lights to those with surface-mounted motion sensors, they all offer efficient operation and long-lasting durability.

# FLOOD LIGHTS



**SMD SLIM**  
PAGE - 210.



**SMD SLIM RGB**  
PAGE - 211.



**FRAMELESS**  
PAGE - 214.



**SMD SLIM PIR**  
PAGE - 212.



**SMD SLIM WITH QUICK CONNECTOR**  
PAGE - 216.



**SMD SLIM PIR WITH QUICK CONNECTOR**  
PAGE - 217.



**HIGH PERFORMANCE**  
PAGE - 218.



**SMD SLIM WITH TRIPOD**  
PAGE - 220.



**SMD SLIM WITH TRIPOD**  
PAGE - 220.



**TRIPOD**  
PAGE - 221.



**COB**  
PAGE - 222.



**COB PIR**  
PAGE - 223.



**COB RECHARGEABLE**  
PAGE - 224.



**SMD RECHARGEABLE WITH STAND**  
PAGE - 225.



**VALUE SMD SLIM**  
PAGE - 226.




**VALUE SMD SLIM PIR**  
PAGE - 228.



**LED FLOOD LIGHT SLIM SMD**



10W | 800lm | 220-240V | 120° | 25 000h




ABSSFLNW-10W	5999097908908
ABSSFLCW-10W	5999097914084



**LED FLOOD LIGHT SLIM SMD**



20W | 1 600lm | 220-240V | 120° | 25 000h




ABSSFLNW-20W	5999097908922
ABSSFLCW-20W	5999097914107



**LED FLOOD LIGHT SLIM SMD**



30W | 2 250lm | 220-240V | 120° | 25 000h




ABSSFLNW-30W	5999097908946
ABSSFLCW-30W	5999097914121




**LED FLOOD LIGHT SLIM SMD**



50W | 5 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-50W	5999097908960
ABSSFLCW-50W	5999097914145



**LED FLOOD LIGHT SLIM SMD**




10W | 800lm | 220-240V | 120° | 25 000h



ABSSFLNW-10W-W

5999097924847



**LED FLOOD LIGHT SLIM SMD**




20W | 2 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-20W-W

5999097924861



**LED FLOOD LIGHT SLIM SMD**




30W | 2 250lm | 220-240V | 120° | 25 000h



ABSSFLNW-30W-W

5999097924885



**LED FLOOD LIGHT SLIM SMD WITH IR REMOTE**



30W | 220-240V | 120° | 25 000h



ABSSFLRGB-30W


5999097926728



**LED FLOOD LIGHT SLIM SMD**



10W | 1 000lm | 220-240V | 120° | 25 000h




ABSSFLNW-10W-PIR	5999097908984
ABSSFLCW-10W-PIR	5999097914022



**LED FLOOD LIGHT SLIM SMD**



20W | 2 000lm | 220-240V | 120° | 25 000h




ABSSFLNW-20W-PIR	5999097909004
ABSSFLCW-20W-PIR	5999097914046



**LED FLOOD LIGHT SLIM SMD**



30W | 3 000lm | 220-240V | 120° | 25 000h




ABSSFLNW-30W-PIR	5999097909028
ABSSFLCW-30W-PIR	5999097914060




**LED FLOOD LIGHT SLIM SMD**



50W | 5 000lm | 220-240V | 120° | 25 000h




ABSSFLNW-50W-PIR	5999097909042
------------------	---------------



**LED FLOOD LIGHT SLIM SMD**




10W | 800lm | 220-240V | 120° | 25 000h



ABSSFLNW-10W-PIR-W


5999097930541



**LED FLOOD LIGHT SLIM SMD**




20W | 1 600lm | 220-240V | 120° | 25 000h



ABSSFLNW-20W-PIR-W


5999097930565



**LED FLOOD LIGHT SLIM SMD**




30W | 2 250lm | 220-240V | 120° | 25 000h



ABSSFLNW-30W-PIR-W


5999097930589



**LED FLOOD LIGHT SLIM SMD**



50W | 3 250lm | 220-240V | 120° | 25 000h



ABSSFLNW-50W-PIR-W


5999097930602



**LED FLOOD LIGHT SLIM SMD FRAMELESS**



10W | 900lm | 220-240V | 110° | 25 000h




ABFLFNW-10W 5999097953007



**LED FLOOD LIGHT SLIM SMD FRAMELESS**



20W | 1 800lm | 220-240V | 110° | 25 000h




ABFLFNW-20W 5999097953021



**LED FLOOD LIGHT SLIM SMD FRAMELESS**



30W | 2 760lm | 220-240V | 110° | 25 000h




ABFLFNW-30W 5999097953045



**LED FLOOD LIGHT SLIM SMD FRAMELESS**




50W | 4 750lm | 220-240V | 110° | 25 000h



ABFLFNW-50W 5999097953069






**LED FLOOD LIGHT SLIM SMD FRAMELESS PIR**




10W | 900lm | 220-240V | 110° | 25 000h



ABFLFNW-10W-PIR


5999097953083



**LED FLOOD LIGHT SLIM SMD FRAMELESS PIR**




20W | 1 800lm | 220-240V | 110° | 25 000h



ABFLFNW-20W-PIR


5999097953106



**LED FLOOD LIGHT SLIM SMD FRAMELESS PIR**




30W | 2 760lm | 220-240V | 110° | 25 000h



ABFLFNW-30W-PIR


5999097953120



**LED FLOOD LIGHT SLIM SMD FRAMELESS PIR**



50W | 4 750lm | 220-240V | 110° | 25 000h



ABFLFNW-50W-PIR

5999097953144


# IP68 QUICK CONNECTOR



## LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR



10W | 800lm | 220-240V | 120° | 25 000h




ABSSFLNW-10WQC

5999097930282

## LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR



20W | 1 600lm | 220-240V | 120° | 25 000h




ABSSFLNW-20WQC

5999097930305

## LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR




30W | 3 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-30WQC

5999097930329



LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR




50W | 5 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-50WQC

5999097930343



LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR




10W | 800lm | 220-240V | 120° | 25 000h



ABSSFLNW-10WQC-PIR

5999097930367



LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR




20W | 1 600lm | 220-240V | 120° | 25 000h



ABSSFLNW-20WQC-PIR

5999097930381



LED FLOOD LIGHT SLIM SMD WITH QUICK CONNECTOR



30W | 2 250lm | 220-240V | 120° | 25 000h



ABSSFLNW-30WQC-PIR

5999097930404



**LED FLOOD LIGHT SLIM SMD**



100W | 8 000lm | 85-265V | 120° | 30 000h



ABSSFLNW-100W	5999097922805
ABSSFLCW-100W	5999097930688



**LED FLOOD LIGHT SLIM SMD**



150W | 12 000lm | 85-265V | 120° | 30 000h



ABSSFLNW-150W	5999097922829
ABSSFLCW-150W	5999097930701




**LED FLOOD LIGHT SLIM SMD**



200W | 16 000lm | 85-265V | 120° | 30 000h



ABSSFLNW-200W	5999097922843
ABSSFLCW-200W	5999097930725





**LED FLOOD LIGHT SLIM SMD WITH TRIPOD**



20W | 2 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-20W-TRIPOD-S

5999097926346



**LED FLOOD LIGHT SLIM SMD 2X20W WITH TRIPOD**



40W | 4 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-20W-TRIPOD-D

5999097926322



**LED FLOOD LIGHT SLIM SMD WITH TRIPOD**



30W | 3 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-30W-TRIPOD-S

5999097936581



**LED FLOOD LIGHT SLIM SMD 2X30W WITH TRIPOD**



60W | 6 000lm | 220-240V | 120° | 25 000h



ABSSFLNW-30W-TRIPOD-D

5999097936604



**FLOOD LIGHT TRIPOD**

20Kg | Metal | 650x1600mm

1x



ABFLTPOD-S	5999097907123	6/c	1x
------------	---------------	-----	----

**FLOOD LIGHT TRIPOD**

20Kg | Metal | 650x1600mm

2x



ABFLTPOD-D	5999097907147	6/c	2x
------------	---------------	-----	----



# COB Floodlight



**LED FLOOD LIGHT SLIM COB**



10W | 900lm | 85-265V | 120° | 25 000h



ABSFLNW-10W

5999562284353



**LED FLOOD LIGHT SLIM COB**



20W | 1 200lm | 85-265V | 120° | 25 000h



ABSFLNW-20W

5999562284360



**LED FLOOD LIGHT SLIM COB**



30W | 2 700lm | 85-265V | 120° | 25 000h



ABSFLNW-30W

5999562284377





**LED FLOOD LIGHT SLIM COB**



50W | 3 000lm | 85-265V | 120° | 25 000h



ABSFLNW-50W

5999562284384


ABSFLCW-50W

5999097913865

**LED FLOOD LIGHT COB**



10W | 900lm | 85-265V | 120° | 25 000h




ABFLNW-10W-PIR

5999562283042

**LED FLOOD LIGHT COB**



20W | 1 200lm | 85-265V | 120° | 25 000h




ABFLNW-20W-PIR

5999562283059

**LED FLOOD LIGHT SLIM COB**



20W | 1 810lm | 85-265V | 120° | 30 000h



ABSFLCW-20W-PIR

5999097914183



**LED FLOOD LIGHT RECHARGEABLE COB**



10W | 550lm | 100-265V | 120° | 25 000h



ABRFLNW-10W	5999097907086
ABRFLCW-10W	5999097913681



**LED FLOOD LIGHT RECHARGEABLE COB**



20W | 1 100lm | 100-265V | 120° | 25 000h



ABRFLNW-20W	5999097907109
ABRFLCW-20W	5999097913704



**LED FLOOD LIGHT RECHARGEABLE COB**



30W | 1 650lm | 100-265V | 120° | 25 000h



ABRFLNW-30W	5999097922423
-------------	---------------



**LED FLOOD LIGHT RECHARGEABLE COB**



50W | 2 750lm | 100-265V | 120° | 25 000h



ABRFLNW-50W	5999097922447
-------------	---------------



**LED FLOOD LIGHT SLIM SMD WITH STAND**



10W | 1 000lm | AC180-240V | 120° | 30 000h



ABSSTFLNW-10W

5999097919300

**LED FLOOD LIGHT SLIM SMD WITH STAND**



20W | 2 000lm | AC180-240V | 120° | 30 000h



ABSSTFLNW-20W

5999097919324

**LED FLOOD LIGHT SLIM SMD WITH STAND**



30W | 3 000lm | AC180-240V | 120° | 30 000h



ABSSTFLNW-30W

5999097919348

**LED FLOOD LIGHT SLIM SMD WITH STAND**



50W | 5 000lm | AC180-240V | 120° | 30 000h




ABSSTFLNW-50W

5999097919744

**VALUE LED FLOOD LIGHT SLIM SMD**



10W | 800lm | 220-240V | 110° | 25 000h




ASFLNW-10W	5999097945941
ASFLCW-10W	5999097947242

**VALUE LED FLOOD LIGHT SLIM SMD**



20W | 1 600lm | 220-240V | 110° | 25 000h




ASFLNW-20W	5999097945989
ASFLCW-20W	5999097947228

**VALUE LED FLOOD LIGHT SLIM SMD**



30W | 2 400lm | 220-240V | 110° | 25 000h




ASFLNW-30W	5999097946023
ASFLCW-30W	5999097947266


**VALUE LED FLOOD LIGHT SLIM SMD**



50W | 4 000lm | 220-240V | 110° | 25 000h



ASFLNW-50W	5999097946061
ASFLCW-50W	5999097952680



VALUE LED FLOOD LIGHT SLIM SMD



100W | 8 000lm | 220-240V | 110° | 25 000h




ASFLNW-100W

5999097946108

ASFLCW-100W

5999097952789



VALUE LED FLOOD LIGHT SLIM SMD



150W | 12 000lm | 220-240V | 110° | 25 000h




ASFLNW-150W

5999097946122

ASFLCW-150W

5999097952802



VALUE LED FLOOD LIGHT SLIM SMD



200W | 16 000lm | 220-240V | 110° | 25 000h



ASFLNW-200W

5999097946146

ASFLCW-200W



5999097952826



**VALUE LED FLOOD LIGHT SLIM SMD PIR**



10W | 800lm | 220-240V | 110° | 25 000h




ASFLNW-10W-PIR	5999097945965
ASFLCW-10W-PIR	5999097952765



**VALUE LED FLOOD LIGHT SLIM SMD PIR**



20W | 1 600lm | 220-240V | 110° | 25 000h




ASFLNW-20W-PIR	5999097946009
ASFLCW-20W-PIR	5999097952741



**VALUE LED FLOOD LIGHT SLIM SMD PIR**



30W | 2 400lm | 220-240V | 110° | 25 000h




ASFLNW-30W-PIR	5999097946047
ASFLCW-30W-PIR	5999097952727



**VALUE LED FLOOD LIGHT SLIM SMD PIR**



50W | 4 000lm | 220-240V | 110° | 25 000h



ASFLNW-50W-PIR	5999097946085
ASFLCW-50W-PIR	5999097952703



SMD ECO SERIES

