


LUXURY
VINYL
TILES

iD INSPIRATION 55-70

FLOOR
IS THE NEW
PLAYGROUND



THE ULTIMATE
FLOORING EXPERIENCE



iD INSPIRATION 55-70

In retail, hospitality and work environments, design makes a first impression of how people experience the space. With iD Inspiration, explore all new colours and formats to create spaces that build brand image and positively shape the customer experience.

Express yourself with iD Inspiration, because Floor is the new playground.

Scandinavian Oak / Medium Grey
Tisse / Black - Green - Red - Blue

iD INSPIRATION 55-70

ALL NEW VIVID COLOURS



Metal Frame / Rose - Platinum - Aluminium



iD INSPIRATION 55-70

4 NEW FORMATS

- 12.5 x 122 cm
- 25 x 50 cm
- 50 x 100 cm
- 100 x 100 cm

FULLY CUSTOMIZABLE COLLECTION

- iD Inspiration offers endless combinations through your choice of format, design, surface structure and beveling. Every aspect of the product is customizable with all decors.

LIFE-LONG PERFORMANCE

- Highly resistant to the daily wear and tear of even the most demanding commercial areas.
- 10 years limited guarantee for commercial use and 15 years limited guarantee for residential use.

IMPROVED BEVELS

- A new cutting process makes for a cleaner, more realistic bevel.


ACCESSORY PACKAGES

- Comes with a complete range of accessories for user safety, efficient installation and project completion.
- Quick and easy installation for a long-lasting solution.


SUSTAINABLE DESIGN

- Contributes to people's well-being and can be reused at end-of-life in other products.
- REACH compliant, made from 36% recycled material and is 100% recyclable.

PRODUCT CONSTRUCTION



- 1 TopClean XP™ PUR reinforcement**
for excellent resistance to abrasion, scuffs and scratches plus easy, low-cost maintenance
- 2 0.55mm or 0.70mm pure PVC transparent wear layer**
for an exceptionally hard-wearing and indentation-resistant surface
- 3 More than 100 designs in high-definition print**
for a higher-quality, more natural look
- 4 Unique structure strengthened with non-woven glass fibre**
for class-leading dimensional stability with superior performance against indentation and tearing



CONTEMPORARY OAK / Grey - Grege - Brown

iD INSPIRATION 55-70

Woods



ANTIK OAK
Grey
id 70: 24201 004
id 55: 24231 004 20 x 122 cm
LRV: 33.95%
Skirting: 26640 264



ANTIK OAK
Beige
id 70: 24201 001
id 55: 24231 001 20 x 122 cm
LRV: 30.05%
Skirting: 26640 001



ANTIK OAK
Light Grey
id 70: 24201 006
id 55: 24231 006 20 x 122 cm
LRV: 26.02%
Skirting: 26640 261



ANTIK OAK
Middle Grey
id 70: 24201 008
id 55: 24231 008 20 x 122 cm
LRV: 25.50%
Skirting: 26640 263



ANTIK OAK
Dark Grey
id 70: 24201 003
id 55: 24231 003 20 x 122 cm
LRV: 23.89%
Skirting: 26640 003



ANTIK OAK
Natural
id 70: 24201 005
id 55: 24231 005 20 x 122 cm
LRV: 22.72%
Skirting: 26640 005



ANTIK OAK
Brown
id 70: 24201 002
id 55: 24231 002 20 x 122 cm
LRV: 17.42%
Skirting: 26640 002



ANTIK OAK
Anthracite
id 70: 24201 007
id 55: 24231 007 20 x 122 cm
LRV: 15.04%
Skirting: 26640 262



BRUSHED PINE
White
id 70: 24201 016
id 55: 24231 016 20 x 122 cm
LRV: 42.66%
Skirting: 26640 266



BRUSHED PINE
Grey
id 70: 24201 014
id 55: 24231 014 20 x 122 cm
LRV: 27.95%
Skirting: 26640 014



BRUSHED PINE
Natural
id 70: 24201 015
id 55: 24231 015 20 x 122 cm
LRV: 24.60%
Skirting: 26640 265



BRUSHED PINE
Brown
id 70: 24201 013
id 55: 24231 013 20 x 122 cm
LRV: 19.90%
Skirting: 26640 013

Woods



CONTEMPORARY OAK
Grege
id 70: 24201 110
id 55: 24231 110 20 x 122 cm
LRV: 30.32%
Skirting: 26640 347



CONTEMPORARY OAK
Grey
id 70: 24201 109
id 55: 24231 109 20 x 122 cm
LRV: 28.20%
Skirting: 26640 346



CONTEMPORARY OAK
Natural
id 70: 24201 111
id 55: 24231 111 20 x 122 cm
LRV: 26.42%
Skirting: 26640 348



CONTEMPORARY OAK
Brown
id 70: 24201 112
id 55: 24231 112 20 x 122 cm
LRV: 16.06%
Skirting: 26640 349



ELM
Light Grey
id 70: 24201 113
id 55: 24231 113 20 x 122 cm
LRV: 45.88%
Skirting: 26640 350



ELM
Beige
id 70: 24201 114
id 55: 24231 114 20 x 122 cm
LRV: 45.40%
Skirting: 26640 351



ELM
Natural
id 70: 24201 115
id 55: 24231 115 20 x 122 cm
LRV: 38.47%
Skirting: 26640 352



ELM
Grege
id 70: 24201 116
id 55: 24231 116 20 x 122 cm
LRV: 37.52%
Skirting: 26640 353



ELM
Brown
id 70: 24201 117
id 55: 24231 117 20 x 122 cm
LRV: 21.92%
Skirting: 26640 354



ENGLISH OAK
Light Beige
id 70: 24201 028
id 55: 24231 028 20 x 122 cm
LRV: 45.42%
Skirting: 26640 267



ENGLISH OAK
Grey Beige
id 70: 24201 029
id 55: 24231 029 20 x 122 cm
LRV: 33.74%
Skirting: 26640 268



ENGLISH OAK
Beige
id 70: 24201 024
id 55: 24231 024 20 x 122 cm
LRV: 23.69%
Skirting: 26640 024

iD INSPIRATION 55-70

Woods



ENGLISH OAK
Light
iD 70: 24201 026
iD 55: 24231 026 20 x 122 cm
LRV: 25.10%
Skirting: 26640 026



ENGLISH OAK
Natural
iD 70: 24201 027
iD 55: 24231 027 20 x 122 cm
LRV: 24.52%
Skirting: 26640 027



ENGLISH OAK
Brown
iD 70: 24201 025
iD 55: 24231 025 20 x 122 cm
LRV: 17.58%
Skirting: 26640 025



PALLET PINE
White
iD 70: 24201 030
iD 55: 24231 030 20 x 122 cm
LRV: 49.16%
Skirting: 26640 339



PALLET PINE
Beige
iD 70: 24201 031
iD 55: 24231 031 20 x 122 cm
LRV: 38.20%
Skirting: 26640 340



PALLET PINE
Natural
iD 70: 24201 032
iD 55: 24231 032 20 x 122 cm
LRV: 40.21%
Skirting: 26640 341



PALLET PINE
Brown
iD 70: 24201 033
iD 55: 24231 033 20 x 122 cm
LRV: 30.11%
Skirting: 26640 342



PATINA ASH
Beige
iD 70: 24201 106
iD 55: 24231 106 20 x 122 cm
LRV: 43.21%
Skirting: 26640 343



PATINA ASH
Grey
iD 70: 24201 108
iD 55: 24231 108 20 x 122 cm
LRV: 31.03%
Skirting: 26640 345



PATINA ASH
Brown
iD 70: 24201 107
iD 55: 24231 107 20 x 122 cm
LRV: 29.79%
Skirting: 26640 344



RUSTIC OAK
Light Grey
iD 70: 24201 124
iD 55: 24231 124 20 x 122 cm
LRV: 45.58%
Skirting: 26640 373



RUSTIC OAK
Beige
iD 70: 24201 126
iD 55: 24231 126 20 x 122 cm
LRV: 34.56%
Skirting: 26640 375

Woods



RUSTIC OAK
Natural
iD 70: 24201 125
iD 55: 24231 125 20 x 122 cm
LRV: 35.52%
Skirting: 26640 374



RUSTIC OAK
Brown
iD 70: 24201 127
iD 55: 24231 127 20 x 122 cm
LRV: 20.49%
Skirting: 26640 376



RUSTIC OAK
Medium Brown
iD 70: 24201 128
iD 55: 24231 128 20 x 122 cm
LRV: 19.91%
Skirting: 26640 377



RUSTIC OAK
Medium Grey
iD 70: 24201 123
iD 55: 24231 123 20 x 122 cm
LRV: 21.68%
Skirting: 26640 372



RUSTIC OAK
Dark Grey
iD 70: 24201 122
iD 55: 24231 122 20 x 122 cm
LRV: 14.18%
Skirting: 26640 371



RUSTIC OAK
Stone Brown
iD 70: 24201 121
iD 55: 24231 121 20 x 122 cm
LRV: 7.25%
Skirting: 26640 370



SCANDINAVIAN OAK
Light Beige
iD 70: 24201 100
iD 55: 24231 100 20 x 122 cm
LRV: 46.86%
Skirting: 26640 333



SCANDINAVIAN OAK
Medium Beige
iD 70: 24201 101
iD 55: 24231 101 20 x 122 cm
LRV: 38.13%
Skirting: 26640 334



SCANDINAVIAN OAK
Dark Beige
iD 70: 24201 102
iD 55: 24231 102 20 x 122 cm
LRV: 38.75%
Skirting: 26640 335



SCANDINAVIAN OAK
Light Grey
iD 70: 24201 103
iD 55: 24231 103 20 x 122 cm
LRV: 45.99%
Skirting: 26640 336



SCANDINAVIAN OAK
Medium Grey
iD 70: 24201 104
iD 55: 24231 104 20 x 122 cm
LRV: 39.50%
Skirting: 26640 337




SCANDINAVIAN OAK
Dark Grey
iD 70: 24201 105
iD 55: 24231 105 20 x 122 cm
LRV: 21.63%
Skirting: 26640 338

iD INSPIRATION 55-70

Woods

TREND LINE

Silver



iD 70: 24205 090
iD 55: 24235 090 16.66 x 100 cm
LRV: 24.61%
Skirting: 26640 286

TREND LINE


Interferential



iD 70: 24205 089
iD 55: 24235 089 16.66 x 100 cm
LRV: 10.60%
Skirting: 26640 285

TREND LINE

Black



iD 70: 24205 088
iD 55: 24235 088 16.66 x 100 cm
LRV: 11.10%
Skirting: 26640 284

VINTAGE TEAK

Grey



iD 70: 24201 092
iD 55: 24231 092 20 x 122 cm
LRV: 17.72%
Skirting: 26640 092

VINTAGE TEAK

Natural



iD 70: 24201 093
iD 55: 24231 093 20 x 122 cm
LRV: 6.61%
Skirting: 26640 093

WENGE

Grege



iD 70: 24205 012
iD 55: 24235 012 16.66 x 100 cm
LRV: 23.89%
Skirting: 26640 315

WENGE

Grey



iD 70: 24205 011
iD 55: 24235 011 16.66 x 100 cm
LRV: 17.66%
Skirting: 26640 292

WENGE

Natural



iD 70: 24205 010
iD 55: 24235 010 16.66 x 100 cm
LRV: 6.01%
Skirting: 26640 291

WENGE

Black



iD 70: 24205 009
iD 55: 24235 009 16.66 x 100 cm
LRV: 6.15%
Skirting: 26640 290

Authentic Stones

BARDIGLIO

Lime Stone



iD 70: 24207 034
iD 55: 24237 034 50 x 50 cm
LRV: 33.13%
Skirting: 26640 355

BARDIGLIO

Grey



iD 70: 24207 035
iD 55: 24237 035 50 x 50 cm
LRV: 38.86%
Skirting: 26640 356

BARDIGLIO

Dark Grey



iD 70: 24207 036
iD 55: 24237 036 50 x 50 cm
LRV: 29.76%
Skirting: 26640 357

BARDIGLIO

Anthracite



iD 70: 24207 037
iD 55: 24237 037 50 x 50 cm
LRV: 16.04%
Skirting: 26640 358

COMPOSITE

Cool Grey



iD 70: 24207 073
iD 55: 24237 073 50 x 50 cm
LRV: 30.45%
Skirting: 26640 317

COMPOSITE


Warm Grey



iD 70: 24207 072
iD 55: 24237 072 50 x 50 cm
LRV: 37.82%
Skirting: 26640 316

COMPOSITE


Black



iD 70: 24207 074
iD 55: 24237 074 50 x 50 cm
LRV: 8.87%
Skirting: 26640 318

POLISHED CONCRETE

Light Grey



iD 70: 24207 075
iD 55: 24237 075 50 x 50 cm
LRV: 41.57%
Skirting: 26640 319

POLISHED CONCRETE

Medium Grey



iD 70: 24207 076
iD 55: 24237 076 50 x 50 cm
LRV: 31%
Skirting: 26640 320

iD INSPIRATION 55-70

Authentic Stones



POLISHED CONCRETE
Dark Grey
id 70: 24207 077
id 55: 24237 077
LRV: 17.32%
50 x 50 cm
Skirting: 26640 321



ROCK
Greige
id 70: 24207 065
id 55: 24237 065
LRV: 48.04%
50 x 50 cm
Skirting: 26640 272



ROCK
Beige
id 70: 24207 062
id 55: 24237 062
LRV: 43.87%
50 x 50 cm
Skirting: 26640 269



TERRAZZO
Green
id 70: 24207 130
id 55: 24237 130
LRV: 24.02%
50 x 50 cm
Skirting: 26640 379



TERRAZZO
Grey
id 70: 24207 129
id 55: 24237 129
LRV: 23.18%
50 x 50 cm
Skirting: 26640 378



TERRAZZO
Anthracite
id 70: 24207 131
id 55: 24237 131
LRV: 9.42%
50 x 50 cm
Skirting: 26640 380

Authentic Stones



ROCK
Grey
id 70: 24207 066
id 55: 24237 066
LRV: 34.79%
50 x 50 cm
Skirting: 26640 273



ROCK
Brown
id 70: 24207 064
id 55: 24237 064
LRV: 11.27%
50 x 50 cm
Skirting: 26640 271



ROCK
Black
id 70: 24207 063
id 55: 24237 063
LRV: 9.74%
50 x 50 cm
Skirting: 26640 270



CAVIAR
Grey
id 70: 24207 019
id 55: 24237 019
LRV: 49.89%
50 x 50 cm
Skirting: 26640 328



CAVIAR
Beige
id 70: 24207 022
id 55: 24237 022
LRV: 37.77%
50 x 50 cm
Skirting: 26640 331



CAVIAR
Foggy Blue
id 70: 24207 023
id 55: 24237 023
LRV: 35.24%
50 x 50 cm
Skirting: 26640 332

Material Effects




RUSTIC SLATE
Beige
id 70: 24207 070
id 55: 24237 070
LRV: 29%
50 x 50 cm
Skirting: 26640 275



RUSTIC SLATE
Grey
id 70: 24207 071
id 55: 24237 071
LRV: 31.83%
50 x 50 cm
Skirting: 26640 276



RUSTIC SLATE
Black
id 70: 24207 069
id 55: 24237 069
LRV: 5.59%
50 x 50 cm
Skirting: 26640 274



CAVIAR
Mauve
id 70: 24207 021
id 55: 24237 021
LRV: 30.02%
50 x 50 cm
Skirting: 26640 330



CAVIAR
Misty Grey
id 70: 24207 017
id 55: 24237 017
LRV: 25.81%
50 x 50 cm
Skirting: 26640 326



CAVIAR
Tobacco
id 70: 24207 018
id 55: 24237 018
LRV: 19.62%
50 x 50 cm
Skirting: 26640 327

iD INSPIRATION 55-70

Material Effects



CAVIAR
Brown
id 70: 24207 020
id 55: 24237 020
LRV: 13.64%
50 x 50 cm
Skirting: 26640 329



OXIDE
Steel
id 70: 24207 119
id 55: 24237 119
LRV: 18.07%
50 x 50 cm
Skirting: 26640 360



OXIDE
Copper
id 70: 24207 118
id 55: 24237 118
LRV: 10.85%
50 x 50 cm
Skirting: 26640 359



OXIDE
Black Steel
id 70: 24207 120
id 55: 24237 120
LRV: 10.67%
50 x 50 cm
Skirting: 26640 361




TISSE
Light
id 70: 24207 084
id 55: 24237 084
LRV: 30.19%
50 x 50 cm
Skirting: 26640 279




TISSE
Beige
id 70: 24207 082
id 55: 24237 082
LRV: 19.25%
50 x 50 cm
Skirting: 26640 277



TISSE
Green
id 70: 24207 091
id 55: 24237 091
LRV: 20.32%
50 x 50 cm
Skirting: 26640 283




TISSE
Blue
id 70: 24207 087
id 55: 24237 087
LRV: 13.05%
50 x 50 cm
Skirting: 26640 282




TISSE
Red
id 70: 24207 086
id 55: 24237 086
LRV: 12.31%
50 x 50 cm
Skirting: 26640 281


Material Effects




TISSE
Brown
id 70: 24207 085
id 55: 24237 085
LRV: 12.11%
50 x 50 cm
Skirting: 26640 280




TISSE
Black
id 70: 24207 083
id 55: 24237 083
LRV: 5.02%
50 x 50 cm
Skirting: 26640 278




TWINE
Light Grey
id 70: 24207 038
id 55: 24237 038
LRV: 32.60%
50 x 50 cm
Skirting: 26640 362




TWINE
Medium Grey
id 70: 24207 039
id 55: 24237 039
LRV: 25.16%
50 x 50 cm
Skirting: 26640 363



TWINE
Blue Grey
id 70: 24207 041
id 55: 24237 041
LRV: 24.34%
50 x 50 cm
Skirting: 26640 365




TWINE
Purple
id 70: 24207 045
id 55: 24237 045
LRV: 17.18%
50 x 50 cm
Skirting: 26640 369



TWINE
Turquoise
id 70: 24207 042
id 55: 24237 042
LRV: 16.08%
50 x 50 cm
Skirting: 26640 366



TWINE
Denim
id 70: 24207 043
id 55: 24237 043
LRV: 13.52%
50 x 50 cm
Skirting: 26640 367




TWINE
Indigo
id 70: 24207 044
id 55: 24237 044
LRV: 11.86%
50 x 50 cm
Skirting: 26640 368

iD INSPIRATION 55-70

Material Effects



id 70: 24207 040
id 55: 24237 040
LRV: 15.91%
50 x 50 cm
Skirting: 26640 364




id 70: 24207 096
id 55: 24237 096
LRV: 19.36%
50 x 50 cm
Skirting: 26640 289




id 70: 24207 095
id 55: 24237 095
LRV: 10.10%
50 x 50 cm
Skirting: 26640 288

Design Effects



id 70: 24207 094
id 55: 24237 094
LRV: 5.24%
50 x 50 cm
Skirting: 26640 287




id 70: 24207 078
id 55: 24237 078
LRV: 42.20%
50 x 50 cm
Skirting: 26640 322



id 70: 24207 079
id 55: 24237 079
LRV: 37.04%
50 x 50 cm
Skirting: 26640 323



id 70: 24207 080
id 55: 24237 080
LRV: 39.91%
50 x 50 cm
Skirting: 26640 324



id 70: 24207 081
id 55: 24237 081
LRV: 28.11%
50 x 50 cm
Skirting: 26640 325

FEATURE STRIP COLOURS

Create visual effects with contrasts of colours to highlight interior features, shape perceptions of a room size or personalise your flooring design.

BLACK	1421 001	ROYAL BLUE	1421 011
SILVER	1421 002	TOBACCO	1421 008
COPPER	1421 012	DARK GREY	1421 009
GOLD	1421 003	RED	1421 010
EGGSHELL	1421 013		



Feature strips /Dark Grey - Red

iD INSPIRATION 55-70

ACCESSORIES

PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment to perfectly match all designs.

Packaging: 2.02lm skirting in packs of 16




ALUMINIUM TRANSITION PROFILE

Transition profile. To be screwed.

2 colours: Silver 1451 000
Bronze 1451 001

Packaging: 2.7lm profiles in packs of 10




ALUMINIUM STAIRNOSE

Stairnose. To be screwed over the floorcovering.

1 colour: Silver 1434 001

Packaging: 2.6lm profiles in packs of 10



3D STUD

Accessibility accessory. Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering.

Packaging: 5mm x 25mm stud in packs of 200



Self-adhesive	
	White 1440 050
	Grey 1440 051
	Black 1440 052
	Ivory 1440 053
	Red 1440 054
	Yellow 1440 055




Pallet Pine / White - Natural - Brown

iD INSPIRATION 55-70

CUSTOMIZATION SERVICE

With FLOORCRAFT, you can choose to provide us with your own design or to create one together with our designers.

FLOORCRAFT can incorporate logo and image to any overall floor concept. The FLOORCRAFT Design Library has a range of standard designs that can be implemented in any colour, and Tarkett's flooring.




This bespoke design was created by FLOORCRAFT using sonic cut. Each cut was then individually assembled into panels.




3 POSSIBILITIES OF FLOORCRAFT STANDARD DESIGNS


Houndstooth



Stripes




Vintage




COME IN THE 3 FOLLOWING COLOUR COMBINATIONS



Polished Concrete
Dark Grey / Light Grey
24970



Oxide
Black Steel / Steel
24971



Twine
Medium Grey / Light Grey
24972




Polished Concrete
Dark Grey / Light Grey
24973




Oxide
Black Steel / Steel
24974




Twine
Medium Grey / Light Grey
24975



Polished Concrete
Dark Grey / Light Grey
24976



Oxide
Black Steel / Steel
24977



Twine
Medium Grey / Light Grey
24978

Packaging: 25cm x 25cm tiles of your requested order
No minimum order quantity

iD INSPIRATION 55-70

ENVIRONMENTAL POLICY

At Tarkett, we are passionately committed to designing, producing and delivering the best products to our customers that also have a positive impact on people, planet and profits. We live according to these goals in everything we do.

We believe in creating a positive future for everyone, based on understanding the big environmental and societal challenges we all face and creating solutions and innovations that meet these needs.

iD INSPIRATION 55-70

The iD Inspiration 55-70 collection is designed for all type of traffic in retail, hospitality and work environment. It contributes to improved indoor air quality with VOC emissions below quantifiable level, less than 10µg/m³ after 28 days which makes the product Asthma and Allergy friendly. The product contributes to people's well-being as it uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.

With a unique surface treatment, cleaning and maintenance is simplified through reduced use of water, energy and chemical detergents.



Elm / Light Grey - Natural

TECHNICAL DATA


CERTIFICATION & CLASSIFICATION	STANDARDS	iD Inspiration 55	iD Inspiration 70
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42	Domestic: 23 Commercial: 34 Industrial: 43
TECHNICAL CHARACTERISTICS	STANDARDS	iD Inspiration 55	iD Inspiration 70
Total thickness	EN ISO 24346	2,5 mm	2,5 mm
Wear layer thickness	EN ISO 24340	0,55	0,7
Total weight	EN ISO 23997	4000 g/m ²	4000 g/m ²
Wear layer binder content	EN ISO 10582	Type I	Type I
Dimensions	EN ISO 24342	Planks 16,66 x 100 cm, 22 planks/box = 3,67 m ² 12,5 x 122 cm, 24 planks/box = 3,66 m ² 20 x 122 cm, 15 planks/box = 3,66 m ² 25 x 122 cm, 12 planks/box = 3,66 m ² 25 x 150 cm, 10 planks/box = 3,75 m ² Tiles 25 x 50 cm, 30 tiles/box = 3,75 m ² 50 x 50 cm, 15 tiles/box = 3,75 m ² 50 x 100 cm, 7 tiles/box = 3,50 m ² 100 x 100 cm, 3 tiles/box = 3 m ²	
Surface treatment (PUR)		Yes - TopCleanXP™	Yes - TopCleanXP™
Beveled edges		Yes	Yes
TECHNICAL PERFORMANCES	STANDARDS	iD Inspiration 55	iD Inspiration 70
Dimensional stability	EN ISO 23999	≤ 0,10 %	≤ 0,10 %
Curl resultant to heat	EN ISO 23999	≤ 2 mm	≤ 2 mm
Reaction to fire	EN 13501-1	B _f -s1 glued on wood panel and concrete	B _f -s1 glued on wood panel and concrete
Residual indentation	EN ISO 24343-1	≤ 0,05 mm	≤ 0,05 mm
Furniture leg	EN 424	No damage	No damage
Castor chair	ISO 4918 - EN 425	No damage	No damage
Impact sound reduction	EN ISO 717-2	ΔL _w = 2 dB	ΔL _w = 2 dB
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,r,n} < 85 dB)	Class C (L _{n,r,n} < 85 dB)
Thermal resistance	EN ISO 10456	0,02 m ² K/W	0,02 m ² K/W
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6	≥ 6
Chemical resistance	EN ISO 26987	Not affected (0)	Not affected (0)
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30	R9 / R10 depending on embossing μ ≥ 0,30
Electrical properties	EN 1815 EN 1081	<2 kV on concrete > 10 ⁹ Ohm	<2 kV on concrete > 10 ⁹ Ohm
Peeling resistance	EN ISO 24345	≥ 50N / 50mm	≥ 50N / 50mm
Underfloor heating		Suitable - max. 27 °C	Suitable - max. 27 °C

The above information is subject to modification for the benefit of further improvement. (07/16). Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 482050000000F





Logistics Information



Surface treatment



General Information



FLOOR IS THE NEW PLAYGROUND

flooristhewnewplayground.tarkett.com

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE: Baltic Countries:** Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org. zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310



www.professionals.tarkett.com